Submit 3 Copies To Appropriate District State of New Mexico	Farm C 102
Office District I Energy, Minerals and Natural Resources	Form C-103 May 27, 2004
1625 N. French Dr., Hobbs, NM 88240	WELL API NO. 30-015-34552
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe NM 87505	STATE FEE 6. State Oil & Gas Lease No.
1220 S. St. Francis Dr , Santa Fe, NM	o. State Off & Gas Lease No.
87505 SUNDRY NOTICES AND REPORTS ON WELLS	VO-6670 7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	Doc BHU State 8. Well Number
1. Type of Well: Oil Well Gas Well Other	1
2. Name of Operator Yates Petroleum Corporation OCT 1 0 2007	9. OGRID Number 025575
3. Address of Operator OCD-ARTESIA	10. Pool name or Wildcat
105 S. 4 th Street, Artesia, NM 88210	Wildcat; Bone Spring/Corral Canyon; Delaware
4. Well Location Unit Letter O: 330 feet from the South line and	2310 feet from the East line
Section 5 Township 25S Range 30E	NMPM Eddy County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3223'GR	
Pit or Below-grade Tank Application or Closure	
Pit type Depth to Groundwater Distance from nearest fresh water well Dis	tance from nearest surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORLD TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRI	K ALTERING CASING LLING OPNS. PLUG AND ABANDON
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT	_
OTHER: OTHER: Complet	cion Operations
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	d give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
8/28/07 – TOC 1850' CBL. Perforate Bone Spring 9073'-9075' (3), 9083'-9087' (5), 9119'-9124' (6), 9142'-9154' (13) and 9164'-9166' (3). Acidize	
with 1250g 7-1/2% HCL acid with 40 ball sealers.	
9/5/07 – Frac Bone Spring with a water frac, 635 bbls fluid, 50,000# 20/40 Expedite. 9/6/07 – Set a 5-1/2" 17# composite plug at 8630'. Perforate Bone Spring 8390'-8394' (5), 8441'-8446' (6), 8497'-8500' (4) and 8524'-8542' (19).	
Acidize with 1250g 7-1/2% HCL acid with 50 ball sealers. 9/11/07 – Frac Bone Spring with 36,860g Silverstim 20# x-link and 80,000# 20/40 Expedite.	
9/12/07 – Set a composite bridge plug at 8300'. Perforate Bone Spring 8164'-8172' (9) and 8210'-8216' (7).	
9/18/07 – Frac Bone Spring with 15,000g Silverstim and 20,000# 20/40 Expedite. Set a composite bridge plug at 8000'. Perforate Bone Spring 7566'-7568' (3), 7570'-7576' (7) and 7580'-7582' (3). Acidize with 750g 7-1/2% IC acid.	
9/23/07 – Perforate Delaware 7332'-7335' (4), 7337' (1), 7340'-7342' (3), 7374'-7377' (4), 7418'-7420' (3) and Bone Spring 7459'-7464' (6). Acidize	
with 1200g 7-1/2% HCL acid with 30 ball sealers. 9/26/07 – Frac Delaware with a water frac, 787 bbls fluid, 70,000# 20/40 Expedite.	
9/30/07 – Drilled composite plug at 8000'. Drilled composite plug at 8300'. 10/1/07 – Drilled composite plug at 8630'.	
, , , , , , , , , , , , , , , , , , ,	
The short of the sale in Company of the sale short of the sale sho	11.11.6
I hereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit	e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .
SIGNATURE TITLE Regulatory Compliance Su	pervisor DATE October 4, 2007
Type or print name Tina Huerta E-mail address: tinah@ypcnm.cc	om Telephone No. <u>505-748-1471</u>
For State Use Only APPROVED BY:TITLE	DAT PCT 1 2 2007

For State Use Only
APPROVED BY:
Conditions of Approval (if any):