District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No } \text{No } \equiv

Final Report

Form C-144 June 1, 2004

Type of action: Registration of a pit of	or below-grade tank [Closure of a pit or below-gra	de tank 🛛
Operator: EOG Resources, Inc. Telephone:	432-6863600 e-mail address: Bgrig	rv@msn.com
Address: P O Box 2267 Midland, TX 79702		1,10,1101.
Facility or well name: Potomac A 9 Fee #1H API #: 3	0-015-35369 U/L or Otr/Otr A	Sec 9 T 16S R 25E
County: Eddy Latitude		
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined 🛛 Unlined 🗍	Double-walled, with leak detection? Yes If no	t, explain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐	_	•
Pit Volume 10300 bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points) XXX
	Voc	(20 :)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) XXX
istance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
rigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
rigation canais, unones, and peremital and epitement watercourses.)	1000 feet or more	(0 points) XXX
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☑ (5) Attach soil sample results and a diagram of sample locations and excava	Yes I If yes, show depth below ground surface	description of remedial action taken including
Additional Comments: A burial pit was constructed and lined with a 12mi		fened with dry soil then placed in the burial
Pit. The burial pit was capped with a 20 mil liner then backfilled with cle		
standards. The drilling pit was backfilled with clean native and contoured		s were tested and an points met NivioeD
standards. The driving pit was backfined with clean harve and computed	to the surrounding area.	
	1-01	
	FII Clo	SEA 10/12/07
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify that es \boxtimes , a general permit \square , or an (attached) alternation	the above-described pit or below-grade tank ative OCD-approved plan .
Date: 10/24/30	11/2	
1 this is the second	8: 1/1/	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve gulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval:	Signature Signed By Mile Bra	
Printed Name/Title	Signature Signed By 70074 RIPA	Date 10 2 1 2007

Closure Report

OCT 3 1 2007 OCD-ARTESIA

Prepared for EOG Resources

Potomac A9 Fee #1H API # 30-015-35369 Eddy County, NM

Prepared by

Elke Environmental, Inc.

P.O. Box 14167 Odessa, TX 79768 Phone (432) 366-0043 Fax (432) 366-0884

Elke Environmental, Inc.

P.O. Box 14167 Odessa, TX 79768 Phone (432) 366-0043 Fax (432) 366-0884

October 12, 2007

New Mexico Oil Conservation Division Mr. Mike Bratcher 1301 West Grand Ave. Artesia, New Mexico 88210

Re: Drilling Pit Closure of EOG Resources – Potomac A9 Fee #1H UL 'A' Sec. 9 T16S R25E Eddy County, NM

API # 30-015-35369

Mr. Mike Bratcher,

Elke Environmental was contracted by EOG Resources to complete the closure of the Potomac A9 Fee #1H drilling pit. As per the C-144 filed and signed by Mike Bratcher on 9-13-07 a burial pit was constructed and lined with a 12 mil liner. The drilling mud was mixed dry soil to stiffen the mud then placed in the burial pit. After all mud was removed 5 bottom points were analyzed and all points met NMOCD standards. The burial pit was then capped with a 20 mil impervious liner. The drilling pit and burial pit were then backfilled with clean native soil and contoured to the surrounding area. If you have any questions about the enclosed report please contact me at the office.


Sincerely,

Logan Anderson

EOG Resources

Potomac A9 Fee #1H

Plat Map



N

EOG Resources - Potomac A9 Fee #1H



Drilling pit before closure.




Drilling pit before closure.




Placing mud in burial pit after stiffened with dry soil



Burial pit with a 12 mil impervious liner.



Burial pit with a 20 mil impervious liner cap.



Site after backfill with clean native soil and contouring.

Drilling pit and Burial pit after backfill.

Elke Environmental, Inc. P.O. Box 14167 Odessa, TX 79768

Field Analytical Report Form

ent EOG Reso	ources			Analyst	Kim Baker	
Potomac A9	Fee #1H					
Sample ID	Date	Depth	TPH / PPM	Cl/PPM	PID / PPM	GPS
TP1	9-25-07	10'		191	5.7	32° 56' 66.1" N 104° 28' 97.1" W
TP2	9-25-07	10'		233	9.7	32° 56' 67.1" N 104° 28' 96.9" W
TP3	9-27-07	10'		184	4.3	32° 56' 65.8" N 104° 28' 94.9" W
TP4	9-27-07	10'		141	9.9	32° 56' 65.8" N 104° 28' 94.9" W
TP5	9-27-07	10'		160	7.3	32° 56' 65.9" N 104° 28' 96.6" W
						,

Analyst Notes

Analytical Report 290516

for

Elke Environmental, Inc.

Project Manager: Kim Baker
EOG Resources

02-OCT-07



12600 West I-20 East Odessa, Texas 79765

A Xenco Laboratories Company

Texas certification numbers: Houston, TX T104704215

Florida certification numbers:
Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America Midland - Corpus Christi - Atlanta



02-OCT-07

Project Manager: Kim Baker Elke Environmental, Inc. 4817 Andrews Hwy P.O. Box 14167 Odessa, tx 79768 Odessa, TX 79762

Reference: XENCO Report No: 290516

EOG Resources

Project Address: Potomac A9 Fee # 1 H

Kim Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 290516. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 290516 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully

Brent Barron

Odessa Laboratory Director

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America



Sample Cross Reference 290516

Elke Environmental, Inc., Odessa, TX

EOG Resources

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
TP1	S	Sep-25-07 08:00	10 ft	290516-001
TP2	S	Sep-27-07 08:30	10 ft	290516-002
TP3	S	Sep-27-07 09:00	10 ft	290516-003
TP4	S	Sep-27-07 09:30	10 ft	290516-004
TP5	S	Sep-25-07 08:30	10 ft	290516-005



Certificate of Anal Summary 290516

Elke Environmental, Inc., Odessa, TX

Project Id:

Contact: Kim Baker

Project Location: Potomac A9 Fee # 1 H

Project Name: EOG Resources

Date Received in Lab: Mon Oct-01-07 08:05 am

Report Date: 02-OCT-07

Project Manager: Brent Barron, II

									I roject wia		Bront Burton,			
	Lab Id:	290516-0	001	290516-0	002	29	0516-0	03	290516-0	004	290516-0	05		
Anglusia Baguestad	Field Id:	TP1		TP2			TP3		TP4		TP5			
Analysis Requested	Depth:	10 ft		10 ft			10 ft		10 ft		10 ft			
	Matrix:	SOIL		SOIL			SOIL		SOIL		SOIL			
	Sampled:	Sep-25-07	08:00	Sep-27-07 (08:30	Sep	27-07	9:00	Sep-27-07	09:30	Sep-25-07 (08:30		
Percent Moisture	Extracted:									-				
I CI COIL MOISTUIC	Analyzed:	Oct-01-07	10:30	Oct-01-07 1	10:30	Oct	01-07 1	0:30	Oct-01-07	10:30	Oct-01-07 1	0:30		
	Units/RL:	%	RL	%	RL	,	6	RL	%	RL	%	RL		
Percent Moisture		9.16	1.00	15.1	1.00		6.77	1.00	14.0	1.00	5.53	1.00		
TPH by SW8015 Mod	Extracted:	Oct-01-07	13:00	Oct-01-07 1	3:00	Oct-	01-07 1	3:00	Oct-01-07	13:00	Oct-01-07 1	3:00		
11 11 by 5 44 6015 1410u	Analyzed:	Oct-01-07	17:58	Oct-01-07 1	8:23	Oct-	01-07 1	8:49	Oct-01-07	19:14	Oct-01-07 I	9:39		
	Units/RL:	mg/kg	RL	mg/kg	RL	mg	/kg	RL	mg/kg	RL	mg/kg	RL	`	
C6-C12 Gasoline Range Hydrocarbons		ND	11.0	ND	11.8		ND	10.7	ND	11.6	ND	10.6		
C12-C28 Diesel Range Hydrocarbons		23.0	11.0	31.6	11.8		ND	10.7	18.9	11.6	ND	10.6		
C28-C35 Oil Range Hydrocarbons		ND	11.0	ND	11.8		ND	10.7	ND	11.6	ND	10.6		
Total TPH		23		31.6			ND		18.9		ND			
Total Chloride by EPA 325.3	Extracted:							}						
	Analyzed:	Oct-02-07	1:15	Oct-02-07 1	1:15	Oct-	02-07 1	1:15	Oct-02-07 1	1:15	Oct-02-07 1	1:15		
	Units/RL:	mg/kg	RL	mg/kg	RL	mg	kg	RL	mg/kg	RL	mg/kg	RL	l	
Chloride		164	5.50	376	5.89		171	5.36	86.6	5.82	248	5.29		

This snalytical report, and the entire data package it represents, has been made for your exclusive and confidential use The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented Our liability is limited to the amount involved for this work order unless otherwise agreed to in writing

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Brent Barron Odessa Laboratory Director

XENCO Laboratories

Flagging Criteria

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the MQL and above the SQL.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte.

 The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Phone Fax 11381 Meadowglen Lane Suite L Houston, Tx 77082-2647 (281) 589-0692 (281) 589-0695 9701 Harry Hines Blvd , Dallas, TX 75220 (214) 902 0300 (214) 351-9139 5332 Blackberry Drive, Suite 104, San Antonio, TX 78238 (210) 509-3334 (201) 509-3335 2505 N. Falkenburg Rd., Tampa, FL 33619 (813) 620-2000 (813) 620-2033 5757 NW 158th St, Miami Lakes, FL 33014 (305) 823-8500 (305) 823-8555



Form 2 - Surrogate Recoveries

Project Name: EOG Resources

Work Order #: 290516

Project ID:

Lab Batch #: 705465

Sample: 290516-001 / SMP

Batch:

Matrix: Soil

Units: mg/kg TPH by SW8015 Mod Analytes	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[10]				
1-Chlorooctadecane	40.7	50.0	81	70-135			
1-Chlorooctane	41.5	50.0	83	70-135			

Lab Batch #: 705465

Sample: 290516-002 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg TPH by SW8015 Mod Analytes Chlorooctadecane	SU	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes		,	[D]					
1-Chlorooctadecane	39.2	50.0	78	70-135				
1-Chlorooctane	40.8	50.0	82	70-135				

Lab Batch #: 705465

Sample: 290516-003 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SU	RROGATE R	ECOVERY S	STUDY	
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes			[D]		
1-Chlorooctadecane	38.0	50.0	76	70-135	
1-Chlorooctane	39.5	50.0	79	70-135	

Lab Batch #: 705465

Sample: 290516-004 / SMP

Batch: 1

Matrix: Soil

	SU	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes			[D]					
1-Chlorooctadecane	38.2	50.0	76	70-135				
1-Chlorooctane	40.2	50.0	80	70-135				

Lab Batch #: 705465

Sample: 290516-005 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg TPH by SW8015 Mod	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooctadecane	41.2	50.0	82	70-135			
1-Chlorooctane	42.8	50.0	86	70-135			

^{**} Surrogates outside limits; data and surrogates confirmed by reanalysis

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.

^{***} Poor recoveries due to dilution



Form 2 - Surrogate Recoveries

Project Name: EOG Resources

Work Order #: 290516

Lab Batch #: 705465

Project ID:

Sample: 499958-1-BKS/BKS

Batch:

Matrix: Solid

TPH by SW8015 Mod Analytes	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1-Chlorooctadecane	36.8	50.0	74	70-135			
1-Chlorooctane	45.6	50.0	91	70-135			

Lab Batch #: 705465

Sample: 499958-1-BLK / BLK

Batch: 1

Matrix: Solid

Units: mg/kg TPH by SW8015 Mod Analytes	SURROGATE RECOVERY STUDY						
·	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1-Chlorooctadecane	37.0	50.0	74	70-135			
1-Chlorooctane	38.3	50.0	77	70-135			

Lab Batch #: 705465

Sample: 499958-1-BSD / BSD

Batch: 1

Matrix: Solid

Units: mg/kg TPH by SW8015 Mod Analytes	SURROGATE RECOVERY STUDY						
·	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooctadecane	35.4	50.0	71	70-135			
1-Chlorooctane	44.7	50.0	89	70-135			

^{**} Surrogates outside limits; data and surrogates confirmed by reanalysis

^{***} Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries

Project Name: EOG Resources

Work Order #: 290516

Analyst: SHE

Date Prepared: 10/01/2007

Project ID:

Date Analyzed: 10/01/2007

Lab Batch ID: 705465

Sample: 499958-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg		BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY													
TPH by SW8015 Mod Analytes	Blank Spike Blank Sample Result Added Spike [A] Result [B] [C]		Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag					
					` '										
C6-C12 Gasoline Range Hydrocarbons	ND	500	554	111	500	545	109	2	70-135	35					
C12-C28 Diesel Range Hydrocarbons	ND	500	493	99	500	477	95	3	70-135	35					

Relative Percent Difference RPD = 200*[(D-F)/(D+F)]Blank Spike Recovery [D] = 100*(C)/[B]Blank Spike Duplicate Recovery [G] = 100*(F)/[E]All results are based on MDL and Validated for QC Purposes



Sample Duplicate Recovery

Project Name: EOG Resources

Work Order #: 290516

Lab Batch #: 705430

Project ID:

Date Analyzed: 10/01/2007

Date Prepared: 10/01/2007

Analyst: RBA

QC- Sample ID: 290516-001 D

Batch #:

Matrix: Soil

Reporting Units: %	SAMPLE / SAMPLE DUPLICATE RECOVERY												
Percent Moisture	Parent Sample Result [A]	Duplicate Result	RPD	Control Limits %RPD	Flag								
Analyte		[B]			ļ								
Percent Moisture	9.16	8.42	8	20									

Environmental Lab of Texas

A Xanco Laboratories Company

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West I-20 East Odsssa, Texas 79765 Phone: 432-563-1800 Fax: 432-563-1713

	Project Manager:	Kim Baker						··-								-	Pr	ojec	t Na	me:	£	0	<u> </u>		<u> </u>	<u>S</u>	<u> </u>	RC	<u></u>	7	
	Company Name	Elke Environmenta	al													_		P	rojec	t#:											
	Company Address	P O Box 14167														_	1	Proje	ect L	.oc:	10	270). <i>M</i>	A	<u>C</u>	A	19	Ŀ	EZ	ŧ	1
	City/State/Zip.	Odessa, TX 79768	3													_) #:											
	Telephone No:	432-366-0043				Fax No:		43	32-	366	-08	84				. F	tepoi	t Fo	rmat	t:		Stan	dard			TRE	RP		□ N	IPDES	5
	Sampler Signature:	yli Be	2cm			e-mail.		kb	el.	kee	nv(<u>@</u> y	aho	0.C	om						**********										4
																							Anal	yze F	or:					┨.	1
(lab use		,																H			70 TOT		+	+	+-			.		2 2	
ORDER	r#: 29051	10								Prese	rystic	on & i	of Co	ontaine	N.B	М	atrix	38	П				*	1	12			-		3	
COOLAB# (lab use only)	TP1 TP2 TP3	D CODE	Beginning Depth	Ending Depth	9.27.07 9.27.07	8:00	Field Filtered	Total # of Containers	X \$	HNO ₃	HGI	H ₂ SO ₄	NBOH	None None	Other (Specify)		GW = Groundwald NP=Non-Potable	TPH: 418.1 (8015M) R015B	TPH: 1'X 1005 TX 1006	Cations (Ca. Mg, Na. K)	Ardon (CI)5O4, Alkalinity)	SAR/ESP/CLC	Voletites	Serratvolatilias	BTEX 80218/5030 or BTEX 8260	RC.	N.O.R.W.			RUSH TAT (Pre-Schedule) 24,	Standard TAT
04	1724		1		9-27.07	9:30		7	1		7	7		\top				1)	П		$\langle \uparrow$	\top	\top						T		\square
0.5	TPS		1	\sqcap	9.28.47				1		_	1	\top		Т	7		Ħ			#	1	1	1	\Box	П	一	十	十	T	T
0.2			1	<u> </u>					Ė		7	7	_	1				Ė		\exists	+	\top	十	†	\Box		_	1	\top	1	Ħ
			 								7	\dashv	+	十	1			1		7	_	十	十	十	\vdash	\square	\top	\top	+	T	М
			1								+	1	+	+						\dashv	\neg	十	十	\top	\vdash		+	+	+		
			 				_				1	寸	十	\top	\Box			Г			+	+	+	T	П	\Box	十	十	1		П
			 								\neg	+	1	+						1	+	\top	+	1			+	\top	十	1	П
	nstructions:		<u> </u>	I														1		Sam VOC	ple (s Fr	onta e of	omn iners Hear	s Inta dspa	act?				 }	N N	
Reinquisi	red by:	Date	8-2	me	Received by:										Da	te		Time					taine on c		iner((s)		¥	,	z \$ }z z	
Re:inquist		Date	Tic	me	Received by.										Da			Time		Cust Sam	ody ple h by Sa	eals land mple	on c Defiv r/Clie	coole vered ant Re	r(s) i ep?	DHI	F	ed EX	ا ا ا	N N ne Sta	ar
Re inquish	ned by	Date	Tir	πe	Received by EL									10	Da 7 - /	te c7	برا	Time		Tem	pera	ture (Jpon	Rec	eipt:			1	1/5	~c	

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Client:	EIKE EIN.				
Date/ Time.	10107 8:05				
Lab ID#:	290516				
Initials:	al.				
nnuais.					
	Sample Receipt C	Checklist		_	
[#4 T	-turn of continued and the	Van	N/a I		lient Initials
	ature of container/ cooler?	Yes	No No	// & c	1(13)
	container in good condition?	Ves	No No	Nat Day	
	Seals intact on shipping container/ cooler?	Yes	No	Not Present	
	Seals intact on sample bottles/ container?	Yes	No	≪Not Present >	
	f Custody present?	Yes	No		
	instructions complete of Chain of Custody?	(Yes)	No		
	Custody signed when relinquished/ received?	799	No	10	
	f Custody agrees with sample label(s)?	Yes)	No	ID written on Cont./ Lid	
	er label(s) legible and intact?	yes) Yes	No	Not Applicable	
	e matrix/ properties agree with Chain of Custody?		No		
	ners supplied by ELOT?	Yes	No		
	es in proper container/ bottle?	Yes	No	See Below	
	es properly preserved?	Yes	NO	K See Below	
	e bottles intact?	(es)	No		
	vations documented on Chain of Custody?	(6)	No		
	ners documented on Chain of Custody?	Yes	No		
	ent sample amount for indicated test(s)?	Yes	No	See Below	
	nples received within sufficient hold time?	YES	No	See Below	
	ntract of sample(s)?	Yes	No_	Not Applicable	
#20 VOC s	amples have zero headspace?	Yes	No	Not Applicable	
	Variance Docum				40.0
Contact Regarding:	Kim Baker Contacted by: Bien #13, Not cold	t Barro		Date/ Time:	10.1076 8.054
Corrective A	Action Taken:				
Check all th	nat Apply: See attached e-mail/ fax Client understands and woul Cooling process had begun	-		•	

District I
1625 N. Freech Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
9 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

SEP 13 2007

Form C-144

June 1, 2004

Type of action: Registration of a pit of	or below-grade tank [] Closure of a pit or below	-grade tank 🖾 OCO ARTESIA
		grigry@msn.com
Address: P O Box 2267 Midland, TX 79702		
Facility or well name: Potomac A 9 Fee #1H API #: 3	0-015-35369 U/L or Qtr/Qtr A	Sec 9 T 16S R 25E
County: Eddy Latitude	32.9427297 Longitude 104	.4833649 NAD: 1927 🗌 1983 🗍
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🖾 Unlined 🗌	Double-walled, with leak detection? Yes I	
Liner type: Synthetic ⊠ Thickness 12 mil Clay □	, , , , ,	
Pit Volume 10300 bbl		
11. Viano 10200 001	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points) XXX
	100 feet of more	(v points) AAA
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) XXX
	Less than 200 feet	(20 points)
tance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXX
<u> </u>	1000 teet of more	
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☑ (5) Attach soil sample results and a diagram of sample locations and excava	Yes I If yes, show depth below ground surface_	ral description of remedial action taken including
Additional Comments: A burial pit will be constructed and lined with a 12	2mil impervious liner. The drilling pit contents wi	ill be stiffened with dry soil then placed in the burial
Pit. The burial pit will be capped with a 20 mil liner then the burial pit an		
A final report will be given at the end of the job.		on and some so are partouning week
A tinal report will be given at the end of the job.		
		Marie Control of the
NMOCD Artesia will be notified 48 hrs before work starts.		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	t of my knowledge and belief. I further certify the es ⊠, a general permit □, or an (attached) about	nat the above-described pit or below-grade tank rnative OCD-approved plan .
Date: 9-11-07		Á
Printed Name/Title Logan Anderson - Agent	Signature	
Your certification and NMOCD approval of this application/closure does therwise endanger public health or the environment. Nor does it relieve tulations.	not relieve the operator of liability should the cont the operator of its responsibility for compliance w	tents of the pit or tank contaminate ground water or ith any other federal, state, or local laws and/or
	ند اداری	/
Samples are to be obtained from	Signed By Mily B	KMALLER
Pit area and analysis submitted to	Signature	Date: SEP 1 3 2007

Samples are to be obtained from
Pit area and analysis submitted to
NMOCD prior to back-filling.
NOTIFY NM0CD 24 HOURS
PRIOR TO OBTAINING SAMPLES.

Signature
If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD
PRIOR to lining trench.

If pit is situated in an agricultural area pit contents MUST be hauled.

Elke Environmental, Inc.

P.O. Box 14167 Odessa, TX 79768 Phone (432) 366-0043 Fax (432) 366-0884 OCT 3 1 2007 OCD-ARTESIA

October 12, 2007

EOG Resources Mr. Brett Grigry 4000 N. Big Spring Street Suite 500 Midland, TX 79705

Re:

Drilling Pit Closure of EOG Resources – Potomac A9 Fee #1H UL 'A' Sec. 9 T16S R25E Eddy County API # 30-015-35369

Mr. Brett Grigry,

Enclosed is the closure report for the Potomac A9 Fee #1H. NMOCD requires that an EOG Resources representative sign and date the final C-144 which is the very last page of the closure report. Then mail one copy to:

NMOCD

Attn: Mike Bratcher 1301 W. Grand Ave. Artesia, NM 88210

If you have any questions about the enclosed report please feel free to contact me at the office.

 \sim

Sincerely,

Logan Anderson