1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

rorm U-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\) No \(\)

	or below-grade tank [] Closure of a pit or below-grade	
Operator: Southwestern Energy Production Co. Telephone: (281) 618-4887 e-mail address: martha_howard@swn.com		
Address. 2350 N Sam Houston Parkway East, Suite 300 Houston, Texas 77032		
Facility or well name. Coccal Fly Fed #1H API#:	0-0/5-35623 U/Lor Qtr/Qtr NE	
County Latitude	V 30 ° 08 : 700 ' Longitude (U 103 °	58.145' NAD: 1927 1983 □
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling 🔀 Production 🗌 Disposal 🗍	Volumebbl Type of fluid	
Workover	Construction material:	
Lined M Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic M Thickness 12 mil Clay		
Pit Volume 13000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0
ingii wato, cicration of ground	100 feet or more ✓	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Ycs	(20 points)
water source, or less than 1000 feet from all other water sources.)	No ✓	(0 points) 0
water source, or less than 1000 feet from all other water sources.	Less than 200 feet	(20 ====================================
Distance to surface water: (horizontal distance to all wetlands, playas,		(20 points)
irrngation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 lest of Hiote	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔯 offsite 🗌 If offsite, name of facility N/A (3). Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No K Yes I If yes, show depth below ground surface ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: - SOUTHWESTEIN EVELLY Plans To Deep Buy Reserve fit Contents		
And LINER PER MINOCO PULE 50 PIT CLOSURE - DIG TRENCH APPROX 120'Y 30'X 20'		
NECD LINE TREACH WI IN mil Dlanker Place Pet Content in Line / Treach		
CAD TREACH of 20 MIL PLANCE BACKFULE COURT of ADDING 3' NATURE ONE		
Portal Oval For Name of Grand for the form of 147108 501/3		
Comment of the standard of the		
DESCRIPTION OF PAPPREADIE. NOTTING OCO WITHIN 48 MS =+ STANTING		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [3], or an (attached) alternative OCD-approved plan [3].		
Date: 8/15/2007	10.0	0 11 6
Printed Name/Title Martha Howard / Regulatory Analyst Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		DEC 3 A coo
Printed Name/Title	Signed By Mily Bran	THE I DEC I D 2007
NOTIFY OCD 24 HOURS		
closure Samples are to be obtained from pit area and analyses submitted to OCD prior to backfilling in pit area, samples are to be obtained and analyses submitted to OCD PDIOD to living to the control of the contro		

and analyses submitted to OCD PRIOR to lining trench.