

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



WELL API NO. 30-015-00813
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name West Red Lake Unit
8. Well Number 6
9. OGRID Number 6137
10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other—Water Injection Well

2. Name of Operator
Devon Energy Production Company, LP

3. Address of Operator
20 North Broadway, Suite 1500, Oklahoma City, Oklahoma 73102

4. Well Location
Unit Letter K: 2460' feet from the South line and 2580' feet from the West line
Section 7 Township 18S Range 27E Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3294' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU. TIH to top of cement retainer @ 650'. Circulate wellbore w/10 ppg salt gelled mud.
2. TIH to 360' and circulate with 25 Sx cement to surface. WOC.
3. Cut wellhead off 3' below ground level. Set P&A marker.
4. Clean & restore location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie Slack TITLE: Engineering Technician DATE 12/07/07

Type or print name Ronnie Slack E-mail address: Ronnie.Slack@dvn.com Telephone No. 405-552-4615

(This space for State use)

APPROVED BY Accepted for record - NMOCD TITLE DATE 12/19/07
Conditions of approval, if any:

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: WEST RED LAKE UNIT 6		Field: RED LAKE	
Location: 2460' FSL & 2580' FWL; SEC 7-T18S-R27E		County: EDDY	State: NM
Elevation: 3294' GL		Spud Date: 4/15/48	Compl Date: 6/30/48
API#: 30-015-00813	Prepared by: Ronnie Slack	Date: 12/7/07	Rev:

PROPOSED PA SCHEMAT

9-5/8" Casing @ 163'
Cmt'd w/50 Sx to surface

Proposed PA:
1. TIH to 360' & circulate 25 Sx cement to surface.
2. Cut wellhead off & set dry hole marker.
3. Restore location.

10# Mud

Proposed PA:
1. TIH to 650' & circulate wellbore w/10# mud

Cement retainer @ 650' (11/96)

Sqz perfs @ 750'-751'. Sqz'd w/200 Sx. Circ 80 Sx to surface (11/96)

Cement retainer @ 906' (11/96)

PREMIER ZONE
998' - 1,007' (3/70) Sqzd w/100 Sx (11/96)

7" Casing @ 1,105'
Cmt'd w/100 Sx. Calc TOC @ 712' (100% excess from procedured dated 10/96)

Sqz perfs @ 1,350'-51'. Sqz'd w/150 Sx. Circ 30 Sx to surface (3/70)


CIBP @ 1,500' (11/96)

SAN ANDRES
1,582' - 1,592'
1,640' - 1,658'
1,688' - 1,691'
1,740' - 1,754' (added 2/92)

6-1/4" Hole
4-1/2", 9.5#, J55, @ 1,776'
Cmt'd w/135 Sx. TOC @ 1,450' (temp survey-2/57)

1,771' PBDT (GR/CNL/CCL 2/92))

1,776' TD (2/57)



DEVON ENERGY PRODUCTION COMPANY LP

Well Name: WEST RED LAKE UNIT 6		Field: RED LAKE	
Location: 2460' FSL & 2580' FWL; SEC 7-T18S-R27E		County: EDDY	State: NM
Elevation: 3294' GL		Spud Date: 4/15/48	Compl Date: 6/30/48
API#: 30-015-00813	Prepared by: Ronnie Slack	Date: 12/7/07	Rev:

CURRENT SCHEMAT

9-5/8" Casing @ 163'
Cmt'd w/50 Sx to surface

Cement retainer @ 650' (11/96)

Sqz perfs @ 750'-751'. Sqz'd w/200 Sx. Circ 80 Sx to surface (11/96)

Cement retainer @ 906' (11/96)

PREMIER ZONE

998' - 1,007' (3/70) Sqzd w/100 Sx (11/96)

7" Casing @ 1,105'
Cmt'd w/100 Sx. Calc TOC @ 712' (100% excess from procedured dated 10/96)

Sqz perfs @ 1,350'-51'. Sqz'd w/150 Sx. Circ 30 Sx to surface (3/70)

CIBP @ 1,500' (11/96)

SAN ANDRES

1,582' - 1,592'

1,640' - 1,658'

1,688' - 1,691'

1,740' - 1,754' (added 2/92)

6-1/4" Hole

4-1/2", 9.5#, J55, @ 1,776'

Cmt'd w/135 Sx. TOC @ 1,450' (temp survey-2/57)

1,771' PBDT (GR/CNL/CCL 2/92))

1,776' TD (2/57)

