

Robin Terrell  
Mewbourne Oil Company  
PO Box 5270  
Hobbs, New Mexico 88241

October 1, 2007

Mike Bratcher  
NMOCD District 2 Office  
1301 W. Grand  
Artesia, New Mexico 88210

RE: Tamano 10 Federal 005 - Final Pit Closure

**Tamano 10 Federal 005**

APL 30-015-34239

Unit M-Sec 10-T18S-R31E

660' F SL & 1175' FWL

Depth to Ground Water: 400'

Planned Analytical Testing: Chlorides

Site Ranking Score: 0 (zero)

Primary Land Use: Ranching and Oil & Gas Production

Pursuant to Pit Rule 50 of the New Mexico Oil Conservation District of the State of New Mexico regulatory requirement for pit closure, please accept the following documentation for final closure of the drilling pit for the aforementioned location.

An Insitu burial trench was excavated and lined with 12mil HDPE liner. All drill cuttings were stiffened and transferred to the lined Insitu trench. Upon transferring all pit contents to the lined burial trench, field tests were performed on the soil within in the confines of the original drill pit. The field results of chloride delineation of the impacted material are as follows (a diagram has also been attached):

Q1	Lined burial trench	Q2	6' 1000mg/kg 9' -80mg/kg	Q3	6' 1000mg/kg 9' 650mg/kg 11' 120mg/kg
Q4	6' -80mg/kg	Q5	6' 2450mg/kg 9' 1800mg/kg 11' 100mg/kg		

After field tests were performed, Mike Bratcher of the New Mexico Oil Conservation Division (NMOCD) was contacted. Approval for closure was granted with the following stipulations:

With the depth to groundwater being 400'+/-, no additional material will need to be excavated from the impacted area. The impacted material in section "Q5" needs to be blended with the surrounding material and a 20mil cap over the drill pit will not be required.

Pursuant to NMOCD Pit Rule 50, a 20mil liner was placed on top of the Insitu trenches to seal in the impacted soils and the stiffened drill cuttings. The soil in section "Q5" was blended with surrounding material, the pit area was backfilled with clean native material, contoured to the surrounding terrain and reseeded with an approved native seed mixture.

Soil samples were collected, prepared and packaged per EPA guidelines and forwarded to Trace Analysis in Lubbock, Texas for official analytical testing. Please find the official analytical results attached hereto.

Please review the attached documentation and contact me at 505-393-5905 with any questions or concerns.

Sincerely,

Robin Terrell  
Production Engineer


Accepted for record  
NMOCD

*Handwritten signature: DCD*  
*Handwritten word: copy*

/sjt

*Handwritten mark: E*

Tamano 10 Federal 005  
Field Results  
Floor 10-01-07



District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1531 W. Grand Avenue, Artesia, NM 88210  
District III  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004  
For drilling and production facilities, submit to  
Oil Conservation Division, District Office.  
For conservation facilities, submit to Santa Fe  
office.

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Newbourne Oil Co.</u> Telephone: <u>653-393-5905</u> e-mail address: _____	
Address: <u>P.O. Box 5270, Hobbs NM 88241</u>	
Facility or well name: <u>TAMANO 10 Fed. #5</u> API# <u>30-015-34239</u> UEL or QUL: <u>M</u> Sec <u>10</u> T <u>18S</u> R <u>31E</u>	
County: <u>Eddy</u> Latitude: <u>32-45-23.0'N</u> Longitude: <u>103-51-42.0'W</u> NAD: 1983 <input type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
<b>II</b>	
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Wellbore <input type="checkbox"/> Emergency <input type="checkbox"/> Liner <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Fit Volume: _____	
Volume: _____ M Type of tank: _____ Combustion material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to nearest high water elevation of ground water.)	Less than 30 feet (20 points) 30 feet or more, but less than 100 feet (10 points) <u>0</u> 100 feet or more <u>400'</u> (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) <u>Yes</u> (0 points) <u>0</u>
Distance to surface water: (Horizontal distance to all wellheads, pipes, injection canals, ditches, and potential and upstream water sources.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>0</u> 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a leak closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the circle but if you are burying in place) circle ☒ offsite ☐ If offsite, name of facility: N/A. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater assessment: No ☒ Yes ☐ If yes, show depth below ground surface: N/A ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and orientations.

Additional Comments: <u>Refer to Attached Pit Closure Plan.</u>

I hereby certify that the information shown is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCDD guidelines ☒ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

Date: 5/21/07

Printed Name/Title: Dusty L. Wikan/Field Agent Signature: [Signature]

Your certification and NMOCDD approval of this application does not relieve the operator of liability for the contents of the pit or tank, contamination of ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approved:

Printed Name/Title: \_\_\_\_\_

Signature: [Signature]

Date: 6/6/07

Inspection 2005 indicates liner breached

Notify OCD 24 hours prior to beginning pit closure.

Samples are to be obtained from pit area and analysis submitted to NMOCDD prior to back-filling

(2)

**New Mexico Environmental Services**  
**Hobbs, New Mexico**  
**Reserve Pit Remediation**

---

**SURFACE PIT CLOSURE PLAN**

**PIT PARAMETERS**

**COMPANY: Mewbourne Oil Co.**

**WELL SITE: Tomano 10 Federal #5**

**LEGAL DESCRIPTION: Unit M Sec 10 T18s R31e, 660  
FSL 1175 FWL, Eddy co.**

The reserve pit inset on this leasehold is being permitted to close as per New Mexico OCD "Pit and Below Grade Tank Guidelines" dated November 1, 2004.

This pit was excavated and formed to the dimensions roughly 150' X 150' X 6' deep. A 12 mil membrane liner and pad was used to prevent leakage to the surface soils. A visual examination of the membrane liner indicates that the liner had maintained its integrity.

After the drilling and completion phase of this project, the water phase of the pit contents were pumped and hauled to an approved water injection facility. It is estimated that the volume of solids remaining are to +/- 1800 yards. The burial cell is to be excavated and lined with a minimum 12 mil membrane that complies with ASTM Standards: D-5747, D-5199, D-5994, and D-4833. The cuttings will be loaded as to allow for > 36" freeboard to ground level. After the cuttings are loaded the 12 mil liner will be folded over the top, and a 20 mil minimum thickness liner meeting the minimum requirements as outlined in ASTM Standard Methods: D-5747, D-5199, D-5994, D-4833; will be used to cap and cover to an extended area that exceeds three feet in all directions from the

edge of the burial cell. This cap will be constructed as to slope and allow for water runoff from burial cell.

A minimum of 36" of top soil will be used to cover the burial cell. This soil must be capable of supporting plant growth. A seed mixture will be used as to conform to local BLM and OCD requirements.

After the drilling solids are buried, the natural contour of the surrounding soils will be mechanically shaped as to prevent erosion of the well site until vegetation is established.

NEW MEXICO ONE CALL  
Locate Request Confirmation

Ticket #:2007360299

Reason Code:STANDARD LOCATE

Work to Begin Date: 09/06/2007

Time: 12:34:00 PM

---

CALLER INFORMATION

MARLEANA  
NEW MEXICO ENVIRONMENTAL SERVICES

Excavator Type:HOMEOWNER  
Tel.:(505) 392-8584

---

DIG LOCATION

City:RURAL EDDY

Subdivision:

Address : To:

Street : \*TOMANO 10 FEDERAL #5

Nearest Intersecting Street :

Second Intersecting Street :

---

Additional Dig Information:

W0709040935590 FROM CO RD 217 AND ST RD 82 IN LOCO  
HILLS GO E ON 82 6 MI TO CO RD 222. GO S 4 MI TO  
WESTALL RD. GO E-SE 1.6 MI. TURN N-NE ON LEASE RD.  
GO 1.1 MI TURN N .2 MI TURN W AT INTERSECTION AND  
GO 0.8 MI ONTO LOCATION.

Remarks: LAT:N32\*45'13.2" LONG:W103\*51'35.1" SPOT 600FT  
RADIUS OF WELLHEAD.

Township: 18S Range: 31E Section 1/4: 10 SW

Type of Work: DEEP BURY RESERVE PIT

---

The following utility owners have been notified of  
your proposed excavation site:  
FRONTIER FIELD SERVICES, LLC  
DCP MIDSTREAM - LINUM  
PLAINS PIPELINE - HOBBS

---

IMPORTANT CONFIRMATION NOTICE

Your fax request has been received and processed. It is your responsibility to review the information provided on this faxback confirmation ticket and ensure it has been correctly interpreted from your request. Notify us immediately of any corrections or errors. Acceptance of this faxback confirmation ticket means you accept responsibility for the accuracy of the information contained in the ticket and you agree to indemnify New Mexico One Call Systems, Inc. of all liability, claims, fees, or damages, including reasonable attorney fees arising from or resulting from the use of the information provided on this confirmation ticket.

New Mexico Law requires you to wait two working days from the date and

09/03/2007 MON 23:55 [TX/RX NO 7479] 001

Valley Energy Services, Inc.

# Invoice

PO Box 207  
Loving, NM 88256

Date	Invoice #
10/1/2007	624

Bill To
Mewbourne Oil Company Robin Terrell PO Box 5270 Hobbs, NM 88241

Terms	Rep
Due on receipt	SJT

Location
Tamano 10 Federal 005

Quantity	Item Code	Description	Price Each	Amount
6	Enviro Sampling	pulled infield analysis for delineation; contacted Mike Bratcher of the NMOCD - approval to close	65.00	390.00T
0.5	Enviro Reports		65.00	32.50T
0.5	Enviro misc	prepared, packaged and sent samples to Trace Analysis for official analyticals	65.00	32.50T
45	Mileage Charge		0.50	22.50T
		New Mexico Sales Tax	6.3125%	30.14
			<b>Total</b>	\$507.64

# TRACE ANALYSIS, INC.

6701 Aberdeen Avenue, Suite 9

200 East Sunset Road, Suite E

5002 Basin Street, Suite A1

8808 Camp Bowie Blvd West, Suite 180

Lubbock, Texas 79424

El Paso, Texas 79922

Midland, Texas 79703

Ft Worth, Texas 76116

800•378•1296

888•588•3443

806•794•1296

915•585•3443

432•689•6301

817•201•5260

FAX 806•794•1298

FAX 915•585•4944

FAX 432•689•6313

FAX 817•560•4336

E-Mail lab@traceanalysis.com

**Bill To:** Mewbourne Oil Company  
P. O. Box 5270  
Hobbs, NM 88220

**Attn:** Robin Terrell

**RECEIVED**

OCT 12 2007

**BY:**

**Invoice No. 25661**



**Lab Location:** Lubbock

**Invoice Date:** 2007-10-09

**Payment Due:** 2007-11-08

**Work Order:** 7100521



**Project Location:** Sec 10-T 18S-R31E Eddy. Co. NM

**Project Name:** Tamano 10 Federe 05

**Project Number:** N/A

Item	Quantity	Matrix	Description	Price	Sub Total
Chloride (24-Hr. TAT)	4	soil	138580 - 138583	\$34.00	\$136.00

*Payment Terms: Net-30*

**Total** \$136.00

Dr. Blair Leftwich, Director

## Summary Report

Robin Terrell  
Mewbourne Oil Company  
P. O. Box 5270  
Hobbs, NM, 88220

Report Date: October 8, 2007

Work Order: 7100521



Project Location: Sec 10-T 18S-R31E Eddy. Co. NM  
Project Name: Tamano 10 Federe 05  
Project Number: N/A

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
138580	Q2-9'	soil	2007-10-01	12:30	2007-10-05
138581	Q3-11'	soil	2007-10-01	12:45	2007-10-05
138582	Q4-6'	soil	2007-10-01	12:05	2007-10-05
138583	Q5-11'	soil	2007-10-01	13:00	2007-10-05

**Sample: 138580 - Q2-9'**

Param	Flag	Result	Units	RL
Chloride		<20.0	mg/Kg	5.00

**Sample: 138581 - Q3-11'**

Param	Flag	Result	Units	RL
Chloride		52.6	mg/Kg	5.00

**Sample: 138582 - Q4-6'**

Param	Flag	Result	Units	RL
Chloride		26.8	mg/Kg	5.00

**Sample: 138583 - Q5-11'**

Param	Flag	Result	Units	RL
Chloride		190	mg/Kg	5.00

# TRACE ANALYSIS, INC.

6701 Aberdeen Avenue, Suite 9  
200 East Sunset Road, Suite E  
5002 Basin Street, Suite A1  
8808 Camp Bowie Blvd West, Suite 180

Lubbock, Texas 79424  
El Paso, Texas 79922  
Midland, Texas 79703  
Ft Worth, Texas 76116

800•378•1296  
888•588•3443

806•794•1296  
915•585•3443

432•689•6301  
817•201•5260

FAX 806•794•1298  
FAX 915•585•4944

FAX 432•689•6313  
FAX 817•560•4336

E-Mail lab@traceanalysis.com

## Analytical and Quality Control Report

Robin Terrell  
Mewbourne Oil Company  
P. O. Box 5270  
Hobbs, NM, 88220

Report Date: October 8, 2007

Work Order: 7100521



Project Location: Sec 10-T 18S-R31E Eddy Co. NM  
Project Name: Tamano 10 Federe 05  
Project Number: N/A

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
138580	Q2-9'	soil	2007-10-01	12:30	2007-10-05
138581	Q3-11'	soil	2007-10-01	12:45	2007-10-05
138582	Q4-6'	soil	2007-10-01	12:05	2007-10-05
138583	Q5-11'	soil	2007-10-01	13:00	2007-10-05

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 5 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

Dr. Blair Leftwich, Director

### Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

## Case Narrative

Samples for project Tamano 10 Federe 05 were received by TraceAnalysis, Inc. on 2007-10-05 and assigned to work order 7100521. Samples for work order 7100521 were received intact at a temperature of 22.0 deg.C.

Samples were analyzed for the following tests using their respective methods.

Test	Method
Chloride (Titration)	SM 4500-Cl B

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 7100521 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

## Analytical Report

### Sample: 138580 - Q2-9'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	41860	Date Analyzed:	2007-10-08	Analyzed By:	ER
Prep Batch:	36154	Sample Preparation:	2007-10-08	Prepared By:	ER

Parameter	Flag	RL		Dilution	RL
		Result	Units		
Chloride		<20.0	mg/Kg	4	5.00

### Sample: 138581 - Q3-11'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	41860	Date Analyzed:	2007-10-08	Analyzed By:	ER
Prep Batch:	36154	Sample Preparation:	2007-10-08	Prepared By:	ER

Parameter	Flag	RL		Dilution	RL
		Result	Units		
Chloride		52.6	mg/Kg	4	5.00

### Sample: 138582 - Q4-6'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	41860	Date Analyzed:	2007-10-08	Analyzed By:	ER
Prep Batch:	36154	Sample Preparation:	2007-10-08	Prepared By:	ER

Parameter	Flag	RL		Dilution	RL
		Result	Units		
Chloride		26.8	mg/Kg	4	5.00

### Sample: 138583 - Q5-11'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	41860	Date Analyzed:	2007-10-08	Analyzed By:	ER
Prep Batch:	36154	Sample Preparation:	2007-10-08	Prepared By:	ER

Parameter	Flag	RL		Dilution	RL
		Result	Units		
Chloride		190	mg/Kg	10	5.00

### Method Blank (1)      QC Batch: 41860

QC Batch:	41860	Date Analyzed:	2007-10-08	Analyzed By:	ER
Prep Batch:	36154	QC Preparation:	2007-10-08	Prepared By:	ER

Parameter	Flag	MDL Result	Units	RL
Chloride		<3.25	mg/Kg	5

#### Laboratory Control Spike (LCS-1)

QC Batch: 41860 Date Analyzed: 2007-10-08 Analyzed By: ER  
Prep Batch: 36154 QC Preparation: 2007-10-08 Prepared By: ER

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec Limit
Chloride	100	mg/Kg	1	100	<3.25	100	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	99.8	mg/Kg	1	100	<3.25	100	90 - 110	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

#### Matrix Spike (MS-1) Spiked Sample: 138583

QC Batch: 41860 Date Analyzed: 2007-10-08 Analyzed By: ER  
Prep Batch: 36154 QC Preparation: 2007-10-08 Prepared By: ER

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec Limit
Chloride	<sup>1</sup> 386	mg/Kg	10	1000	189.928	20	84.6 - 117

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	<sup>2</sup> 373	mg/Kg	10	1000	189.928	18	84.6 - 117	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

#### Standard (ICV-1)

QC Batch: 41860 Date Analyzed: 2007-10-08 Analyzed By: ER

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	100	100	85 - 115	2007-10-08

#### Standard (CCV-1)

QC Batch: 41860 Date Analyzed: 2007-10-08 Analyzed By: ER

<sup>1</sup>Matrix spike recovery out of control limits due to matrix interference Use LCS/LCSD to demonstrate analysis is under control

<sup>2</sup>Matrix spike recovery out of control limits due to matrix interference Use LCS/LCSD to demonstrate analysis is under control

Report Date October 8 2007  
N/A

Work Order 7106521  
Tamano 10 Federe 05

Page Number 5 of 5  
Sec 10-T 18S-R31E Eddy. Co. NM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.6	100	85 - 115	2007-10-08

## TraceAnalysis, Inc.

6701 Aberdeen Avenue, Suite 9  
Lubbock, Texas 79424  
Tel (806) 794-1296  
Fax (806) 794-1298  
1 (800) 378-1296

5002 Basin Street, Suite A1  
Midland, Texas 79703  
Tel (432) 689-6301  
Fax (432) 689-6313

200 East Sunset Rd., Suite E  
El Paso, Texas 79922  
Tel (915) 585-3443  
Fax (915) 585-4944  
1 (888) 588-3443

6015 Harris Pkwy., Suite 110  
Ft Worth, Texas 76132  
Tel (817) 201-5260

email: lab@traceanalysis.com

Company Name:

Midland Oil Company (MOC)

Phone #:

Address:

(Street, City, Zip)

Fax #:

Contact Person:

Robert Terrell

E-mail:

Shelly &amp; Robin

Invoice to:

(If different from above)

Project #:

Project Name:

Tamano 10 Federe 15

Sampler Signature:

Project Location (including state):

Sec 10 T18S-R31E Eddy County NM

LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	Volume / Amount	MATRIX				PRESERVATIVE METHOD						SAMPLING	
				WATER	SOIL	AIR	SLUDGE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	ICE	NONE	DATE	TIME
130580	Q2-9'	1	4 oz		X							X	10/11/12	1230	
581	Q3-11'	1	4 oz		X							X	1245	1205	
582	Q4-6'	1	4 oz		X							X			
583	Q5-11'	1	4 oz		X							X			10/11/12

Relinquished by:

Date:

Time:

Received by:

Date:

Time:

Relinquished by:

Date:

Time:

Received by:

Date:

Time:

Relinquished by:

Date:

Time:

Received at Laboratory by:

Date:

Time:

## LAB USE ONLY

Intact ☒ NHeadspace ☒ Y / NTemp ☒ 22Log-In-Review ☒ B

## REMARKS:

☐ Dry Weight Basis Required☐ TRRP Report Required☐ Check if Special Reporting Limits Are Needed

Carrier #

UPS

Submission of samples constitutes agreement to Terms and Conditions listed on reverse side of C O C

ORIGINAL COPY

6015 Harris Pkwy., Suite 110  
Ft. Worth, Texas 76132 -  
Tel (817) 201-5260

email: [lab@traceanalysis.com](mailto:lab@traceanalysis.com)

Company Name:

Phone #:

Address (Street, City, Zip)

Fax #:

✓  
Contact Person:

**E-mail:**

Invoice to:

(If different from above)

Project #:

Project Name:

Project Location (including state):

Sampler Signature: \_\_\_\_\_

Spec 10 - T 185 - R31E Eddy County NM

Sampler Signature: Sheldon J. Fisher

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
Shelly J. Welch	10-4-07	1340	UP's	10-4-07	1340
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
Relinquished by:	Date:	Time:	Received at Laboratory by:	Date:	Time:
			Brenda Ward	10/5/07	12:15

[illegible]

**LAB USE ONLY**

REMARKS:

## Intact

Q

### Headspace

Y/N

Temp

22

## Log-in-Review

下

☐ Dry Weight Basis Required

☐ TRRP Report Required

☐ Check If Special Reporting Limits Are Needed

Submittal of samples constitutes agreement to Terms and Conditions listed on reverse side of C. O. C.

ORIGINAL COPY

Carrier #

UPS

