District I 1625 N French Dr., Hobbs, NM 88240 District II District III 1000 Rio Brazos Road, Azt 1220 S St Francis Dr , Sunta Fe, NN

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No : OCD-ARTESIA

Type of action. Registration of a pit	on below-grade tank Closure of a philot below-E	inde tank M SOD-MILICOM	
Operator Yates Petroleum Corporation Telephone 505-748-4500 e-mail	address mikes@vpcnm.com	·	
Address 105 South 4 th Street, Artesia, N M 88210	address mikesigs penni com		
Facility or well name Doc BHU State#1 API# 30-015-34552 U/L or Qtr/Q	tr O Sec 5 T 25S R 30E	SEP 0 4 2007	
County Eddy Latitude 32 15292 Longitude 103 901	74 NAD 1927 ⊠ 1983 □		
Surface Owner Federal State Private Indian		OCD-ARTESIA	
Ptt	Below-grade tank		
Type Drilling 🖾 Production 🗀 Disposal 🗋	Volumebbl Type of fluid		
Work over	Construction material Double-walled, with leak detection? Yes If not, explain why not		
Lined \(\subset \) Unlined \(\subset \)			
Linci type Synthetic ☑ Thickness 12 mil Clay ☐ Pit Volume 2000 bbl	gapi ka pananan mangapangapangapangapangapangapanganganganganganganganganganganganganga	- an administration of the second sec	
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)	
water clevation of ground water)	50 feet or more, but less than 100 feet	(10 points)	
,	100 feet or more	(0 points) XXXX	
Wellhead protection area (Loss than 200 feet from a private domestic water	Yes	(20 points)	
source, or less than 1000 feet from all other water sources)	No	(0 points) XXXX	
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points) XXXX	
The guidance and the second of	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	10 POINTS	
in place) onsite offsite offsite, name of facility NA (4) Groundwater encountered No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments Closure workplan for encapsulation trench. The drilling	g pit contents will be mixed to stiffen the pit contents		
with a 12 mil synthetic liner on former drilling pit site. Drilling pit contents wi			
contents with a minimum of a 3' over lap of the underlying trench areas. The	·	using a minimum of 3' of clean soil and like material. A	
one call and 48 hour notice will be provided to the Oil Conservation Division to	pefore pit closure actions begin		
Pit Closure actions to begin by NA Ending dide NA			
[Livery and Alexander of the state of the s			
I hereby certify that the information above is true and complete to the best of in been/will be constructed or closed according to NMOCD guidelines , a			
Date 08/30/2007			
Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent	Signature This Stiff		
Your certification and NMOCD approval of this application/closure does not rendanger public health or the environment. Nor does it relieve the operator of			
Gorry Guye			
Approval Compliance Officer	Berry Duy		
Printed Name/Title See Attached	_Signature / /	Date <u>SEP6_2007</u>	
Stipulations			
	EDITY OF SIGN	TOP FINAL	
		TINAL \	

Accepted for record NMOCD

DATE 12/3/2007

JAN 1 4 2008

DEC 3 2007 OCD-ARTESIA

I certify that on <u>«12/3/2007»</u>, tests were conducted on soil samples from the <u>«Doc BHU State #1»</u>.

Following are the results of those tests:

SAMPLE POINT	TPH (EPA Method 9074)	CHLORIDES (EPA Method 9253)	BTEX (PID Meter)
NW corner drilling pit surface 12' depth	0 ppm	1758 ppm 70 ppm	0 ppm
NE corner drilling pit Surface 12' depth	0 ppm	1063 ppm 1063 ppm	0 ppm
SE corner drilling pit Surface 12' depth	0 ppm	283 ppm 70 ppm	0 ppm
SW corner drilling pit Surface 12' depth	0 ppm	425 ppm 99 ppm	0 ppm

ALL RESULTS ARE PPM

All testing was done at Yates Petroleum Corporation or on location.

Respectfully,

miles tellfill

Mike Stubblefield Environmental Regulatory Agent