

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

JAN 28 2008

OCD-ARTESIA

Operator: <u>BEPCO L P.</u> Telephone: <u>(432) 683-2277</u> e-mail address: <u>machilders@basspet.com</u>		
Address <u>P O BOX 2760 MIDLAND TX 79702</u>		
Facility or well name: <u>Poker Lake Unit # 162</u>	API # <u>30-015-35522</u>	U/L or Qtr/Qtr <u>C</u> Sec <u>6</u> T <u>24S</u> R <u>30E</u>
County: <u>Eddy</u>	Latitude <u>N 32.252028</u>	Longitude <u>W 103 923389</u> NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b> Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>20</u> mil Clay <input type="checkbox"/> Pit Volume <u>12,500</u> bbl		
<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	<u>100 feet or more</u>	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	<u>No</u>	( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses )	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	<u>1000 feet or more</u>	( 0 points)
<b>Ranking Score (Total Points)</b>		<b>0</b>

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 1-25-2008

Printed Name/Title Annette Childers - Administrative Assistant

Signature Annette Childers

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval.


**AS A CONDITION OF APPROVAL, A DETAILED CLOSURE PLAN  
MUST BE APPROVED BEFORE CLOSURE MAY COMMENCE.**

Signature Mike Benavente Date: JAN 31 2008

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 24S Range: 30E Sections: 5,6,7,8

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_  Search Radius: \_\_\_\_\_County: \_\_\_\_\_  Basin: \_\_\_\_\_  Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

---

**AVERAGE DEPTH OF WATER REPORT 01/24/2008**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
C	24S	30E	08				1	186	186	186

Record Count: 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 24S Range: 30E Sections: 5,6,7,8

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_ ☐ Search Radius: \_\_\_\_\_County: \_\_\_\_\_ ☐ Basin: \_\_\_\_\_ ☐ Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

---

WATER COLUMN REPORT 01/24/2008

POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest)							Zone	X	Y	Depth	Depth	Water (in feet)
	Tws	Rng	Sec	q	q	q	Well				Water	Column	
C 02108	24S	30E	08	3	1						200	186	14

Record Count: 1

New Mexico Office of the State Engineer  
POD Reports and Downloads

Township: 24S Range: 30E Sections: 5,6,7,8

NAD27 X Y: Zone: ☒ Search Radius:County: ☒ Basin: ☒ Number: Suffix:Owner Name (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All    

## POD / SURFACE DATA REPORT 01/24/2008

DB File Nbr	(acre ft per annum)	Use	Diversion	Owner	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)	(quarters are biggest to smallest)	X Y are in Feet	UTM are in Meters)	Start	Finish	Depth
C 02108	STK	3	A	PARTNERSHIP M&M CATTLE CO	C 02108	Source	Tws Rng Sec q q q	Zone X Y	UTM_Zone Easting Northing	Date	Date	Well
							24S 30E 08 3 1		13 602702 3566487		12/31/1963	200

Record Count 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 24S Range: 29E Sections: 1,12

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

---

**AVERAGE DEPTH OF WATER REPORT 01/24/2008**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg

No Records found, try again

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 24S Range: 29E Sections: 1,12

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_  Search Radius: \_\_\_\_\_County: \_\_\_\_\_  Basin: \_\_\_\_\_  Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

---

WATER COLUMN REPORT 01/24/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
------------	-----	-----	-----	---	---	---	------	---	---	---------------	----------------	---------------------------

No Records found, try again

New Mexico Office of the State Engineer  
POD Reports and Downloads

Township: 24S Range: 29E Sections: 1,12

NAD27 X Y Zone ☐ Search Radius

County: ☐ Basin: ☐ Number Suffix:

Owner Name (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report Avg Depth to Water Report Water Column Report

Clear Form iWATERS Menu Help

POD / SURFACE DATA REPORT 01/24/2008

(acre ft per annum)				(quarters are 1=NW 2=NE 3=SW 4=SE)				(quarters are biggest to smallest)				X Y are in Feet			UTM are in Meters)			Start	Finish	Depth
DB File Nbr	Use	Diversion	Owner	POD Number	Source	Tws	Rng	Sec	q	q	q	Zone	X	Y	UTM_Zone	Easting	Northing	Date	Date	Well
No Records found, try again																				

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 23S Range: 29E Sections: 36

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_ ☐ Search Radius: \_\_\_\_\_

County: \_\_\_\_\_ ☐ Basin: \_\_\_\_\_ ☐ Number: \_\_\_\_\_ Suffix: \_\_\_\_\_

Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

---

**AVERAGE DEPTH OF WATER REPORT 01/24/2008**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg

No Records found, try again



*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 23S Range: 29E Sections: 36

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: ☐ Search Radius: \_\_\_\_\_County: ☐ Basin: ☐ Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

---

WATER COLUMN REPORT 01/24/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
------------	-----	-----	-----	---	---	---	------	---	---	---------------	----------------	---------------------------

No Records found, try again

New Mexico Office of the State Engineer  
POD Reports and Downloads

Township: 23S Range: 29E Sections: 36

NAD27 X: Y Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help


POD / SURFACE DATA REPORT 01/24/2008

DB File Nbr	(acre ft per annum) Use Diversion Owner	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest) Source	Tw	Rng	Sec	q	q	q	X Y are in Feet Zone	X	Y	UTM are in Meters) UTM_Zone	Easting	Northing	Start Date	Finish Date	Depth Well
No Records found, try again																		

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 23S Range: 30E Sections: 31,32

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone:  Search Radius: \_\_\_\_\_County:  Basin:  Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

---

**AVERAGE DEPTH OF WATER REPORT 01/24/2008**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg

No Records found, try again

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 23S Range: 30E Sections: 31,32

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_ ☐ Search Radius: \_\_\_\_\_County: \_\_\_\_\_ ☐ Basin: \_\_\_\_\_ ☐ Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

---

WATER COLUMN REPORT 01/24/2008

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
------------	-----	-----	-----	---	---	---	------	---	---	---------------	----------------	---------------------------

No Records found, try again

New Mexico Office of the State Engineer  
POD Reports and DownloadsTownship: 23S Range: 30E Sections: 31,32NAD27 X: Y: Zone: ☐ Search Radius:County ☐ Basin: ☐ Number: Suffix:Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

POD / SURFACE DATA REPORT 01/24/2008

DB File Nbr	(acre ft per annum) Use	Diversion	Owner	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest) Source	Tws	Rng	Sec	q	q	q	X Y are in Feet Zone	X	Y	UTM are in Meters) UTM_Zone	Easting	Northing	Start Date	Finish Date	Depth Well
No Records found, try again																				