

OCD-ARTESIA

FEB 05 2008

S

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Serial No. LC-070286
2. Name of Operator V-F PETROLEUM INC.	6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 1889, MIDLAND, TX 79702	7. If Unit or CA/Agreement, Name and/or No. 30272
3b. Phone No. (include area code) (432) 683-3344	8. Well Name and No. HUDSON Federal (PB) #2
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1650' FSL & 1880' FEL SEC. 29 T20S - R30E	9. API Well No. 30-015-22518
	10. Field and Pool, or Exploratory Area DOSHMANOS MOUTAD
	11. County or Parish, State EDDY COUNTY, NEW MEXICO

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

REENTERED well TO 2645' FOUND DAMAGED 8 5/8" CASING, UNABLE  
TO GET DEEPER.  
PROPOSAL: SET CIBP AT 1950' & CAP WITH 25 SX CEMENT, SET 350 SX.  
CEMENT PLUG 500' - 1600'. SET 10 SX PLUG 0' - 30'. CUT OFF WELLHEAD  
3' BELOW G.L. INSTALL SURV HOLE MARKER.  
TOP OF CAPATAN REEF 2037'

ACCEPTED FOR RECORD

FEB 12 2008

Gerry Guve, Deputy Field Inspector  
NMOCD-District II ARTESIA

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

WAYNE LUNA

Title SUPERINTENDENT

Signature

Wayne Luna

Date

1-23-08

APPROVED

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or  
certify that the applicant holds legal or equitable title to those rights in the subject lease  
which would entitle the applicant to conduct operations thereon.

Title

Office

Date JAN 23 2008

WESLEY W. INGRAM

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Form 3160-5  
(April 2004)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.FORM APPROVED  
OIA No. 1004-0137  
Expiring March 31, 2007

5. Lease Serial No.

LC-070286

6. If Indian, Allottee or Tribe Name

## SUBMIT IN TRIPLICATE- Other Instructions on reverse side.

1. Type of Well

☐ Oil Well☒ Gas Well☐ Other

2. Name of Operator

V-F PETROLEUM INC.

3a. Address

P.O. BOX 1889, MIDLAND, TX 79702

3b. Phone No. (include area code)

(432) 683-3344

4. Location of Well (Footage, Sec., T., R., &amp; Survey Description)

1650' FSL &amp; 1880' FSL SEC. 29-T20S-R30E

7. If Unit or CA Agreement, Name and/or No.

3001522518 30292

8. Well Name and No.

Hudson Federal (RR) #2

9. API Well No.

30-015-22518

10. Field and Pool, or Exploratory Area

Des Hermanas Morrow

11. County or Parish, State

EDDY COUNTY, NEW MEXICO

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice

## TYPE OF ACTION

☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☒ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Restoration☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☐ Other

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleteness horizontally, give subsurface locations and measured and true vertical depths of all pertinent windows and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

REENTERED WELL TO 2645' FOUND DAMAGED 8 5/8" CASING, UNABLE TO GET DEEPER.  
PROPOSAL: SET CCBP AT 1950' ECLIP WITH 25 SX CEMENT, SET 350 SX CEMENT PLUG 500' - 1600'. SET 10 SX PLUG 0' - 30'. CUT OFF WELLHEAD 3' BELOW BL INSTALL LOST HOLE MARKER.  
TOP OF CAPATAN REEF 2037'.

SEE ATTACHED FOR  
CONDITIONS OF APPROVAL

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)

WAYNE LUNA

Title

SUPERINTENDENT

Signature

*Wayne Luna*

Date

1-23-08

APPROVED

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Date

JAN 23 2008

WESLEY W. INGRAM

Title is U.S.C. Section 1001 and Title 43 U.S.C. Section 1272, make it a crime for any person knowingly and willfully to make or cause to be made any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

COPY

**Hudson Federal (BB) #2  
V-F Petroleum, Inc.  
January 23, 2008  
Plug and Abandonment  
Conditions of Approval**

1. Set CIBP at 1950' and cap with 25 sacks of cement. This will provide plug for top of Capitan Reef.
2. Salt plug to be set from 1660 – 400' and be tagged at 400' or shallower.
3. Surface plug to be a minimum of 60' in length.
4. Cut off casing, install dry hole marker, and clean location.
5. See standard attached COAs for plug and abandonment and interim reclamation.

**WWI 012308**

**COPY**