

30.005. 60809

# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**BILL RICHARDSON**  
Governor  
**Joanna**  
Cabinet Secretary

**Mark E. Fesmire,**  
Director  
**Oil Conservation**

21-Feb-08

**TIPTON OIL & GAS ACQUISITIONS, INC.**  
P.O. BOX 1597  
LOVINGTON NM 88260

**ORBIT PETROLEUM, INC.** ←  
1131 E. BRITTON RD  
OKLAHOMA CITY OK 73131

LOV NO. 02-08-032

## LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

### INSPECTION DETAIL SECTION

<b>TWIN LAKES SAN ANDRES UNIT No.054</b>			<b>D-1-9S-28E</b>		<b>30-005-00349-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>	
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234557	
<b>Comments on Inspection:</b>		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."					

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

<b>DOUBLE L QUEEN UNIT No.001I</b>			<b>L-31-14S-30E</b>		<b>30-005-20307-00-00</b>		
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>	
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232527	
<b>Comments on Inspection:</b>		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."					

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**DOUBLE L QUEEN UNIT No.002H**

E-31-14S-30E

30-005-20308-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232620
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.035**

K-36-8S-28E

30-005-60026-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232294
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.034**

L-36-8S-28E

30-005-60033-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234257
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.017**

C-36-8S-28E

30-005-60039-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233917
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**DOUBLE L QUEEN UNIT No.001K**

A-1-15S-29E

30-005-60078-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232574
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**DOUBLE L QUEEN UNIT No.004G**

G-36-14S-29E

30-005-60080-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232956
Comments on Inspection:		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."				

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**DOUBLE L QUEEN UNIT No.001H**

N-25-14S-29E

30-005-60127-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232461
Comments on Inspection:		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."				

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.074**

K-1-9S-28E

30-005-60248-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234893
Comments on Inspection:		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."				

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.046**

O-36-8S-28E

30-005-60291-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234388
Comments on Inspection:		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."				

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.055**

C-1-9S-28E

30-005-60297-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234602
Comments on Inspection:		Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."				

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.025**

E-36-8S-28E

30-005-60334-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234105
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.027**

G-36-8S-28E

30-005-60521-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234159
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.013**

M-30-8S-29E

30-005-60558-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233825
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.019**

A-36-8S-28E

30-005-60560-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233957
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.011**

O-25-8S-28E

30-005-60563-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233777
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.004**

I-25-8S-28E

30-005-60579-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805233602
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**KUCHEMANN No.002**

E-30-8S-29E

30-005-60580-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805233002
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.006**

K-30-8S-29E

30-005-60596-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805233672
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.009**

M-25-8S-28E

30-005-60598-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805233720
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.002**

K-25-8S-28E

30-005-60648-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805236097
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.021**

C-31-8S-29E

30-005-60658-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234003
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.040**

K-31-8S-29E

30-005-60696-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234299
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.091**

B-12-9S-28E

30-005-60790-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235140
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.086**

P-1-9S-28E

30-005-60794-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235061
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.032**

G-31-8S-29E

30-005-60795-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234213
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.050**

O-31-8S-29E

30-005-60796-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234436
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.059**

C-6-9S-29E

30-005-60807-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234688
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.076**

I-1-9S-28E

30-005-60809-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234931
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.043**

L-32-8S-29E

30-005-60829-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234346
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.070**

G-6-9S-29E

30-005-60885-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234854
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.061**

A-6-9S-29E

30-005-60920-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234728
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.052**

M-32-8S-29E

30-005-60961-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234514
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.023**

A-31-8S-29E

30-005-60965-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234048
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.081**

I-6-9S-29E

30-005-60993-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235011
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.078**

K-6-9S-29E

30-005-60995-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234974
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.



**TWIN LAKES SAN ANDRES UNIT No.088**

O-6-9S-29E

30-005-61006-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235100
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.068**

E-6-9S-29E

30-005-61007-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234810
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.103**

G-7-9S-29E

30-005-61075-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235304
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.107**

K-7-9S-29E

30-005-61104-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235383
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.100**

E-7-9S-29E

30-005-61105-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235239
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.095**

A-7-9S-29E

30-005-61107-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235192
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.057**

A-1-9S-28E

30-005-61135-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234650
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.111**

M-7-9S-29E

30-005-61453-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235468
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.113**

O-7-9S-29E

30-005-61604-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235500
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.119**

F-18-9S-29E

30-005-61623-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235574
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.118**

B-18-9S-29E

30-005-61736-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235540
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.109**

J-12-9S-28E

30-005-61772-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235432
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.105**

H-12-9S-28E

30-005-62068-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235342
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.001**

F-25-8S-28E

30-005-62070-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805236013
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**O'BRIEN P No.001**

C-28-8S-29E

30-005-62192-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805231565
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.063**

C-5-9S-29E

30-005-62563-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234770
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**TWIN LAKES SAN ANDRES UNIT No.015**

O-30-8S-29E

30-005-62565-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233871
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.008**

M-2-16S-31E

30-015-04785-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233158
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.005**

P-3-16S-31E

30-015-04788-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233101
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.003**

K-3-16S-31E

30-015-04794-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233050
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.012**

A-9-16S-31E

30-015-04831-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232363
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.021**

G-10-16S-31E

30-015-04837-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233210
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

**NORTHEAST SQUARE LAKE PREMIER UNIT No.025**

I-10-16S-31E

30-015-04845-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232190
<b>Comments on Inspection:</b> Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

\*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.