

30-005.20308

NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON
Governor
Joanna
Cabinet Secretary

Mark E. Fesmire,
Director
Oil Conservation

21-Feb-08

TIPTON OIL & GAS ACQUISITIONS, INC.
P.O. BOX 1597
LOVINGTON NM 88260

ORBIT PETROLEUM, INC. ←
1131 E. BRITTON RD
OKLAHOMA CITY OK 73131

LOV NO. 02-08-032

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations, corrective action must be taken immediately and the situation brought into compliance. The determination is based on the primary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

TWIN LAKES SAN ANDRES UNIT No.054

D-1-9S-28E

30-005-00349-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234557
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

DOUBLE L QUEEN UNIT No.0011

L-31-14S-30E

30-005-20307-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232527
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

DOUBLE L QUEEN UNIT No.002H

E-31-14S-30E

30-005-20308-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232620
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.035

K-36-8S-28E

30-005-60026-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232294
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.034

L-36-8S-28E

30-005-60033-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234257
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.017

C-36-8S-28E

30-005-60039-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233917
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

DOUBLE L QUEEN UNIT No.001K

A-1-15S-29E

30-005-60078-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232574
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

DOUBLE L QUEEN UNIT No.004G

G-36-14S-29E

30-005-60080-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232956
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

DOUBLE L QUEEN UNIT No.001H

N-25-14S-29E

30-005-60127-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232461
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.074

K-1-9S-28E

30-005-60248-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234893
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.046

O-36-8S-28E

30-005-60291-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234388
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.055

C-1-9S-28E

30-005-60297-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234602
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.025

E-36-8S-28E

30-005-60334-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234105
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.027

G-36-8S-28E

30-005-60521-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234159
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.013

M-30-8S-29E

30-005-60558-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233825
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.019

A-36-8S-28E

30-005-60560-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233957
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.011

O-25-8S-28E

30-005-60563-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233777
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.004

I-25-8S-28E

30-005-60579-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233602
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

KUCHEMANN No.002

E-30-8S-29E

30-005-60580-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233002
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.006

K-30-8S-29E

30-005-60596-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233672
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.009

M-25-8S-28E

30-005-60598-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233720
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.002

K-25-8S-28E

30-005-60648-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805236097
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.021

C-31-8S-29E

30-005-60658-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234003
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.040

K-31-8S-29E

30-005-60696-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234299
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.091

B-12-9S-28E

30-005-60790-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235140
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.086

P-1-9S-28E

30-005-60794-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235061
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.032

G-31-8S-29E

30-005-60795-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234213
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.050

O-31-8S-29E

30-005-60796-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234436
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.059

C-6-9S-29E

30-005-60807-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234688
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.076

I-1-9S-28E

30-005-60809-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234931
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.043

L-32-8S-29E

30-005-60829-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234346
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.070

G-6-9S-29E

30-005-60885-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234854
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.061

A-6-9S-29E

30-005-60920-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234728
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.052

M-32-8S-29E

30-005-60961-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234514
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.023

A-31-8S-29E

30-005-60965-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234048
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.081

I-6-9S-29E

30-005-60993-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235011
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.078

K-6-9S-29E

30-005-60995-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234974
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.068

O-6-9S-29E

30-005-61006-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235100
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.068

E-6-9S-29E

30-005-61007-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234810
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.103

G-7-9S-29E

30-005-61075-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235304
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.107

K-7-9S-29E

30-005-61104-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235383
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.100

E-7-9S-29E

30-005-61105-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235239
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.095

A-7-9S-29E

30-005-61107-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235192
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.057

A-1-9S-28E

30-005-61135-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805234650
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.111

M-7-9S-29E

30-005-61453-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235468
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.113

O-7-9S-29E

30-005-61604-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235500
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.119

F-18-9S-29E

30-005-61623-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT	Richard Inge	Yes	No	3/5/2008	iREI0805235574
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.118

B-18-9S-29E

30-005-61736-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235540
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.109

J-12-9S-28E

30-005-61772-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235432
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.105

H-12-9S-28E

30-005-62068-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805235342
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.001

F-25-8S-28E

30-005-62070-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805236013
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

O'BRIEN P No.001

C-28-8S-29E

30-005-62192-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805231565
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.063

C-5-9S-29E

30-005-62563-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805234770
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

TWIN LAKES SAN ANDRES UNIT No.015

O-30-8S-29E

30-005-62565-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233871
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.008

M-2-16S-31E

30-015-04785-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233158
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.005

P-3-16S-31E

30-015-04788-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233101
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.003

K-3-16S-31E

30-015-04794-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805233050
Comments on Inspection: Violation of NMOCD Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.012

A-9-16S-31E

30-015-04831-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232363
Comments on Inspection: Violation of NMOC Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.021

G-10-16S-31E

30-015-04837-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI080523210
Comments on Inspection: Violation of NMOC Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

NORTHEAST SQUARE LAKE PREMIER UNIT No.025

I-10-16S-31E


30-015-04845-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/21/2008	Pre-Operation (MIT)	Richard Inge	Yes	No	3/5/2008	iREI0805232190
Comments on Inspection: Violation of NMOC Rule 19.15.9.704.A (5), which states in part "...The injection well operator shall advise the division of the date and time any initial, five-year or special tests are to be commenced in order that such tests may be witnessed."						

Failure to contact the OCD by Corrective Action due date to schedule the required inspection on this well will require that this well be shut-in on the Corrective Action due date.

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.