

District I  
1625 N. French Dr , Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr , Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

MAR 10 2008

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐  
Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

OCD-ARTESIA

Operator BEPCO L.P. Telephone: (432) 683-2277 e-mail address: machilders@basspet.com  
Address: P O BOX 2760 MIDLAND TX 79702  
Facility or well name: Poker Lake Unit # 276 API #: 30-015-35137 U/L or Qtr/Qtr NESW Sec 13 T 24S R 29E  
County: Eddy Latitude N 32.219389 Longitude W 103 935917 NAD 1927 ☐ 1983 ☐  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>20</u> mil Clay <input type="checkbox"/> Pit Volume <u>12,500</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <u>100 feet or more</u> (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) <u>No</u> (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <u>1000 feet or more</u> (0 points)
	Ranking Score (Total Points) 0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft and attach sample results.  
(5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments:

I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 3-7-08  
Printed Name/Title Annette Childers - Administrative Assistant Signature Annette Childers

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:  
Printed Name/Title \_\_\_\_\_ Signature Mike Deaton Date MAR 24 2008

AS A CONDITION OF APPROVAL, A DETAILED CLOSURE PLAN  
MUST BE APPROVED BEFORE CLOSURE MAY COMMENCE.

*[Handwritten signature]*

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 24S Range: 29E Sections: 11,12,13,14,23,24

NAD27 X:            Y:            Zone:    ☐ Search Radius:

County: ☐ Basin: ☐ Number:            Suffix:           

Owner Name (First)                      (Last)                      ☐ Non-Domestic ☐ Domestic ☒ All

POD / SURFACE DATA REPORT 03/07/2008

DB File Nbr	(acre ft per annum)	Use	Diversion	Owner	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)	(quarters are biggest to smallest)	X Y are in Feet	X	Y	UTM are in Meters)	Start	Finish	Depth	
C 02521	PRO	0	PENWELL ENERGY	C 02521	Source	Tw	Rng	Sec	q	q	q	UTM_Zone	Easting	Northing	Date
						24S	29E	14	2	2		13	599060	3565638	350

Record Count: 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 24S Range: 29E Sections: 11,12,13,14,23,24

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report Avg Depth to Water Report Water Column Report

Clear Form

iWATERS Menu

Help

**AVERAGE DEPTH OF WATER REPORT 03/07/2008**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
-----	-----	-----	-----	------	---	---	-------	-----	-----	-----

No Records found, try again

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 24S Range: 29E Sections: 11,12,13,14,23,24

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

**WATER COLUMN REPORT 03/07/2008**

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
C 02521	24S	29E	14	2	2					350		

Record Count: 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 24S Range 30E Sections 7,18,19

NAD27 X Y Zone: ☐ Search Radius:

County ☐ Basin: ☐ Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

**POD / SURFACE DATA REPORT 03/07/2008**

DB File Nbr	(acre ft per annum)	Use	Diversion	Owner	POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)				X Y are in Feet			UTM are in Meters)			Start Date	Finish Date	Depth Well	
						Source	Tw	Rng	Sec	q	q	q	q	Zone	X				Y
C 02106	DOM	0	A	PARTNERSHIP M&M CATTLE CO	C 02106	24S	30E	18	3	3					13	601088	3564435		
C 02109	STK	3	A	PARTNERSHIP M&M CATTLE CO	C 02109	24S	30E	19	2	3				13	601916	3563647	12/31/1963	130	

Record Count: 2

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

---

Township: 24S Range: 30E Sections: 7,18,19

NAD27 X: \_\_\_\_\_ Y: \_\_\_\_\_ Zone: \_\_\_\_\_ ☐ Search Radius: \_\_\_\_\_County: \_\_\_\_\_ ☐ Basin: \_\_\_\_\_ ☐ Number: \_\_\_\_\_ Suffix: \_\_\_\_\_Owner Name: (First) \_\_\_\_\_ (Last) \_\_\_\_\_ ☐ Non-Domestic ☐ Domestic ☒ All

---

AVERAGE DEPTH OF WATER REPORT 03/07/2008

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
C	24S	30E	19				1	150	150	150

Record Count: 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 24S Range: 30E Sections: 7,18,19

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All    **WATER COLUMN REPORT 03/07/2008**

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
C 02109	24S	30E	19	2	3					130	150	-20

Record Count: 1