Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Energy, Minerals and Natural Resources May 27, 2004 District I % WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 District II 30-015-34676 OIL CONSERVATION DIVISION 1301 W. Grand Ave, Artesia, NM 88210 5. Indicate Type of Lease District III 1220 South St. Francis Dr. STATE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No. District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH Lattion PROPOSALS.) 8. Well Number 1. Type of Well: Oil Well Gas Well Other 2. Name of Operator 9. OGRID Number APR - 2 2008 Yates Petroleum Corporation 025575 3. Address of Operator OCD-ARTESIA 10. Pool name or Wildcat 105 S. 4th Street, Artesia, NM 88210 Atoka; Glorieta-Yeso 4. Well Location feet from the Unit Letter O 330 South line and 1790 feet from the East line 23 Section Township 18S Range 26E **NMPM** Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3304'GR Pit or Below-grade Tank Application or Closure Pit type \_\_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_ Below-Grade Tank: Volume Pit Liner Thickness: \_bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK □ PLUG AND ABANDON ☐ ALTERING CASING □ REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS.□ PLUG AND ABANDON □ PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB OTHER: Completion Operations OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 3/7/08 - TOC 80' Est. Perforate Yeso 2820'-2830' (11), 2906'-2916' (11), 2930'-2940' (11), 2990'-3016' (27), 3284'-3300' (17), 3318'-3326' (9) and 3340'-3360' (21). 3/10/08 - Acidize with 3000g 20% HCL acid with 175 ball sealers. Frac with a XL frac, 2521 bbls fluid, 103,800# 16/30 white sand. Perforate San Andres 1814'-1830' (17), 2050'-2080' (31), 2250'-2260' (11), 2280'-2290' (11) and 2390'-2404' (15). Acidize with 6000g 20% HCL acid. Frac with a XL frac, 2332 bbls fluid, 106,600# 16/30 white sand. 2-7/8" tubing at 3423'. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or belowgrade tank has been/will be constructed dr closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan. SIGNATURE ( TITLE Regulatory Compliance Supervisor DATE March 28, 2008 Type or print name \_\_\_\_\_\_ Tina Huerta \_\_\_\_\_ E-mail address: \_\_\_\_\_\_ tinah@ypcnm.com \_\_\_\_\_ Telephone No. \_\_\_\_\_ 575-748-1471 For State Use Only APPROVED BY: TITLE DATE Accepted for record - NMOCD Conditions of Approval (if any):