

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-35881
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E-2126
7. Lease Name or Unit Agreement Name Mossberg 18 St Com
8. Well Number 1
9. OGRID Number 14744
10. Pool name or Wildcat Millman Morrow South (Gas) 81365

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Mewbourne Oil Company

3. Address of Operator
PO Box 5270 Hobbs, NM 88240

4. Well Location
Unit Letter N: 660 feet from the S line and 1800 feet from the W line
Section 18 Township 19S Range 28E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3522' GL

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: TD and TOC ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/29/08 TD'ed 6 1/8" hole @ 11145'. Ran 11145' 4 1/2" 11.6.# HCP110 LT&C csg. Cemented with 200 sks Class H with additives. Mixed @ 15.1#/g w/1.29 yd. Plug down at 1:30 am 05/02/08. Slow rate lift pressure @ 1449# @ 3 BPM. At 1:30 am on 05/02/08, tested csg to 2177# for 30 mins. Set casing slips w/95k. Test tbg spool pack off to 2500#.

05/02/08...Released rig at 11:30 pm 05/02/08.

05/06/08...Ran CBL and found TOC at 9488'.


I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Jackie Lathan TITLE Hobbs Regulatory DATE 05/09/08

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com Telephone No. 575-393-5905
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

Accepted for record - NMOCD






WELDING • BOP TESTING
NIPPLE UP SERVICE • BOP LIFTS • TANDEM
MUD AND GAS SEPARATORS

Grand Junction, CO **Lovington, NM**
970-241-4540 **575-396-4540**

12B 8598

Company Maulborne Date 09/20/08 Start Time 10:00 ☐ am ☒ pm
Lease Moslerg '18" 3+ (cont) County Eddy State N.M.
Company Man John Byrne
Wellhead Vendor _____ Tester Robert W. Wilkerson
Drig. Contractor Patterson Rig # 45
Tool Pusher Russell Berryman
Plug Type C-27 Plug Size 11" Drill Pipe Size 3 1/2" IF
Casing Valve Opened yes Check Valve Open yes

[illegible]

SUB TOTAL 1340.00
TAX 77.03
TOTAL 1417.03

8 HR@ 1000⁰⁰
7 HR@ 61000⁰⁰ hr= 2000⁰⁰
Mileage 1400 @ \$140⁰⁰
MASTER PRINTERS 575 396 3661