$\frac{\text{District I}}{1625 \text{ N}} \text{ French Dr}, \text{Hobbs, NM 88240}$ District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

MAY 27 2008

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes Vy No Type of action. Registration of a pit or below-grade tank. Closure of a pit or below-grade tank.

Operator. EOG RESOURCES, INC. Telephone: 432-686-3600 e-mail address		
Address: PO Box 2267, Midland TX 79702   Facility or well name: Salmon B32 St #2H   API #: 30-015-35912   U/L or Qtr/Qtr Unit Msec 32 T18S R23E		
County. Fddy Latitude		
Surface Owner: Federal State Private Indian	700 F3L	FWE MID: 1921 LI 1990 LI
Pit	Below-grade tank	
Type: Drilling M Production Disposal D	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined V Unlined	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type: Synthetic MThickness 12 mil Clay		
Pit Volume/ <u>D, (DQ)</u> bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(Opoints)
	100 feet of more	
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(Opoints)
	Less than 200 feet	(20 points)
Distance to surface water (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	1000 feet or more	(Opoints)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location. (check the onsite box if your are burying in place) onsite of offsite. If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No Vers I If yes, show depth below ground surface ft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments: RECLAIM DRILLING PIT PER OCD REGULATIONS. DIG DEEP BURIAL HOLE, LINE		
WITH 12-MIL LINER; MIX ALL CONTENTS IN PIT TO STIFFEN AND PLACE IN ENCAPSULATION		
TRENCH; CAP WITH 20-MIL LINER AND COVER WITH 3' OR MORE TOP SOIL OR LIKE		
MATERIAL. PULL SAMPLES FROM BOTTOM OF PIT, IF SAMPLES PASS, BACKFILL OLD		
DRILLING PITS WITH CLEAN TOP SOIL.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [1], or an (attached) alternative OCD-approved plan [1].		
Date <u>5/20/08</u> MORGAN TOOLS CO., LLC Printed Name/Title <u>Stephen Wilson</u> , Foreman Signature Stephen Uulson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval	!! .	
Approval:	Signature Signed By Mile Be	MILLER MAY 9 7 2008
Printed Name/Title	Signature	Datemin B & STORY

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.