District 1-1625 N. French Dr., Hobbs, NM 88240 1831i W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Biazos Road, Aztec, NM 87410 District IV

1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

office

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade Type of action: Registration of a				
Operator Parallel Petroleum Corporation Telephone	± 432-684-3905	e-mail address dd	lurham@plll.com	
Address 1004 N. Big Spring Street, Suite 400, Midland, Texas	79701			
actity or well name: War Emblem 1525-9 Fed Com#1 API#:	3000563950	U/L or Qtr/Qtr 1	Sec. 8 1 155	8 R 25E
County: Chaves Latitude	33° 01° 39.30" N	Longitude 104° 27' 2	28.14" W NAD	1927 X 1983 🗌
Surface Owner Federal 🗌 State 🗎 Private 🛭 Indian 🗌 💢	EMAGE TO: 3	20-005-639	149	
Pit	Below-grade tank		• ,	And the second s
Lype, Drilling Disposal Disposal	Volume:bbl T	ype of fluid.		
Workover	1			
ined Unlined	Double-walled, with le	ak detection9 Yes III no	ot, explain why not	
mer type Synthetic ☑ Thickness 12 mil Clay ☐ 2it Volume 25,000 bbl		err entacter so substitutional for the substitution of the substit		Automotivation (Control A. Was also A. II.
	Less than 50 feet		(20 points)	1 1 1 1 1 1 1 1
epth to ground water (vertical distance from bottom of pit to seasona	50 feet or more, but les	ss than 100 feet	(10 points)	10
ngh water elevation of ground water.) 75'	100 feet or more		( 0 points)	
	Yes		(20 points)	and the control of th
Wellhead protection area. (Less than 200 feet from a private domestic	No		( 0 points)	0
vater source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet		(20 points)	
riigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but l	ess than 1000 feet	(10 points)	0
v derman to the marketine of the second of t	1000 feet or more		( 0 points)	0
	Ranking Score (Total	l Points)		10
this is a pit closure: (1) Attach a diagram of the facility showing the	pit's relationship to other equ	uipment and tanks. (2) Indic	cate disposal location	n' (check the onsite box if
ur are burying in place) onsite [ ] offsite [ ] If offsite, name of facili	ty	(3) Attach a general	description of reme	dial action taken including
nediation start date and end date (4) Groundwater encountered: No	Yes If yes, show dept	h below ground surface	ft and	ttach sample results
Attach soil sample results and a diagram of sample locations and exc				
Additional Comments 'Khis well will share a drilling location pit w	th the Funny Cide 1525-8 I	ed Com #1, API # 300056	3949	77 =
'it was closed on email approval of Mike Bratcher, Artesia NMOCD of				ACCORDING TO THE PARTY OF THE P
all material and cuttings in reserve pit that had chloride levels above 2		placed in a lined burial tren	eb on the east site (	of the reserve put
he trench was capped with plastic and the reserve pit area was levele		***************************************		
he field and lab data are attached	i. A permeto construct a ne	an muor storago pri mus app	north of the trans	
ne beig any mo data are attached				ALLEY SPANNINGS AND PARTY.
hereby certify that the information above is true and complete to the	best of my knowledge and be	licf. I further certify that	the above-describ	ed pit or below-grade tank
as been/will be constructed or closed according to NMOCD guide	lines ⊠, a general permit [	□, or an (attached) altern	ative OCD-approv	ed plan .
hate 6-5-08	1	1/1/20		
rinted Name/Title Gary Miller, Agent	Signatura	1//		
• • • • • • • • • • • • • • • • • • • •	Signature	Chiana and a second	a of the set of the first	contains a contains
four certification and NMOCD approval of this application/closure definitive endanger public health or the environment. Nor does it relicitude in the environment of the environment of the environment of the environment.				
	*** **********************************			- 111 minutes 111 minutes
pproval:		Accepted for re	ecora	AUUL W B WILL


## Highlander Environmental Corp.

	Pit Closure Sampling Report
Job Number:	2 400 Date: 5-30-03
Client:	Parollel Tetro
Well Name	War Emblen 1525-9 Fed Con HI Fran Cide 1825-9
API#	3000563950 300563549 Fed Com#
Depth of Pit	8
Depth to	Orientation of pit N/S E W
Groundwater	Burial trench location from reserve pit N S (E) W
	All pit sample depths are below pit bottom (BPB)
	Field

<u> </u>			erve bit in 2 (c		
All pit sample of	lepths are <i>below p</i>			7	-
Sample Location	Depth (BPB)	Field Chloride Results (mg/Kg)	Lab Chloride Results (mg/Kg)	Soil to be excavated	Soil to be left in-situ
NE	2	150	160		
NW	2	100	400		
SE	2	100	400		
5W	2	100		X	
1_4	5		Z100		
ETT.		7	enter Sect		
5125/0	Horsesho.	p - NO !	enter Sect		

BGS- Below Ground Surface

BPB- Below Pit Bottom



Report Date: June 4, 2008 2900

Work Order: 8060220

Parallel-War Emblem 1525-9 Fed. Com. 1

Page Number: 1 of 2

## **Summary Report**

Gary Miller Highlander Environmental Services 1910 N. Big Spring Street Midland, TX, 79705

Report Date: June 4, 2008

Work Order: 8060220

Project Name:

Parallel-War Emblem 1525-9 Fed. Com. 1

Project Number: 2900

			Date	Time	Date
Sample	Description	Matrix	Taken	Taken	Received
161758	NW-2	soil	2008-05-30	00:00	2008-06-02
161759	NE-2'	soil	2008-05-30	00:00	2008-06-02
161760	SW-5'	soil	2008-05-30	00:00	2008-06-02
161761	SE-2'	soil	2008-05-30	00:00	2008-06-02

Sample: 161758 - NW-2'

Param	Flag	Result	Units	RL
Chloride		160	ıng/Kg	2.00

Sample: 161759 - NE-2'

Param	Flag	Result	Units	RL
Chloride		<100	nig/Kg	2.00

Sample: 161760 - SW-5'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 161761 - SE-21

Report Date: June 4, 2008 2900

Work Order: 8060220

Parallel-War Emblem 1525-9 Fed. Com. 1

Page Number: 2 of 2

Param	Flag	Result	Units	RL
Chloride		100	mg/Kg	2.00