Form C-144

JUN 20 2008

District | 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District [V 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department



Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to

the Santa Fe Environmental Bureau office and

provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System. Below-Grade Tank. or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method PARTESIA Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per i	individual pit, closed-loop system, below-grade tank or alternative request	
	sability should operations result in pollution of surface water, ground water or the noly with any other applicable governmental authority's rules, regulations or ordinances	
Address: P.O. Box 960 Artesia, NM 88211-	OGRID # 013837	
Facility or well name: Lobos Federal #1		
77	OCD D	
API Number: 30-015-36318		
U/L or Qtr/Qtr 18 Section 4 Township	· · · · · · · · · · · · · · · · · · ·	
Surface Owner: 🛱 Federal 🗌 State 🗍 Private 🦳 Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15.17.11 NMAC	X Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Temporary Drilling Workover	☐ Drying Pad ☐ Tanks ☒️ Haul-off Bins ☐ Other	
Permanent Emergency Cavitation	☐ Lined ☐ Unlined	
☐ Lined ☐ Unlined	Liner type: Thicknessmil	
Liner type: Thicknessmil	Other	
Other String-Reinforced	Seams: Welded Factory Other	
Seams: Welded Factory Other	Volume:bblyd³	
Volume: x W x D	Dimensions: Lengthx Width	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC	
Volume:bbl	Chain link, six feet in height, two strands of barbed wire at top	
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and	
Tank Construction maternal:	four feet	
Secondary containment with leak detection	Netting: Subsection E of 19.15 17 11 NMAC	
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	☐ Screen ☐ Netting ☐ Other	
☐ Visible sidewalls and liner	☐ Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	
Liner type Thicknessmil _ HDPE _ PVC	emergency telephone numbers	
☐ Other	☐ Signed in compliance with 19.15.3.103 NMAC	
Alternative Method:	Administrative Approvals and Exceptions:	
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.	
or approval.	Please check a box if one or more of the following is requested, if not leave blank:	
	Administrative approval(s): Requests must be submitted to the	
	appropriate division district or the Santa Fe Environmental Bureau office for	
	consideration of approval. Exception(s): Requests must be submitted to the Santa Fe	
	Environmental Bureau office for consideration of approval.	

Siting Criteria (regarding permitting): 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo: Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - WATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits. Emergency Pits. and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.179		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dot attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.10 Situng Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number: or Permit Number		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the deattached.		
Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 15 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15 17.13 NMAC NMAC		
Previously Approved Design (attach copy of design) API Number:		

Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the deattached.	ocuments are	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17 15 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15-17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
 Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan 		
Oil Field Waste Stream Characterization Monitoring and Inspection Plan		
 Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15 17.13 NMAC 		
Proposed Closure: 19.15.17.13 NMAC		
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative	
Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop systems)		
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	nsideration)	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC		
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain.	☐ Yes ☐ No	

closure plan. Please indicate, by a check mark in the box, that the documer Protocols and Procedures - based upon the appropriate requirements of Confirmation Sampling Plan (if applicable) - based upon the appropriat Disposal Facility Name and Permit Number (for liquids, drilling fluids Soil Backfill and Cover Design Specifications - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subse Site Reclamation Plan - based upon the appropriate requirements of Sales.	19 15 17 13 NMAC requirements of Subsection F of 19 15.17 13 NMAC and drill cuttings) nate requirements of Subsection H of 19 15 17 13 NMAC cition I of 19 15 17 13 NMAC osection G of 19 15 17 13 NMAC ins Only: (19 15 17 13 D NMAC) Instructions: Please indentify the facility
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached. Sting Criteria Compliance Demonstrations - based upon the appropriate Proof of Surface Owner Notice - based upon the appropriate requirement. Construction and Design of Burial Trench (if applicable) based upon the Protocols and Procedures - based upon the appropriate requirements of Confirmation Sampling Plan (if applicable) - based upon the appropriate Waste Material Sampling Plan - based upon the appropriate requirement. Disposal Facility Name and Permit Number (for liquids, drilling fluids of Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate requirements of Subsection Resulting Plan - based upon the appropriate Resulting Plan - based	of the following items must be attached to the closure plan. Please indicate, a requirements of 19 15 17 10 NMAC atts of Subsection F of 19 15.17.13 NMAC appropriate requirements of 19 15.17 11 NMAC appropriate requirements of 19 15.17 11 NMAC are requirements of Subsection F of 19.15.17.13 NMAC at of Subsection F of 19.15.17 13 NMAC and drill cuttings or in case on-site closure standards cannot be achieved) aton H of 19.15.17 13 NMAC atton I of 19 15 17 13 NMAC atton I of 19 15 17 13 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, act Name (Print): Jerry W. Sherrell	Title: Production Clerk
Signature Sharoll	Date: June 19, 2008
e-mail address: jerrys@mackenergvcorp.com	Telephone (575) 748-1288
OCD Approval: Permit Application (including closure plan) Closure	
OCD Representative Signature: Title:	OCD°Permit Number: OZ 08 14
	OCD°Permit Number: OZ 08 14
Closure Report (required within 60 days of closure completion): Subsection Closure Method: Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain.	OCD°Permit Number: OZ 68 /4 on K of 19.15.17.13 NMAC Closure Completion Date: mative Closure Method
Closure Report (required within 60 days of closure completion): Subsection Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	OCD°Permit Number: OZ 68 /4 on K of 19.15.17.13 NM.AC Closure Completion Date: mative Closure Method items must be attached to the closure report. Please indicate, by a check
Closure Report (required within 60 days of closure completion): Subsection Closure Method: Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude Departor Closure Certification:	OCD°Permit Number: OZ 68 /4 on K of 19.15.17.13 NMAC Closure Completion Date: mative Closure Method items must be attached to the closure report. Please indicate, by a check gitude
Closure Report (required within 60 days of closure completion): Subsection Closure Method: Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude Lon	OCD°Permit Number: OZ 08 /4 on K of 19.15.17.13 NMAC Closure Completion Date: mative Closure Method items must be attached to the closure report. Please indicate, by a check gitude
Closure Report (required within 60 days of closure completion): Subsection Closure Method: Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude Lon Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure	OCD Permit Number: OZ 08 /4 on K of 19.15.17.13 NMAC Closure Completion Date: mative Closure Method items must be attached to the closure report. Please indicate, by a check gitude
Closure Report (required within 60 days of closure completion): Subsection Closure Method: Waste Excavation and Removal On-Site Closure Method Alte If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude Lon Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure required.	OCD Permit Number: OZ 08 /4 on K of 19.15.17.13 NMAC Closure Completion Date: mative Closure Method items must be attached to the closure report. Please indicate, by a check gitude

Mack Energy Closed Loop System Design Plan

Equipment list,

- 2-414 Swaco Centrifuges
- 2-4 screen Mongoose shale shakers
- 2-250 BBL tanks to hold fluid
- 2- CRI Bins with track system
- 2-500 BBL frac tanks for fresh water
- 2-500 BBL frac tanks for brine water

Operation and Maintenance

Closed Loop equipment will be inspected daily by each tour and any necessary maintenance performed

Any leak in system will be repaired and/or contained immediately

OCD notified within 48 hours

Remediation process started

Closure Plan

During drilling operations all liquids, drilling fluids and cuttings Will be hauled off via CRI(Controlled Recovery Incorporated Permit R-9166).