


JAMES



Scientific Drilling

EOG

Field: Cottonwood Creek
Site: Eddy County, NM
Well: Robinson HW Federal Com #2H
Wellpath: VH - Job #32K0408243
Survey: 04/11/08


This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Richardson*.....Company Representative

Notorized this date 6th of May, 2008.

Carmel Reed

Notary Signature
County of Midland
State of Texas





Scientific Drilling International Survey Report

Company: EOG
Field: Cottonwood Creek
Site: Eddy County, NM
Well: Robinson HW Federal Com #2H
Wellpath: VH - Job #32K0408243

Date: 05/05/2008 Time: 08:52:29 Page: 1
Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,268.28Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: 04/11/08 Start Date: 04/11/2008
KSRG 0'-3757'
Company: Scientific Drilling Internatio Engineer: Guebara/Garza w/GeoGyro
Tool: Keeper;Keeper-Surface Readout Gyro Tied-to: From Surface


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.18	71.06	100.00	-0.15	0.05	0.15	0.18	0.16	71.06
200.00	0.40	270.69	200.00	0.05	0.11	-0.05	0.57	0.12	333.95
300.00	0.95	323.46	299.99	0.87	0.78	-0.89	0.78	1.18	310.96
400.00	0.64	286.33	399.98	1.88	1.60	-1.92	0.59	2.50	309.74
500.00	0.72	274.09	499.98	3.03	1.80	-3.09	0.17	3.57	300.27
600.00	0.92	244.20	599.97	4.39	1.50	-4.44	0.46	4.68	288.64
700.00	1.19	243.81	699.95	6.07	0.69	-6.09	0.27	6.13	276.45
800.00	1.04	250.00	799.93	7.87	-0.08	-7.88	0.19	7.88	269.42
900.00	0.97	244.81	899.92	9.51	-0.75	-9.49	0.11	9.52	265.48
1000.00	0.91	242.04	999.90	11.00	-1.48	-10.96	0.08	11.06	262.30
1100.00	0.89	246.91	1099.89	12.44	-2.16	-12.38	0.08	12.56	260.10
1200.00	0.74	236.35	1199.88	13.71	-2.82	-13.63	0.21	13.92	258.30
1300.00	0.47	224.82	1299.87	14.55	-3.47	-14.46	0.29	14.87	256.50
1400.00	0.34	207.94	1399.87	15.00	-4.02	-14.88	0.18	15.42	254.87
1500.00	0.33	225.55	1499.87	15.36	-4.49	-15.23	0.10	15.88	253.58
1600.00	0.42	224.18	1599.87	15.83	-4.95	-15.69	0.09	16.45	252.48
1700.00	0.43	231.83	1699.86	16.40	-5.45	-16.24	0.06	17.13	251.46
1800.00	0.42	235.48	1799.86	17.01	-5.89	-16.84	0.03	17.84	250.73
1900.00	0.44	279.45	1899.86	17.69	-6.03	-17.52	0.32	18.53	251.00
2000.00	0.54	311.69	1999.86	18.41	-5.65	-18.25	0.29	19.10	252.78
2100.00	0.62	301.45	2099.85	19.21	-5.06	-19.06	0.13	19.72	255.14
2200.00	0.59	299.35	2199.85	20.10	-4.52	-19.97	0.04	20.48	257.24
2300.00	0.71	296.70	2299.84	21.08	-3.99	-20.97	0.12	21.35	259.22
2400.00	0.85	293.56	2399.83	22.30	-3.42	-22.21	0.15	22.47	261.25
2500.00	0.92	301.76	2499.82	23.64	-2.70	-23.57	0.14	23.72	263.47
2600.00	0.94	297.56	2599.80	25.03	-1.90	-24.98	0.07	25.05	265.66
2700.00	0.83	299.39	2699.79	26.36	-1.16	-26.34	0.11	26.36	267.47
2800.00	0.99	298.43	2799.78	27.73	-0.40	-27.73	0.16	27.73	269.18
2900.00	0.87	296.62	2899.77	29.14	0.36	-29.17	0.12	29.17	270.70
3000.00	0.75	298.93	2999.76	30.38	1.01	-30.42	0.12	30.44	271.91
3100.00	0.64	296.79	3099.75	31.43	1.58	-31.49	0.11	31.53	272.87
3200.00	0.72	311.05	3199.74	32.38	2.24	-32.46	0.19	32.54	273.96
3300.00	0.61	314.76	3299.74	33.21	3.03	-33.31	0.12	33.45	275.20
3400.00	0.63	317.87	3399.73	33.93	3.81	-34.06	0.04	34.27	276.39
3500.00	0.43	344.07	3499.73	34.38	4.58	-34.53	0.31	34.84	277.56
3600.00	0.46	358.03	3599.72	34.47	5.35	-34.65	0.11	35.06	278.77
3700.00	0.58	30.55	3699.72	34.21	6.18	-34.41	0.31	34.96	280.19
3757.00	0.86	65.32	3756.71	33.66	6.61	-33.87	0.89	34.51	281.04




Scientific
Drilling

Field: Cottonwood Creek
Site: Eddy County, NM
Well: Robinson HW Federal Com #2H
Wellpath: VH - Job #32K0408243
Survey: 04/11/08



South(-)/North(+) [5ft/in]



West(-)/East(+) [5ft/in]

EOG Resources, Inc.

Robinson HW Fed Com #2H

Robinson HW Fed Com #2H


Robinson HW Fed Com #2H

Original Hole

Survey: MWD

Pathfinder Standard X & Y Report

21 April, 2008



Azimuths to Grid North
True North: 0.11°
Magnetic North: 8.55°

Magnetic Field
Strength: 49253.6snT
Dip Angle: 60.73°
Date: 4/11/2008
Model: IGRF200510




WELL DETAILS: Robinson HW Fed Com #2H						
Ground Elevation: 3642.00						
RKB Elevation: EST RKB @ 3661.00ft (McVay 4)						
Rig Name: McVay 4						
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	692508.200	438236.400	32° 54' 13.039 N	104° 32' 4.481 W	



SECTION DETAILS										
Sec	MD	Inc	Asl	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	3757.00	0.86	65.32	3756.71	6.61	-33.87	0.00	0.00	33.66	
2	4318.74	0.86	65.32	4318.39	10.13	-26.21	0.00	0.00	25.90	
3	5079.12	90.00	259.00	4805.00	-79.68	-497.30	11.95	-166.32	499.46	
4	5582.12	90.00	270.04	4805.00	-127.64	-997.22	2.19	90.00	1000.60	
5	6082.12	90.00	270.04	4805.00	-127.29	-1497.22	0.00	0.00	1500.36	
6	6149.40	92.01	270.05	4803.82	-127.24	-1564.48	2.99	0.28	1567.60	
7	6412.04	92.03	270.06	4794.56	-126.98	-1826.96	0.01	31.00	1829.95	
8	8739.84	92.03	270.06	4712.00	-124.40	-4153.30	0.00	0.00	4155.16	PBHL

Project: Robinson HW Fed Com #2H
Site: Robinson HW Fed Com #2H
Well: Robinson HW Fed Com #2H
Wellbore: Original Hole
Plan: Plan #2 (Robinson HW Fed Com #2H/Original Hole)

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)						
Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape
PBHL	4712.00	-124.40	-4153.30	692383.806	434083.100	Point



EOW



PROJECT DETAILS: Robinson HW Fed Com #2H
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico East 3001
System Datum: Mean Sea Level
Local North: Grid

Plan: Plan #2 (Robinson HW Fed Com #2H/Original Hole)

Created By: Mark Freeman Date: 9:51, April 21 2008

Checked: _____ Date: _____

WHS

Pathfinder Standard X & Y Report

Company: EOG Resources, Inc. Project: Robinson HW Fed Com #2H Site: Robinson HW Fed Com #2H Well: Robinson HW Fed Com #2H Wellbore: Original Hole Design: Original Hole	Local Co-ordinate Reference: Well Robinson HW Fed Com #2H TVD Reference: EST RKB @ 3661.00ft (McVay 4) MD Reference: EST RKB @ 3661.00ft (McVay 4) North Reference: Grid Survey Calculation Method: Minimum Curvature Database: EDM 2003.16 Single User Db
--	---

Project Robinson HW Fed Com #2H	
Map System: US State Plane 1927 (Exact solution)	System Datum: Mean Sea Level
Geo Datum: NAD 1927 (NADCON CONUS)	
Map Zone: New Mexico East 3001	

Site Robinson HW Fed Com #2H			
Site Position:	Northing:	692,508.200 ft	Latitude: 32° 54' 13.039 N
From: Map	Easting:	438,236.400 ft	Longitude: 104° 32' 4.461 W
Position Uncertainty: 0.00 ft	Slot Radius:	"	Grid Convergence: -0.11 °

Well Robinson HW Fed Com #2H			
Well Position	Northing:	692,508.200 ft	Latitude: 32° 54' 13.039 N
+N/-S 0.00 ft	Easting:	438,236.400 ft	Longitude: 104° 32' 4.461 W
+E/-W 0.00 ft	Wellhead Elevation:	ft	Ground Level: 3,642.00 ft
Position Uncertainty 0.00 ft			

Wellbore Original Hole					
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	4/11/2008	8.44	60.73	49,254

Design Original Hole				
Audit Notes:				
Version: 1.0	Phase: ACTUAL	Tie On Depth: 0.00		
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.00	0.00	0.00	268.28

WHS

Pathfinder Standard X & Y Report

Company: EOG Resources, Inc.
Project: Robinson HW Fed Com #2H
Site: Robinson HW Fed Com #2H
Well: Robinson HW Fed Com #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Robinson HW Fed Com #2H
TVD Reference: EST RKB @ 3661.00ft (McVay 4)
MD Reference: EST RKB @ 3661.00ft (McVay 4)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Survey Program		Date 4/21/2008		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
100.00	3,757.00	Gyro Survey (Original Hole)	CB-GYRO-MS	Camera based gyro multishot
3,944.00	8,650.00	MWD (Original Hole)	MWD	MWD - Standard

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	TFace (°)
3,757.00	0.86	65.32	3,756.71	95.71	6.61	-33.87	33.66	0.00	0.00
3,944.00	0.44	94.29	3,943.70	282.70	7.14	-31.88	31.65	0.28	155.84
4,138.00	1.23	111.86	4,137.68	476.68	6.31	-29.20	29.00	0.42	26.88
4,233.00	1.85	116.32	4,232.65	571.65	5.25	-26.88	26.71	0.66	13.18
4,328.00	2.11	216.09	4,327.61	666.61	3.16	-26.54	26.43	3.19	136.70
4,360.00	5.63	241.77	4,359.53	698.53	1.94	-28.27	28.20	12.00	39.42
4,392.00	9.67	250.40	4,391.24	730.24	0.29	-32.19	32.16	13.09	20.19
4,423.00	13.63	253.60	4,421.60	760.60	-1.61	-38.15	38.18	12.94	10.84
4,455.00	17.41	253.01	4,452.43	791.43	-4.08	-46.34	46.45	11.82	-2.68
4,487.00	20.75	256.44	4,482.67	821.67	-6.80	-56.44	56.62	11.01	20.19
4,518.00	24.09	258.72	4,511.32	850.32	-9.33	-67.98	68.23	11.13	15.65
4,550.00	27.61	259.76	4,540.11	879.11	-11.93	-81.69	82.01	11.09	7.81
4,582.00	31.30	260.43	4,567.97	906.97	-14.63	-97.19	97.58	11.58	5.39
4,614.00	35.09	260.84	4,594.75	933.75	-17.48	-114.47	114.94	11.86	3.56
4,646.00	38.78	261.25	4,620.32	959.32	-20.47	-133.46	134.02	11.56	3.98
4,677.00	42.56	261.42	4,643.83	982.83	-23.51	-153.43	154.07	12.20	1.74
4,709.00	46.08	261.34	4,666.72	1,005.72	-26.86	-175.53	176.26	11.00	-0.94
4,741.00	50.30	261.67	4,688.05	1,027.05	-30.38	-199.12	199.94	13.21	3.45
4,773.00	54.34	261.20	4,707.60	1,046.60	-34.15	-224.16	225.08	12.68	-5.41
4,804.00	58.21	260.80	4,724.81	1,063.81	-38.19	-249.62	250.65	12.53	-5.03
4,836.00	62.08	260.49	4,740.74	1,079.74	-42.70	-276.99	278.15	12.12	-4.05

WHS

Pathfinder Standard X & Y Report

Company: EOG Resources, Inc.
Project: Robinson HW Fed Com #2H
Site: Robinson HW Fed Com #2H
Well: Robinson HW Fed Com #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Robinson HW Fed Com #2H
TVD Reference: EST RKB @ 3661.00ft (McVay 4)
MD Reference: EST RKB @ 3661.00ft (McVay 4)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Survey

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	TFace (°)
4,868.00	66.13	260.11	4,754.71	1,093.71	-47.55	-305.36	306.65	12.70	-4.91
4,894.00	69.20	260.84	4,764.59	1,103.59	-51.53	-329.08	330.48	12.09	12.54
4,932.00	73.95	260.91	4,776.60	1,115.60	-57.24	-364.66	366.22	12.50	0.81
4,963.00	76.94	260.65	4,784.39	1,123.39	-62.05	-394.28	395.96	9.68	-4.84
4,995.00	79.40	261.44	4,790.95	1,129.95	-66.92	-425.21	427.03	8.06	17.53
5,027.00	81.95	263.21	4,796.13	1,135.13	-71.14	-456.51	458.43	9.66	34.56
5,059.00	83.36	265.02	4,800.22	1,139.22	-74.39	-488.07	490.09	7.13	51.97
5,090.00	86.17	267.79	4,803.05	1,142.05	-76.33	-518.88	520.93	12.70	44.60
5,186.00	88.46	267.79	4,807.55	1,146.55	-80.02	-614.69	616.82	2.39	0.00
5,281.00	91.28	270.24	4,807.76	1,146.76	-81.66	-709.66	711.79	3.93	40.99
5,376.00	91.01	268.86	4,805.87	1,144.87	-82.40	-804.64	806.75	1.48	-101.06
5,471.00	92.07	268.90	4,803.31	1,142.31	-84.26	-899.59	901.71	1.12	2.16
5,566.00	91.71	269.90	4,800.18	1,139.18	-85.25	-994.53	996.64	1.12	109.79
5,662.00	90.66	270.01	4,798.19	1,137.19	-85.33	-1,090.50	1,092.57	1.10	174.02
5,757.00	89.60	268.78	4,797.98	1,136.98	-86.33	-1,185.50	1,187.55	1.71	-130.75
5,852.00	91.10	270.62	4,797.40	1,136.40	-86.83	-1,280.49	1,282.52	2.50	50.81
5,946.00	90.48	270.57	4,796.10	1,135.10	-85.85	-1,374.47	1,376.43	0.66	-175.39
6,040.00	90.31	270.69	4,795.45	1,134.45	-84.82	-1,468.46	1,470.35	0.22	144.78
6,133.00	90.75	271.89	4,794.59	1,133.59	-82.73	-1,561.43	1,563.21	1.37	69.86
6,227.00	90.84	271.75	4,793.29	1,132.29	-79.74	-1,655.38	1,657.03	0.18	-57.26
6,320.00	90.40	270.44	4,792.28	1,131.28	-77.96	-1,748.35	1,749.91	1.49	-108.56
6,445.00	92.15	268.41	4,789.50	1,128.50	-79.22	-1,873.30	1,874.84	2.14	-49.21
6,571.00	92.51	270.06	4,784.38	1,123.38	-80.90	-1,999.18	2,000.71	1.34	77.65
6,696.00	91.71	269.96	4,779.78	1,118.78	-80.88	-2,124.10	2,125.57	0.64	-172.88
6,821.00	91.63	269.29	4,776.13	1,115.13	-81.69	-2,249.04	2,250.48	0.54	-96.80
6,946.00	91.10	269.17	4,773.16	1,112.16	-83.37	-2,374.00	2,375.43	0.43	-167.24
7,072.00	91.89	269.80	4,769.87	1,108.87	-84.50	-2,499.95	2,501.36	0.80	38.55

WHS

Pathfinder Standard X & Y Report

Company: EOG Resources, Inc.
Project: Robinson HW Fed Com #2H
Site: Robinson HW Fed Com #2H
Well: Robinson HW Fed Com #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Robinson HW Fed Com #2H
TVD Reference: EST RKB @ 3661.00ft (McVay 4)
MD Reference: EST RKB @ 3661.00ft (McVay 4)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Survey

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	TFace (°)
7,197.00	91.28	268.13	4,766.41	1,105.41	-86.76	-2,624.87	2,626.29	1.42	-110.05
7,322.00	92.42	266.26	4,762.37	1,101.37	-92.88	-2,749.65	2,751.20	1.75	-58.59
7,416.00	93.21	268.25	4,757.76	1,096.76	-97.37	-2,843.42	2,845.06	2.28	68.28
7,539.00	92.86	266.71	4,751.25	1,090.25	-102.77	-2,966.13	2,967.88	1.28	-102.78
7,665.00	90.40	262.86	4,747.66	1,086.66	-114.22	-3,091.52	3,093.56	3.62	-122.52
7,790.00	91.01	264.69	4,746.12	1,085.12	-127.77	-3,215.77	3,218.16	1.54	71.55
7,914.00	92.15	265.59	4,742.70	1,081.70	-138.27	-3,339.27	3,341.92	1.17	38.27
8,038.00	90.40	263.05	4,739.94	1,078.94	-150.54	-3,462.62	3,465.58	2.49	-124.54
8,132.00	91.19	264.84	4,738.64	1,077.64	-160.46	-3,556.08	3,559.30	2.08	66.17
8,257.00	91.45	267.52	4,735.76	1,074.76	-168.78	-3,680.76	3,684.17	2.15	84.43
8,412.00	90.92	266.35	4,732.55	1,071.55	-177.07	-3,835.50	3,839.09	0.83	-114.36
8,574.00	91.80	266.64	4,728.71	1,067.71	-186.97	-3,997.15	4,000.96	0.57	18.23
8,650.00	91.80	266.64	4,726.32	1,065.32	-191.42	-4,072.98	4,076.89	0.00	0.00

WHS

Pathfinder Standard X & Y Report

Company: EOG Resources, Inc.
Project: Robinson HW Fed Com #2H
Site: Robinson HW Fed Com #2H
Well: Robinson HW Fed Com #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Robinson HW Fed Com #2H
TVD Reference: EST RKB @ 3661.00ft (McVay 4)
MD Reference: EST RKB @ 3661.00ft (McVay 4)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.16 Single User Db

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
PBHL - survey misses by 105.58ft at 8650.00ft MD (4726.32 TVD, -191.42 N, -4072.98 E) - Point	0.00	0.00	4,712.00	-124.40	-4,153.30	692,383.800	434,083.100	32° 54' 11.727 N	104° 32' 53.174 W

Survey Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
4,665.72	4,635.43	-22.38	-145.99	Interp. HL Xing @ -22.40 Northing, -146.17 Easting
4,665.72	4,635.43	-22.38	-145.99	Interp. HL Xing @ 4465.72' MD, 4635.43' TVD
8,650.00	4,726.32	-191.42	-4,072.98	Projection to Bit @ 8650' MD, 4726.32' TVD

Checked By: _____ Approved By: _____ Date: _____

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease- 4 Copies
Fee Lease- 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-35811	Pool Code 75260	Pool Name Cottonwood Creek; Wolfcamp West
Property Code 36742	Property Name ROBINSON HW FED. COM	Well Number 2H
OCRID No. 7377	Operator Name EOG RESOURCES, INC.	Elevation 3642'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	24	16 SOUTH	24 EAST, N.M.P.M.		910'	SOUTH	510'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	24	16 SOUTH	24 EAST, N.M.P.M.		718	SOUTH	697	WEST	EDDY

Dedicated Acres 32.0	Joint or Infill	Consolidation Code	Order No.
-------------------------	-----------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Don B. Muth 8/28/07
Signature Date

Donny G. Glanton
Printed Name

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

James D. Abel 8/20/2007
Date of Survey
Signature and Seal of Professional Surveyor
Certificate Number 15079

WOP 070620WL-d (REV. A)(M)