

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

**SUBMIT IN TRIPLICATE- Other instructions on reverse side.**

|                                                                                                                                                                                                  |                                                     |                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------|
| 1. Type of Well<br><input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other                                                                 | MAY 16 2008                                         | 5. Lease Serial No.<br>NMLC030570A                         |
| 2. Name of Operator<br>BURNETT OIL CO., INC.                                                                                                                                                     | OCD-ARTESIA                                         | 6. If Indian, Allottee or Tribe Name                       |
| 3a. Address<br>801 CHERRY STREET, SUITE 1500<br>UNIT #9 FORT WORTH, TX. 76102-6881                                                                                                               | 3b. Phone No. (include area code)<br>(817) 332-5108 | 7. If Unit or CA/Agreement, Name and/or No.                |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br>UNIT L, 2430' FSL, 350' FWL, SEC 13, T17S, R30E- SURF<br>UNIT <del>M</del> 336' FSL, 359' FWL, SEC 13, T17S, R30E- BHL |                                                     | 8. Well Name and No.<br>STEVENS A #16H                     |
|                                                                                                                                                                                                  |                                                     | 9. API Well No.<br>30-015-36146                            |
|                                                                                                                                                                                                  |                                                     | 10. Field and Pool, or Exploratory Area<br>CEDAR LAKE YESO |
|                                                                                                                                                                                                  |                                                     | 11. County or Parish, State<br>Eddy County, N.M.           |

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION                                |                                           |                                                               |                                                |
|-------------------------------------------------------|-----------------------------------------------|-------------------------------------------|---------------------------------------------------------------|------------------------------------------------|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input checked="" type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off        |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation                          | <input type="checkbox"/> Well Integrity        |
| <input type="checkbox"/> Final Abandonment Notice     | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                           | <input type="checkbox"/> Other <b>NEW WELL</b> |
|                                                       | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon                  |                                                |
|                                                       | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal                       |                                                |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

4/01-3/08 Clean location, install surface pumping unit lay flowline to existing lease battery. 4/04/08 NU wellhead, NU BOP RIH w/DC & bit on tubing. Tag & Drill CMT & DVT @ 2596'- 2637', Tag @ 6530' & drill CMT to 6564'. Test casing to 1000 PSI - ok. 4/07 RU Howco, perf @ 5140', 5270', 5469', 5666', 5833', 6011', 6178', 6353', 6520'-total 54 holes @ 6SPF. 4/08 ND BOP, NU frac valve. 4/08 Frac w/ total 170,7048,297 gals WFG-R33, 143,210 gals heated 20 % HCL & 10,044 gals fresh wtr flush. 4/09 ND frac valve, RIH w/136 jts (4291') 2-7/8" 6.50# J55 R2 EUE tbg. Run SUB PUMP. 4/14/2008 Pumping to Stevens A Lease Tank Battery. The 24 hour Test on 4/20/2008 is 18 BO, 78 MCFG and 1298 BW.

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

MARK A. JACOBY

Title ENGINEERING MANAGER

Signature

*Mark A. Jacoby*

Date

5/12/2008

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**Accepted for record  
NMOCD**

Burnett Oil Company  
#16 - Surveys

Eddy County, NM (NAD 83)

Stevens "A"

Your Ref:

| Measured<br>UTM Coordinates |                           |                           | Sub-Sea<br>Vertical      | Dogleg                | Local Coordinates |                  |
|-----------------------------|---------------------------|---------------------------|--------------------------|-----------------------|-------------------|------------------|
| Depth<br>Northings<br>(ft)  | Incl.<br>Eastings<br>(ft) | Azim.<br>Eastings<br>(ft) | Depth<br>Section<br>(ft) | Depth<br>Rate<br>(ft) | Northings<br>(ft) | Eastings<br>(ft) |
|                             |                           |                           |                          | (°/100ft)             |                   |                  |
| 0.00                        | 0.000                     | 0.000                     | -3718.00                 | 0.00                  | 0.00 N            | 0.00 E           |
| 667343.126 N                | 664361.945 E              |                           | 0.00                     | 0.00                  |                   |                  |
| 100.00                      | 0.170                     | 24.590                    | -3618.00                 | 100.00                | 0.13 N            | 0.06 E           |
| 667343.261 N                | 664362.007 E              |                           | -0.14                    | 0.17                  |                   |                  |
| 200.00                      | 0.110                     | 307.200                   | -3518.00                 | 200.00                | 0.33 N            | 0.05 E           |
| 667343.454 N                | 664361.992 E              |                           | -0.33                    | 0.18                  |                   |                  |
| 300.00                      | 0.210                     | 188.120                   | -3418.00                 | 300.00                | 0.20 N            | 0.06 W           |
| 667343.330 N                | 664361.890 E              |                           | -0.20                    | 0.28                  |                   |                  |
| 400.00                      | 0.370                     | 181.040                   | -3318.00                 | 400.00                | 0.30 S            | 0.09 W           |
| 667342.826 N                | 664361.858 E              |                           | 0.30                     | 0.16                  |                   |                  |
| 500.00                      | 0.380                     | 192.690                   | -3218.00                 | 500.00                | 0.95 S            | 0.17 W           |
| 667342.180 N                | 664361.779 E              |                           | 0.95                     | 0.08                  |                   |                  |
| 600.00                      | 0.410                     | 200.760                   | -3118.01                 | 599.99                | 1.60 S            | 0.37 W           |
| 667341.522 N                | 664361.580 E              |                           | 1.61                     | 0.06                  |                   |                  |
| 700.00                      | 0.300                     | 165.610                   | -3018.01                 | 699.99                | 2.19 S            | 0.43 W           |
| 667340.934 N                | 664361.518 E              |                           | 2.19                     | 0.24                  |                   |                  |
| 800.00                      | 0.390                     | 193.930                   | -2918.01                 | 799.99                | 2.78 S            | 0.44 W           |
| 667340.350 N                | 664361.501 E              |                           | 2.78                     | 0.19                  |                   |                  |
| 900.00                      | 0.260                     | 179.320                   | -2818.01                 | 899.99                | 3.33 S            | 0.52 W           |
| 667339.793 N                | 664361.422 E              |                           | 3.34                     | 0.15                  |                   |                  |
| 1000.00                     | 0.580                     | 141.960                   | -2718.01                 | 999.99                | 3.96 S            | 0.21 W           |
| 667339.167 N                | 664361.736 E              |                           | 3.96                     | 0.41                  |                   |                  |
| 1100.00                     | 0.280                     | 150.820                   | -2618.02                 | 1099.98               | 4.57 S            | 0.22 E           |
| 667338.555 N                | 664362.167 E              |                           | 4.57                     | 0.31                  |                   |                  |
| 1200.00                     | 0.580                     | 134.290                   | -2518.02                 | 1199.98               | 5.14 S            | 0.70 E           |
| 667337.988 N                | 664362.649 E              |                           | 5.14                     | 0.32                  |                   |                  |
| 1300.00                     | 0.300                     | 157.640                   | -2418.02                 | 1299.98               | 5.73 S            | 1.17 E           |
| 667337.393 N                | 664363.111 E              |                           | 5.73                     | 0.33                  |                   |                  |
| 1400.00                     | 0.430                     | 124.270                   | -2318.02                 | 1399.98               | 6.19 S            | 1.58 E           |
| 667336.939 N                | 664363.520 E              |                           | 6.18                     | 0.24                  |                   |                  |
| 1500.00                     | 0.510                     | 144.530                   | -2218.03                 | 1499.97               | 6.76 S            | 2.14 E           |
| 667336.366 N                | 664364.089 E              |                           | 6.75                     | 0.18                  |                   |                  |
| 1600.00                     | 0.110                     | 203.160                   | -2118.03                 | 1599.97               | 7.21 S            | 2.36 E           |
| 667335.915 N                | 664364.309 E              |                           | 7.20                     | 0.46                  |                   |                  |
| 1700.00                     | 0.190                     | 146.380                   | -2018.03                 | 1699.97               | 7.44 S            | 2.42 E           |
| 667335.689 N                | 664364.363 E              |                           | 7.43                     | 0.16                  |                   |                  |
| 1800.00                     | 0.260                     | 116.690                   | -1918.03                 | 1799.97               | 7.68 S            | 2.71 E           |
| 667335.449 N                | 664364.658 E              |                           | 7.67                     | 0.13                  |                   |                  |
| 1900.00                     | 1.020                     | 312.150                   | -1818.04                 | 1899.96               | 7.18 S            | 2.26 E           |
| 667335.944 N                | 664364.201 E              |                           | 7.18                     | 1.27                  |                   |                  |

|              |              |         |          |         |         |         |
|--------------|--------------|---------|----------|---------|---------|---------|
| 2000.00      | 0.150        | 187.340 | -1718.04 | 1999.96 | 6.71 S  | 1.58 E  |
| 667336.411 N | 664363.524 E | 6.71    | 1.11     |         |         |         |
| 2100.00      | 0.280        | 177.490 | -1618.04 | 2099.96 | 7.09 S  | 1.57 E  |
| 667336.038 N | 664363.518 E | 7.08    | 0.13     |         |         |         |
| 2200.00      | 0.200        | 248.170 | -1518.04 | 2199.96 | 7.40 S  | 1.42 E  |
| 667335.729 N | 664363.367 E | 7.39    | 0.29     |         |         |         |
| 2300.00      | 0.330        | 211.380 | -1418.04 | 2299.96 | 7.71 S  | 1.11 E  |
| 667335.418 N | 664363.055 E | 7.70    | 0.21     |         |         |         |
| 2400.00      | 0.460        | 241.460 | -1318.04 | 2399.96 | 8.15 S  | 0.61 E  |
| 667334.980 N | 664362.552 E | 8.14    | 0.24     |         |         |         |
| 2500.00      | 0.450        | 232.580 | -1218.05 | 2499.95 | 8.58 S  | 0.06 W  |
| 667334.550 N | 664361.887 E | 8.58    | 0.07     |         |         |         |
| 2600.00      | 0.450        | 235.310 | -1118.05 | 2599.95 | 9.04 S  | 0.69 W  |
| 667334.088 N | 664361.253 E | 9.04    | 0.02     |         |         |         |
| 2700.00      | 0.660        | 245.330 | -1018.06 | 2699.94 | 9.50 S  | 1.54 W  |
| 667333.624 N | 664360.406 E | 9.51    | 0.23     |         |         |         |
| 2800.00      | 0.540        | 254.680 | -918.06  | 2799.94 | 9.87 S  | 2.52 W  |
| 667333.259 N | 664359.429 E | 9.87    | 0.15     |         |         |         |
| 2900.00      | 0.800        | 242.590 | -818.07  | 2899.93 | 10.31 S | 3.59 W  |
| 667332.813 N | 664358.354 E | 10.32   | 0.29     |         |         |         |
| 3000.00      | 0.520        | 253.130 | -718.07  | 2999.93 | 10.77 S | 4.64 W  |
| 667332.360 N | 664357.300 E | 10.78   | 0.30     |         |         |         |
| 3100.00      | 0.720        | 241.230 | -618.08  | 3099.92 | 11.20 S | 5.63 W  |
| 667331.926 N | 664356.315 E | 11.22   | 0.24     |         |         |         |
| 3200.00      | 0.520        | 255.620 | -518.09  | 3199.91 | 11.62 S | 6.62 W  |
| 667331.511 N | 664355.325 E | 11.64   | 0.25     |         |         |         |
| 3300.00      | 0.590        | 236.560 | -418.09  | 3299.91 | 12.01 S | 7.49 W  |
| 667331.114 N | 664354.456 E | 12.03   | 0.20     |         |         |         |
| 3400.00      | 0.600        | 244.480 | -318.10  | 3399.90 | 12.52 S | 8.39 W  |
| 667330.605 N | 664353.554 E | 12.55   | 0.08     |         |         |         |
| 3500.00      | 0.540        | 241.910 | -218.10  | 3499.90 | 12.97 S | 9.28 W  |
| 667330.157 N | 664352.665 E | 13.00   | 0.07     |         |         |         |
| 3600.00      | 0.630        | 228.150 | -118.11  | 3599.89 | 13.56 S | 10.10 W |
| 667329.569 N | 664351.840 E | 13.59   | 0.17     |         |         |         |
| 3700.00      | 0.530        | 239.360 | -18.11   | 3699.89 | 14.16 S | 10.91 W |
| 667328.966 N | 664351.033 E | 14.19   | 0.15     |         |         |         |
| 3798.00      | 0.800        | 237.400 | 79.88    | 3797.88 | 14.76 S | 11.88 W |
| 667328.367 N | 664350.066 E | 14.80   | 0.28     |         |         |         |
| 3924.00      | 0.700        | 224.700 | 205.87   | 3923.87 | 15.78 S | 13.16 W |
| 667327.346 N | 664348.784 E | 15.82   | 0.15     |         |         |         |
| 4051.00      | 0.500        | 224.400 | 332.86   | 4050.86 | 16.73 S | 14.09 W |
| 667326.398 N | 664347.851 E | 16.77   | 0.16     |         |         |         |
| 4178.00      | 0.800        | 240.400 | 459.86   | 4177.86 | 17.56 S | 15.25 W |
| 667325.565 N | 664346.692 E | 17.61   | 0.27     |         |         |         |
| 4304.00      | 0.500        | 256.100 | 585.85   | 4303.85 | 18.13 S | 16.55 W |
| 667324.998 N | 664345.394 E | 18.18   | 0.27     |         |         |         |
| 4335.00      | 0.800        | 238.400 | 616.85   | 4334.85 | 18.27 S | 16.87 W |
| 667324.852 N | 664345.078 E | 18.33   | 1.15     |         |         |         |
| 4367.00      | 0.700        | 239.200 | 648.84   | 4366.84 | 18.49 S | 17.23 W |
| 667324.635 N | 664344.720 E | 18.54   | 0.31     |         |         |         |
| 4399.00      | 4.900        | 179.300 | 680.80   | 4398.80 | 19.96 S | 17.38 W |
| 667323.167 N | 664344.568 E | 20.01   | 14.34    |         |         |         |
| 4432.00      | 12.000       | 176.200 | 713.42   | 4431.42 | 24.80 S | 17.13 W |
| 667318.329 N | 664344.813 E | 24.85   | 21.55    |         |         |         |
| 4463.00      | 19.300       | 173.400 | 743.25   | 4461.25 | 33.11 S | 16.33 W |
| 667310.013 N | 664345.617 E | 33.16   | 23.67    |         |         |         |

|              |              |         |         |         |          |         |
|--------------|--------------|---------|---------|---------|----------|---------|
| 4495.00      | 27.100       | 173.100 | 772.64  | 4490.64 | 45.62 S  | 14.84 W |
| 667297.505 N | 664347.103 E |         | 45.67   | 24.38   |          |         |
| 4527.00      | 34.300       | 173.900 | 800.14  | 4518.14 | 61.84 S  | 13.01 W |
| 667281.282 N | 664348.939 E |         | 61.88   | 22.54   |          |         |
| 4558.00      | 42.100       | 174.000 | 824.48  | 4542.48 | 80.89 S  | 10.99 W |
| 667262.233 N | 664350.956 E |         | 80.93   | 25.16   |          |         |
| 4580.00      | 48.100       | 174.100 | 840.00  | 4558.00 | 96.39 S  | 9.37 W  |
| 667246.740 N | 664352.570 E |         | 96.41   | 27.27   |          |         |
| 4612.00      | 54.800       | 174.400 | 859.93  | 4577.93 | 121.27 S | 6.87 W  |
| 667221.854 N | 664355.073 E |         | 121.29  | 20.95   |          |         |
| 4644.00      | 60.000       | 174.000 | 877.17  | 4595.17 | 148.08 S | 4.15 W  |
| 667195.043 N | 664357.799 E |         | 148.10  | 16.28   |          |         |
| 4676.00      | 64.900       | 173.800 | 891.97  | 4609.97 | 176.29 S | 1.13 W  |
| 667166.841 N | 664360.814 E |         | 176.29  | 15.32   |          |         |
| 4707.00      | 68.700       | 173.500 | 904.18  | 4622.18 | 204.60 S | 2.02 E  |
| 667138.528 N | 664363.966 E |         | 204.59  | 12.29   |          |         |
| 4739.00      | 70.100       | 173.500 | 915.43  | 4633.43 | 234.36 S | 5.41 E  |
| 667108.767 N | 664367.357 E |         | 234.34  | 4.37    |          |         |
| 4771.00      | 70.200       | 174.700 | 926.30  | 4644.30 | 264.30 S | 8.51 E  |
| 667078.829 N | 664370.451 E |         | 264.27  | 3.54    |          |         |
| 4802.00      | 70.400       | 176.400 | 936.75  | 4654.75 | 293.39 S | 10.77 E |
| 667049.732 N | 664372.715 E |         | 293.36  | 5.20    |          |         |
| 4834.00      | 72.600       | 177.600 | 946.90  | 4664.90 | 323.70 S | 12.36 E |
| 667019.430 N | 664374.301 E |         | 323.66  | 7.74    |          |         |
| 4866.00      | 74.900       | 178.000 | 955.86  | 4673.86 | 354.39 S | 13.53 E |
| 666988.733 N | 664375.479 E |         | 354.35  | 7.29    |          |         |
| 4898.00      | 77.100       | 178.400 | 963.60  | 4681.60 | 385.43 S | 14.51 E |
| 666957.701 N | 664376.454 E |         | 385.38  | 6.98    |          |         |
| 4929.00      | 78.200       | 178.400 | 970.23  | 4688.23 | 415.70 S | 15.35 E |
| 666927.431 N | 664377.300 E |         | 415.65  | 3.55    |          |         |
| 4961.00      | 79.600       | 177.900 | 976.39  | 4694.39 | 447.08 S | 16.37 E |
| 666896.046 N | 664378.314 E |         | 447.03  | 4.64    |          |         |
| 4993.00      | 82.100       | 178.000 | 981.48  | 4699.48 | 478.65 S | 17.50 E |
| 666864.476 N | 664379.444 E |         | 478.59  | 7.82    |          |         |
| 5025.00      | 84.400       | 178.400 | 985.24  | 4703.24 | 510.41 S | 18.50 E |
| 666832.716 N | 664380.441 E |         | 510.35  | 7.29    |          |         |
| 5056.00      | 86.700       | 178.600 | 987.64  | 4705.64 | 541.30 S | 19.31 E |
| 666801.822 N | 664381.250 E |         | 541.24  | 7.45    |          |         |
| 5088.00      | 87.400       | 179.000 | 989.29  | 4707.29 | 573.25 S | 19.97 E |
| 666769.872 N | 664381.920 E |         | 573.19  | 2.52    |          |         |
| 5120.00      | 88.000       | 178.600 | 990.58  | 4708.58 | 605.22 S | 20.64 E |
| 666737.905 N | 664382.589 E |         | 605.15  | 2.25    |          |         |
| 5151.00      | 87.700       | 178.700 | 991.74  | 4709.74 | 636.19 S | 21.37 E |
| 666706.935 N | 664383.319 E |         | 636.12  | 1.02    |          |         |
| 5183.00      | 87.300       | 179.100 | 993.13  | 4711.13 | 668.15 S | 21.99 E |
| 666674.972 N | 664383.933 E |         | 668.08  | 1.77    |          |         |
| 5215.00      | 86.600       | 179.500 | 994.84  | 4712.84 | 700.11 S | 22.38 E |
| 666643.020 N | 664384.323 E |         | 700.03  | 2.52    |          |         |
| 5246.00      | 86.900       | 179.600 | 996.59  | 4714.59 | 731.06 S | 22.62 E |
| 666612.071 N | 664384.566 E |         | 730.98  | 1.02    |          |         |
| 5278.00      | 87.200       | 179.700 | 998.24  | 4716.24 | 763.01 S | 22.82 E |
| 666580.114 N | 664384.762 E |         | 762.94  | 0.99    |          |         |
| 5310.00      | 87.400       | 179.800 | 999.75  | 4717.75 | 794.98 S | 22.96 E |
| 666548.150 N | 664384.901 E |         | 794.90  | 0.70    |          |         |
| 5341.00      | 87.800       | 179.600 | 1001.05 | 4719.05 | 825.95 S | 23.12 E |
| 666517.177 N | 664385.063 E |         | 825.87  | 1.44    |          |         |

|            |        |              |         |         |           |         |
|------------|--------|--------------|---------|---------|-----------|---------|
| 5373.00    | 86.800 | 180.000      | 1002.55 | 4720.55 | 857.91 S  | 23.23 E |
| 666485.213 | N      | 664385.175 E | 857.84  | 3.37    |           |         |
| 5405.00    | 87.000 | 180.300      | 1004.29 | 4722.29 | 889.87 S  | 23.15 E |
| 666453.260 | N      | 664385.091 E | 889.79  | 1.13    |           |         |
| 5436.00    | 86.700 | 180.400      | 1005.99 | 4723.99 | 920.82 S  | 22.96 E |
| 666422.308 | N      | 664384.902 E | 920.74  | 1.02    |           |         |
| 5468.00    | 85.100 | 181.300      | 1008.28 | 4726.28 | 952.73 S  | 22.48 E |
| 666390.395 | N      | 664384.429 E | 952.66  | 5.73    |           |         |
| 5500.00    | 84.500 | 182.000      | 1011.18 | 4729.18 | 984.59 S  | 21.57 E |
| 666358.540 | N      | 664383.511 E | 984.51  | 2.87    |           |         |
| 5531.00    | 84.900 | 181.900      | 1014.04 | 4732.04 | 1015.44 S | 20.52 E |
| 666327.690 | N      | 664382.461 E | 1015.37 | 1.33    |           |         |
| 5563.00    | 85.300 | 182.000      | 1016.77 | 4734.77 | 1047.30 S | 19.43 E |
| 666295.826 | N      | 664381.376 E | 1047.24 | 1.29    |           |         |
| 5595.00    | 85.800 | 181.800      | 1019.26 | 4737.26 | 1079.19 S | 18.37 E |
| 666263.940 | N      | 664380.318 E | 1079.12 | 1.68    |           |         |
| 5627.00    | 85.800 | 181.300      | 1021.60 | 4739.60 | 1111.09 S | 17.51 E |
| 666232.038 | N      | 664379.455 E | 1111.03 | 1.56    |           |         |
| 5658.00    | 86.200 | 181.300      | 1023.76 | 4741.76 | 1142.00 S | 16.81 E |
| 666201.121 | N      | 664378.753 E | 1141.95 | 1.29    |           |         |
| 5690.00    | 85.500 | 181.400      | 1026.08 | 4744.08 | 1173.91 S | 16.06 E |
| 666169.214 | N      | 664378.002 E | 1173.86 | 2.21    |           |         |
| 5722.00    | 84.400 | 181.300      | 1028.90 | 4746.90 | 1205.78 S | 15.31 E |
| 666137.348 | N      | 664377.251 E | 1205.73 | 3.45    |           |         |
| 5754.00    | 84.500 | 181.800      | 1031.99 | 4749.99 | 1237.62 S | 14.44 E |
| 666105.510 | N      | 664376.389 E | 1237.57 | 1.59    |           |         |
| 5785.00    | 84.900 | 181.600      | 1034.85 | 4752.85 | 1268.47 S | 13.53 E |
| 666074.656 | N      | 664375.473 E | 1268.42 | 1.44    |           |         |
| 5816.00    | 85.400 | 181.600      | 1037.47 | 4755.47 | 1299.35 S | 12.67 E |
| 666043.779 | N      | 664374.611 E | 1299.30 | 1.61    |           |         |
| 5848.00    | 85.900 | 182.000      | 1039.90 | 4757.90 | 1331.24 S | 11.66 E |
| 666011.887 | N      | 664373.609 E | 1331.20 | 2.00    |           |         |
| 5879.00    | 85.900 | 180.700      | 1042.12 | 4760.12 | 1362.15 S | 10.94 E |
| 665980.976 | N      | 664372.880 E | 1362.11 | 4.18    |           |         |
| 5911.00    | 85.100 | 180.300      | 1044.63 | 4762.63 | 1394.05 S | 10.66 E |
| 665949.076 | N      | 664372.602 E | 1394.01 | 2.79    |           |         |
| 5943.00    | 85.400 | 180.400      | 1047.28 | 4765.28 | 1425.94 S | 10.46 E |
| 665917.186 | N      | 664372.407 E | 1425.90 | 0.99    |           |         |
| 5974.00    | 84.600 | 181.300      | 1049.98 | 4767.98 | 1456.82 S | 10.00 E |
| 665886.308 | N      | 664371.949 E | 1456.78 | 3.88    |           |         |
| 6006.00    | 84.700 | 181.300      | 1052.96 | 4770.96 | 1488.67 S | 9.28 E  |
| 665854.456 | N      | 664371.226 E | 1488.63 | 0.31    |           |         |
| 6038.00    | 84.700 | 181.900      | 1055.92 | 4773.92 | 1520.52 S | 8.39 E  |
| 665822.605 | N      | 664370.336 E | 1520.49 | 1.87    |           |         |
| 6069.00    | 84.900 | 181.900      | 1058.73 | 4776.73 | 1551.38 S | 7.37 E  |
| 665791.750 | N      | 664369.313 E | 1551.35 | 0.65    |           |         |
| 6101.00    | 85.300 | 181.500      | 1061.46 | 4779.46 | 1583.25 S | 6.42 E  |
| 665759.881 | N      | 664368.367 E | 1583.22 | 1.76    |           |         |
| 6133.00    | 85.600 | 181.300      | 1064.00 | 4782.00 | 1615.13 S | 5.64 E  |
| 665727.991 | N      | 664367.588 E | 1615.11 | 1.13    |           |         |
| 6164.00    | 85.700 | 181.700      | 1066.35 | 4784.35 | 1646.03 S | 4.83 E  |
| 665697.091 | N      | 664366.778 E | 1646.01 | 1.33    |           |         |
| 6196.00    | 85.800 | 181.900      | 1068.72 | 4786.72 | 1677.93 S | 3.83 E  |
| 665665.195 | N      | 664365.776 E | 1677.91 | 0.70    |           |         |
| 6228.00    | 85.900 | 181.800      | 1071.04 | 4789.04 | 1709.83 S | 2.80 E  |
| 665633.296 | N      | 664364.746 E | 1709.81 | 0.44    |           |         |

|              |              |         |         |         |           |        |
|--------------|--------------|---------|---------|---------|-----------|--------|
| 6259.00      | 86.400       | 181.400 | 1073.12 | 4791.12 | 1740.75 S | 1.94 E |
| 665602.378 N | 664363.882 E |         | 1740.73 | 2.06    |           |        |
| 6291.00      | 86.600       | 181.700 | 1075.08 | 4793.08 | 1772.68 S | 1.07 E |
| 665570.449 N | 664363.018 E |         | 1772.67 | 1.13    |           |        |
| 6323.00      | 85.500       | 181.800 | 1077.28 | 4795.28 | 1804.59 S | 0.10 E |
| 665538.541 N | 664362.043 E |         | 1804.58 | 3.45    |           |        |
| 6355.00      | 84.200       | 181.900 | 1080.15 | 4798.15 | 1836.44 S | 0.93 W |
| 665506.687 N | 664361.015 E |         | 1836.43 | 4.07    |           |        |
| 6386.00      | 84.200       | 181.500 | 1083.28 | 4801.28 | 1867.27 S | 1.85 W |
| 665475.859 N | 664360.100 E |         | 1867.26 | 1.28    |           |        |
| 6418.00      | 84.600       | 181.400 | 1086.41 | 4804.41 | 1899.10 S | 2.65 W |
| 665444.022 N | 664359.294 E |         | 1899.10 | 1.29    |           |        |
| 6450.00      | 84.700       | 182.000 | 1089.39 | 4807.39 | 1930.95 S | 3.60 W |
| 665412.176 N | 664358.348 E |         | 1930.95 | 1.89    |           |        |
| 6481.00      | 85.100       | 182.000 | 1092.15 | 4810.15 | 1961.81 S | 4.67 W |
| 665381.318 N | 664357.271 E |         | 1961.81 | 1.29    |           |        |
| 6513.00      | 85.700       | 181.400 | 1094.71 | 4812.71 | 1993.69 S | 5.62 W |
| 665349.435 N | 664356.325 E |         | 1993.70 | 2.65    |           |        |
| 6545.00      | 85.900       | 181.700 | 1097.06 | 4815.06 | 2025.59 S | 6.48 W |
| 665317.533 N | 664355.461 E |         | 2025.60 | 1.12    |           |        |
| 6567.00      | 86.000       | 181.900 | 1098.61 | 4816.61 | 2047.53 S | 7.17 W |
| 665295.598 N | 664354.772 E |         | 2047.54 | 1.01    |           |        |
| 6614.00      | 86.000       | 181.900 | 1101.89 | 4819.89 | 2094.39 S | 8.73 W |
| 665248.739 N | 664353.218 E |         | 2094.40 | 0.00    |           |        |

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.

Vertical depths are relative to GL 3,706' + KB 12'. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 180.177° (Grid).

Coordinate System is North American Datum 1983 US State Plane 1983, New Mexico Eastern Zone.

Grid Convergence at Surface is 0.217°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 6614.00ft.,

the Bottom Hole Displacement is 2094.41ft., in the Direction of 180.177° (Grid).

WELL NAME AND NUMBER Stevens "A" #16H

LOCATION Sectin 13, T 17S, R30E, 2430 FSL, 350 FWL, Eddy County, NM

OPERATOR Burnnet Oil Co. , Inc.

DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation test and obtained the following results:

| Degrees @ Depth | Degrees @ Depth | Degrees @ Depth |
|-----------------|-----------------|-----------------|
| 3/4 @ 478'      |                 |                 |
| 3/4 @ 951'      |                 |                 |
| 3/4 @ 1426'     |                 |                 |
| 3/4 @ 1902'     |                 |                 |
| 3/4 @ 2384'     |                 |                 |
| 3/4 @ 2867'     |                 |                 |
| 1 @ 3342'       |                 |                 |
| 1-1/4 @ 3817'   |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |
|                 |                 |                 |


Drilling Contractor- UNITED DRILLING, INC.

By: 

(Luisa Garcia)

Title: Assistant Office Manager

Subscribed and sworn to before me this 17 day of March, 2008

  
Notary Public

Chaves NM  
County State

My Commission Expires:

10-8-08