

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

JUN 12 2008

OCD-ARTESIA

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐
Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator <u>Yates Petroleum Corporation</u> Telephone <u>505-748-1471</u> e-mail address <u>boba@ypcnm.com</u>						
Address <u>104 S 4th Street, Artesia, NM 88210</u>						
Facility or well name <u>Kleeman PB (Fee) Battery</u> API # <u>30-015-00253</u> U/L or Qti/Qti <u>P</u> Sec <u>27</u> T <u>18S</u> R <u>26E</u>						
County <u>Eddy</u> Latitude <u>32 71328</u> Longitude <u>104 36196</u> NAD 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>						
Surface Owner Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>						
<table border="1"><thead><tr><th>Pit</th><th>Below-grade tank</th></tr></thead><tbody><tr><td>Type Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Work over <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl</td><td>Volume <u>210</u> bbl Type of fluid <u>Produced Water</u> Construction material <u>Fiberglass</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not _____</td></tr></tbody></table>			Pit	Below-grade tank	Type Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Work over <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume <u>210</u> bbl Type of fluid <u>Produced Water</u> Construction material <u>Fiberglass</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not _____
Pit	Below-grade tank					
Type Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Work over <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume <u>210</u> bbl Type of fluid <u>Produced Water</u> Construction material <u>Fiberglass</u> Double-walled, with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not _____					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)					
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)					
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)					
Ranking Score (Total Points)		10 points				

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place)
onsite ☐ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results
(5) Attach soil sample results and a diagram of sample locations and excavations

FINAL REMOVAL ACTIVITIES COMPLETE (TANK REMOVED AND SAMPLE RESULTS ENCLOSED). FINAL REPORT C-144.

I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date Wednesday, June 11, 2008

Printed Name/Title Robert Asher / Environmental Regulatory Agent

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval:

Printed Name/Title _____

Signed By [Signature]

Signature _____

Date JUL 10 2008

MARTIN YATES, III
1912-1985

FRANK W. YATES
1936-1986



105 SOUTH FOURTH STREET
ARTESIA, NEW MEXICO 88210-2118
TELEPHONE (575) 748-1471

S.P. YATES
CHAIRMAN EMERITUS

JOHN A. YATES
CHAIRMAN OF THE BOARD

FRANK YATES, JR.
PRESIDENT

PEYTON YATES
DIRECTOR

JOHN A. YATES, JR.
DIRECTOR

June 11, 2008

JUN 12 2008
OCD-ARTESIA

Mr. Mike Bratcher
NMOCD District II
1301 W. Grand Ave.
Artesia, NM 88210

RE: Kleeman PB Battery
30-015-00253
Section 27, T18S-R26E
Eddy County, New Mexico

Dear Mr. Bratcher,


The following actions have been performed by Yates concerning Form C-144 submitted April 9, 2008, the below-grade tank has been removed, excavated soils were taken to an approved OCD facility and composite samples were taken (6/3/2008), the depth of the tank bottom is approximately six (6) feet below grade. Enclosed are analytical results, with the Total Ranking Score of ten (10), RRAL's for BTEX is 50 ppm and TPH is 1000 ppm. Yates Petroleum Corporation requests closure of the below grade tank site.

Thank you.

YATES PETROLEUM CORPORATION

Robert Asher
Environmental Regulatory Agent

Enclosure(s)
/rca



Sample ID	Sample Date	Sample Type	Depth	BTEX	GRO	DRO	TPH TOTAL	Chlorides
GS/Comp 001	6/3/2008	Grab/Composite	1'	≤ 0.04	<1.0	<50.0	<51.0	<100
GS/Comp 002	6/3/2008	Grab/Composite	2'	≤ 0.04	<1.0	64.1	65.1	150

Site Ranking is Ten (10). Depth to Ground Water: 50-99' (approx. 65'). Results are ppm.



Kleeman PB Battery
Section 27, T18S-R26E
Eddy County, NM

EXHIBIT
Sample Diagram (Not to Scale)

Prepared by Robert Asher
Environmental Regulatory Agent
June 11, 2008

Report Date: June 10, 2008
30-015-00253

Work Order: 8060432
Kleeman PB (Fee) Battery

Page Number: 1 of 1
Eddy County, NM

Summary Report

Robert Asher
Yates Petroleum Corp.
105 South 4th South
Artesia, NM, 88210

Report Date: June 10, 2008

Work Order: 8060432



Project Location: Eddy County, NM
Project Name: Kleeman PB (Fee) Battery
Project Number: 30-015-00253

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
161952	GS/Comp-001	soil	2008-06-03	10:03	2008-06-04
161953	GS/Comp-002	soil	2008-06-03	10:17	2008-06-04

Sample - Field Code	BTEX				TPH DRO	TPH GRO
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)	DRO (mg/Kg)	GRO (mg/Kg)
161952 - GS/Comp-001	<0.0100	<0.0100	<0.0100	<0.0100	<50.0	<1.00
161953 - GS/Comp-002	<0.0100	<0.0100	<0.0100	<0.0100	64.1	<1.00

Sample: 161952 - GS/Comp-001

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 161953 - GS/Comp-002

Param	Flag	Result	Units	RL
Chloride		150	mg/Kg	2.00