District J 1625 N French Dr , Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resource Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office


Closed-Loop System Permit or Closure Plan Application

that only use above ground steel tanks or naut-off bins c	Permit Closure County Closure
Instructions: Please submit one application (Form C-144 CLEZ) per individual colosed-loop system that only use above ground steel tanks or haul-off bins and pro-	osed-loop system request. For any application reality of the principal pose to implement waste removal for closure, please submit a rorm clift.
Please be advised that approval of this request does not relieve the operator of liability invironment. Nor does approval relieve the operator of its responsibility to comply with	
OperatorDevon Energy Production Co., LP	OGRID#:6137
Address. 20 North Broadway OKC, OK 73102-8260	
Facility or well nameSprings 2 Federal 1	
API Number30-015-31236OCD F	
U/L or Qtr/Qtr Section 2 Township 21S R	
Center of Proposed Design: Latitude Long	
Surface Owner: Federal State Private Tribal Trust or Indian Allotm	
2.	s which require prior approval of a permit or notice of intent) P&A
Signs: Subsection C of 19.15 17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergen	cy telephone numbers
⊠ Signed in compliance with 19 15.3.103 NMAC	
 attached. ☑ Design Plan - based upon the appropriate requirements of 19 15 17.11 NM ☑ Operating and Maintenance Plan - based upon the appropriate requirement ☑ Closure Plan (Please complete Box 5) - based upon the appropriate require ☑ Previously Approved Design (attach copy of design) API Number: ☑ Previously Approved Operating and Maintenance Plan API Number: 	is of 19.15.17.12 NMAC ements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Groun	d Steel Tanks or Haul-off Rins Only: (1915 1713 D NMAC)
Instructions: Please indentify the facility or facilities for the disposal of liquid facilities are required.	
Disposal Facility NameCRI	Disposal Facility Permit Number:R9166
Disposal Facility Name:	Disposal Facility Permit Number
Will any of the proposed closed-loop system operations and associated activities ☐ Yes (If yes, please provide the information below) ☐ No	occur on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsections.	ate requirements of Subsection H of 19.15 17 13 NMAC on L of 19.15.17.13 NMAC
6. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accu-	rate and complete to the best of my knowledge and belief.
Name (Print)Stephanie A. Ykasaga	
Signature.	Date:08/04/2008
c-mail address:Stephanie. Y sasaga@dvn.com	Telephone(405)-552-7802
16tm C-144 CLIV Oil Conservation	n Division Page 1 of 2 0208286

OCD Approval: Permit Application (including closure plan) Closure P	lan (only)	
OCD Representative Signature:	Approval Date: _ <i>08-//-08</i>	
Title: Wishiel II Sopewa	OCD Permit Number: 0208 286	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)		
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print).	Title	
Signature:	Date:	
e-mail address:	Telephone	



Commitment Runs Deep



Design Plan
Operation & Maintenance Plan
Closure Plan
Workover Operations

SENM July 2008

I. Design Plan

Above ground steel tanks will be used for the management of all workover fluids.

II. Operations and Maintenance Plan

Devon will operate and maintain all of the above ground steel tanks involved in workover operations in a prudent manner to prevent any spills. If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. During an upset condition the source of the spill is isolated and addressed as soon as it is discovered. Free liquids will be removed and loose topsoil will be used to stabilize the spill. The contaminated soil will be either bio-remediated or excavated and taken to an agency approved disposal facility.

III. Closure Plan

All workover fluids will go to above ground steel tanks and will be hauled by various trucking companies to an agency approved disposal facility.

Impacted areas which will not be used for future service or operations will be reclaimed and reseeded as stated in the APD.