Mh

District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department



Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 24, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

District Office.

Pit, Closed-Loop System, Below-Grade Tank, or JUL 17 2008 Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method


C 140 non individual nit along loc

Instructions: Flease submit one application (Form C-144) per tr	iaiviauai pu, ciosea-ioop system, below-grade tank or alternative request
	ability should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Waterford Operating, LLC	OGRID#: 259169
Address: 1001 McKinney Suite 2000 Houston, TX 7700	02
Facility or well name: Crystal Diamond #116	
API Number: New Drill 30 · 005 · 64036 OC	D Permit Number.
U/L or Qtr/Qtr O Section 16 Township 12S	Range 28E County: Chaves
Center of Proposed Design: Latitude 33.272387 N	Longitude 104.136375 W NAD. ⊠1927 ☐ 1983
Surface Owner. Federal State Private Tribal Trust or Indian	Allotment
Pit: Subsection F or G of 19.15 17.11 NMAC	☐ Closed-loop System: Subsection H of 19 15.17.11 NMAC
Temporary Drilling Workover	☐ Drying Pad ☐ Tanks ☒ Haul-off Bins ☐ Other
Permanent Emergency Cavitation Steel Pit	Lined Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type Thicknessmil	Other
Other String-Reinforced	Seams: Welded Factory Other
Seams.	Volume:bblyd ³
Volume:bbl Dimensions L x W x D	Dimensions. Lengthx Width
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volumebbl	Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15 17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
Visible sidewalls and liner	Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type. Thicknessmil HDPE PVC	emergency telephone numbers
Other	Signed in compliance with 19.15.3 103 NMAC
Alternative Method:	Administrative Approvals and Exceptions:
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance
of approval.	Please check a box if one or more of the following is requested, if not leave
	blank:
	Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for
	consideration of approval
	Exception(s) Requests must be submitted to the Santa Fe

Siting Criteria (regarding permitting): 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number or Permit Number		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.9 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	19 15 17.9	
Previously Approved Design (attach copy of design) API Number.		

Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.	ocuments are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan	
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC	
 □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan 	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15 17.13 NMAC	
Proposed Closure: 19 15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative
Proposed Closure Method: Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for co	isideration)
Siting Criteria (regarding on-site closure methods only): 19.15 17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - 1WATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 500 horizontal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

•	
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Incicosure plan. Please indicate, by a check mark in the box, that the documents are at □ Protocols and Procedures - based upon the appropriate requirements of 19 15 1 □ Confirmation Sampling Plan (if applicable) - based upon the appropriate require □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I o □ Site Reclamation Plan - based upon the appropriate requirements of Subsection	nttached. 7 13 NMAC rements of Subsection F of 19.15 17.13 NMAC Il cuttings) puirements of Subsection H of 19.15.17.13 NMAC of 19.15.17 13 NMAC of G of 19.15 17 13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only or facilities for the disposal of liquids, drilling fluids and drill cuttings. Disposal Facility Name: CRI Controlled Recovery, Inc Disposal Facility	y: (19.15.17.13 D NMAC) Instructions: Please indentify the facility y Permit Number. R 9166
· · · · · · · · · · · · · · · · · · ·	
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the feby a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Sulface Owner Notice - based upon the appropriate requirements of Sulface Owner Notice - based upon the appropriate requirements of Sulface Owner Notice - based upon the appropriate requirements of Sulface Ornstruction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.1 □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Sulface Observed Sulface Indiana Sulf	rements of 19.15 17 10 NMAC subsection F of 19.15 17 13 NMAC opriate requirements of 19.15.17.11 NMAC 17 13 NMAC rements of Subsection F of 19.15 17.13 NMAC subsection F of 19.15.17 13 NMAC of 19.15.17.13 NMAC
Operator Application Certification:	
	and complete to the heat of my knowledge and heliaf
I hereby certify that the information submitted with this application is true, accurate a Name (Print): Billy (Bill) E. Prichard	Title: Agent for Waterford Operating, LLC
Signature: Billy E. Freham	Date: 7/15/2008
e-mail address: billy@pwllc.net	Telephone: 575-390-9100
	(only)
	(only) 7/10/16
	(only) Approval Date: 7/18/08
	(only) Approval Date: 7/18/08
	(only) Approval Date: 7/18/08 CD Permit Number: 0208152
	Approval Date: 7/18/08 CD Permit Number: 0208/57
OCD Approval: Permit Application (including Costre plant) Closure Plan (OCD Representative Signatur: Title: OCD Approval: OCD Representative Signatur: OCD Signatur: OCD Signatur: OCD Signatur: OCD Signatur: O	Approval Date: 7/18/08 CD Permit Number: 22/08/52 of 19.15.17.13 NMAC Closure Completion Date:
OCD Approval: Permit Application (includity classific plants) Closure Plan (OCD Representative Signatur: Title:	Approval Date: 7/8/8 CD Permit Number: 22/8/52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method a must be attached to the closure report. Please indicate, by a check
OCD Approval: Permit Application (includit exposure plant) Closure Plant (OCD Representative Signature: Title: OCC Closure Report (required within 60 days of closure completion): Subsection K of Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Approval Date: 7/8/88 CD Permit Number: 2208/52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method must be attached to the closure report. Please indicate, by a check
OCD Approval: Permit Application (includity classific plants) Closure Plan (OCD Representative Signatur: Title:	Approval Date: 7/8/8 CD Permit Number: 22/8/52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method a must be attached to the closure report. Please indicate, by a check
OCD Approval: Permit Applicate (includite Costre plant) Closure Plan (OCD Representative Signature: Title: OCC Closure Report (required within 60 days of closure completion): Subsection K of Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude	Approval Date: 7/8/8 CD Permit Number: 22/8/52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method must be attached to the closure report. Please indicate, by a check NAD: 1927 1983 ort is true, accurate and complete to the best of my knowledge and
OCD Approval: Permit Applicate (including loss fre plant) Closure Plan (OCD Representative Signator: Title: OCCONTROLL Closure Report (required within 60 days of closure completion): Subsection K of Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report	Approval Date: 7/8/8 CD Permit Number: 22/8/52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method must be attached to the closure report. Please indicate, by a check NAD: 1927 1983 ort is true, accurate and complete to the best of my knowledge and
OCD Representative Signatur: Title: Closure Report (required within 60 days of closure completion): Subsection K of Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Departor Closure Certification: I hereby certify that the information and attachments submitted with this closure report belief I also certify that the closure complies with all applicable closure requirements	Approval Date: 7/E 68 CD Permit Number: 2208 52 of 19.15.17.13 NMAC Closure Completion Date: e Closure Method must be attached to the closure report. Please indicate, by a check NAD: 1927 1983 ort is true, accurate and complete to the best of my knowledge and is and conditions specified in the approved closure plan.



Operating and Maintenance Plan

Cuttings will be discharged from shaker into roll - off containers

Centrifuges set directly over roll - off containers and solids are discharges directly in to roll - offs

Roll - off containers are monitored 24 hours a day by solid control specialist

Roll - off containers will be replaced as needed

Closure Plan

Drilled solids will be removed as needed in roll - off containers

Drill solids will be transported to CRI Permit # R 9166

Drilling fluids will be hauled to suitable off location waste disposal facility