

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NMLC028784B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMNM88525X

8. FARM OR LEASE NAME, WELL NO.

BURCH KEELY UNIT #351

9. API WELL NO.

30-015-32785

10. FIELD AND POOL, OR WILDCAT

GRBG JACKSON SR Q GRBB SA

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 18-T17S-R30E

12. COUNTY OR PARISH 13. STATE

EDDY NM

19. ELEV. CASINGHEAD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

MARBOB ENERGY CORPORATION

3. ADDRESS AND TELEPHONE NO.

P O BOX 227, ARTESIA, NM 88211-0227

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements*)

At surface 1980 FSL 1980 FWL, UNIT K

At top prod. interval reported below SAME

At total depth SAME

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

9/2/03

16. DATE T.D. REACHED

9/11/03

17. DATE COMPL. (Ready to prod.)

9/19/03

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3639' GL

20. TOTAL DEPTH, MD & TVD

4710'

21. PLUG, BACK T.D., MD & TVD

4688'

22. IF MULTIPLE COMPL.,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

0-4710'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4185' - 4491' SAN ANDRES

25. WAS DIRECTIONAL
SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL, CSNG

27. WAS WELL CORED
NO

28.

CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8" J-55	24#	360'	12 1/4"	300 SX, CIRC	NONE
5 1/2" J-55	17#	4701'	7 7/8"	1825 SX, CIRC	NONE

29.

LINER RECORD

30.

TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	4179'	

31. PERFORATION RECORD (Interval, size and number)

4185' - 4491' (20 SHOTS)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

4185', 4491'

AMOUNT AND KIND OF MATERIAL USED

ACDZ W/2000 GAL 15% HCL ACID

33. *

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)				WELL STATUS (Producing or shut-in)	
9/20/03		PUMPING				PROD	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL--BBL.	GAS--MCF.	WATER--BBL.	GAS-OIL RATIO
9/24/03	24			28	14	765	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL--BBL.	GAS--MCF.	WATER--BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

TEST WITNESSED BY

LENDELL HAWKINS

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Deana J. Cannon

TITLE

PRODUCTION ANALYST

DATE

10/16/03

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
YATES	1106'				
QUEEN	1976'				
SAN ANDRES	2680'				
GLORIETA	4066'				

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

September 17, 2003

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227


RE: Burch Keely Unit #351
1980' FSL & 1980' FWL
Sec. 18, T17S, R30E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
360'	3/4°	2757'	1/2°
588'	1/4°	3161'	1/4°
925'	1 1/2°	3657'	1/4°
1175'	1°	4121'	1/2°
1423'	1°	4491'	1 1/2°
1763'	1/4°	4680'	1°
2171'	1/4°	4710'	1°
2419'	3/4°		


Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 17th day of September, 2003.


Notary Public

