

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004  
For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Nadel & Gussman Permian, LLC Telephone: 432-682-4429 e-mail address: kemm@naguss.com

Address: 601 N. Marienfeld, Suite 508, Midland, Texas 79701

Facility or well name: Aminoil Federal No. 3 API #: 30-015-35020 U/L M S22 T24S R28E 660' FSL 660' FWL

County: Eddy Latitude N Longitude W NAD: 1927 ☐ 1983 ☐

Surface Owner: Federal Private X Indian ☐

SEP 29 2008  
OCD-ARTESIA

Pit

Type: Drilling X Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined X Unlined ☐

Liner type: Synthetic X Thickness: 12ml HDPE liner Clay ☐

Pit Volume: 1500 bbl. Approximately

Below-grade tank N/A

Volume: N/A bbl Type of fluid: N/A

Construction material: N/A

Double-walled, with leak detection? ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of groundwater.) NMOCD map shows >70' depth to groundwater.

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

10 pts.

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No X

(0 points)

0 pts.

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

0 pts.

Ranking Score (Total Points)

10 pts.

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: offsite N/A If offsite, name of facility: N/A (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No X Yes ☐ If yes, show depth below ground surface \_ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

PIT CLOSED OCTOBER 2007

SAMPLE ANALYTICALS ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 23 October 2007

Printed Name/Title Kem McCready, Operations Manager

Signature

Kem McCready

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

Signature

Accepted for record  
NMOCD

Date SEP 29 2008



## Summary Report

Kem McCready  
Nadel & Gussman Permian LLC  
601 N. Marienfeld  
Suite 508  
Midland, TX, 79701

Report Date: October 4, 2007

Work Order: 7100326



Project Name: Ammoil Fed No. 3

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
138275	W Wall & Floor Comp	soil	2007-09-26	13:20	2007-10-03

**Sample: 138275 - W Wall & Floor Comp**

Param	Flag	Result	Units	RL
Chloride		68.4	mg/Kg	5.00