

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Nadel & Gussman Permian, LLC

Telephone: 432-682-4429

e-mail address: kemm@naguss.com

SEP 29 2008

Address: 601 N. Marienfeld, Suite 508, Midland, Texas 79701

Facility or well name: **Cronos Fee No. 1**

API #: 30-015-35569 U/L E Sec 20 T23S R28E, 1950' FNL 660' FWE

OCD-ARTESIA

County: **Eddy** Latitude N Longitude W NAD: 1927 ☐ 1983 ☐

Surface Owner: Federal State Private X Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐
Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness: 20ml HDPE liner Clay ☐

Pit Volume: 1500 bbl. Approximately

Below-grade tank N/A

Volume: N/A bbl Type of fluid: N/A

Construction material: N/A

Double-walled, with leak detection? ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of groundwater.) Groundwater levels in this area show <50'. However, NGP procured soil samples for background data which indicate 19,000 to 30,400 ppm of soil chlorides naturally occurring in the area. NGP has also closed two other pits in this area and sodium chlorides levels commensurate with the above numbers.

Less than 50 feet

(20 points) 20 pts.

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No ☒

(0 points) 0 pts.

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points). 0 pts.

200 feet or more, but less than 1000 feet

(10 points).

1000 feet or more

(0 points)

Ranking Score (Total Points)

20 pts.

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: Offsite If offsite, name of facility: Haul to Lea Land, Inc (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No X Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results.

Additional Comments: Soil sample results have been emailed directly to NMOCD as taken. Due to the high salinity naturally occurring in this area, NGP has chosen to request (see Amended Closure Plan) hauling off the drilling fines to Lea Land followed by closure of the pit without further digging which has been supported by the laboratory results from soil samples taken from the pit bottom. Currently available analytical documents are attached. Trace Analysis, Inc. provided the final numbers verbally communicated to Mike Bratcher on 14 January 2008 in written format. These are attached to the final closure report.

PIT CLOSED MAY 2008

SAMPLE ANALYTICALS ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 4 June 2008

Printed Name/Title: Kem McCready, Operation Manager

Signature

Kem E. McCready

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

Signature

Accepted for record
NMOCD

Date: SEP 29 2008



Summary Report

COPY

Kem McCready
Nadel & Gussman Permian LLC
601 N. Mariefeld
Suite 508
Midland, TX, 79701

Report Date: January 15, 2008

Work Order: 8011401



Project Name: Cronus Fee #1

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
147756	N 1/4	soil	2008-01-11	14:00	2008-01-12
147757	S 1/4	soil	2008-01-11	14:20	2008-01-12
147758	E 1/4	soil	2008-01-11	14:50	2008-01-12
147759	W 1/4	soil	2008-01-11	15:10	2008-01-12

Sample: 147756 - N 1/4

Param	Flag	Result	Units	RL
Chloride		23000	mg/Kg	5.00

Sample: 147757 - S 1/4

Param	Flag	Result	Units	RL
Chloride		2300	mg/Kg	5.00

Sample: 147758 - E 1/4

Param	Flag	Result	Units	RL
Chloride		31800	mg/Kg	5.00

Sample: 147759 - W 1/4

Param	Flag	Result	Units	RL
Chloride		14000	mg/Kg	5.00

Summary Report

COPY

Kem McCready
Nadel & Gussman Permian LLC
601 N. Marienfeld
Suite 508
Midland, TX, 79701

Report Date: May 30, 2007

Work Order: 7052902



Project Name: Cronus Fee No. 1 Background Data

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
125610	Quad No. 1 Comp	soil	2007-05-24	17:00	2007-05-26
125611	Quad No. 2 Comp	soil	2007-05-24	17:30	2007-05-26
125612	Quad No. 3 Comp	soil	2007-05-24	17:50	2007-05-26
125613	Quad No. 4 Comp	soil	2007-05-24	18:00	2007-05-26
125614	Well Head Area @ 20'	soil	2007-05-24	18:25	2007-05-26
125615	Area Comp @ 600' X 600'	soil	2007-05-24	18:45	2007-05-26

Sample: 125610 - Quad No. 1 Comp

Param	Flag	Result	Units	RL
Chloride		30400	mg/Kg	5.00

Sample: 125611 - Quad No. 2 Comp

Param	Flag	Result	Units	RL
Chloride		23800	mg/Kg	5.00

Sample: 125612 - Quad No. 3 Comp

Param	Flag	Result	Units	RL
Chloride		23800	mg/Kg	5.00

Sample: 125613 - Quad No. 4 Comp

Param	Flag	Result	Units	RL
Chloride		30300	mg/Kg	5.00

Sample: 125614 - Well Head Area @ 20'

Param	Flag	Result	Units	RL
Chloride		19000	mg/Kg	5.00

Sample: 125615 - Area Comp @ 600' X 600'

Param	Flag	Result	Units	RL
Chloride		21900	mg/Kg	5.00

COPY