SEP 11 2008

Form C-105

State Lease - 6 copies State of New Mexico Revised June 10, 2003 Fee Lease - 5 copies District I Energy, Minerals and Natural Resources 1625 N French Dr , Hobbs, NM 88240 30-015-27559 District II 1301 W Grand Avenue, Artesia, NM 88210 Oil Conservation Division 5. Indicate Type of Lease District III FEE ✓ STATE 1220 South St. Francis Dr. 1000 Rio Brazos Rd. Aztec. NM 87410 Santa Fe, NM 87505 State Oil & gas Lease No. 1220 S St Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a Type of Well: Lease Name and Unit Agreement Name Oil Well ✓ Gas Well Dry Other b. Type of Completion: New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr., **EV State Com** 2. Name of Operator 8 Well No. **DEVON ENERGY PRODUCTION COMPANY, LP** 3. Address of Operator Pool name or Wildcat 20 NORTH BROADWAY OKC, OK 73102-8260 4. Well Location Unit Letter н 2100 feet from the NORTH line and 660 feet from the **EAST** line Section 32 228 Township Range **NMPM** Eddy County **New Mexico** 10. Date Spudded 11. Date T.D Reached 12. Date Completed 13. Elevations (DR, RKB, RT, GL)* 14. Elev. Casinghead 10/17/1996 8/9/2001 8/3/2008 3334' GL 15. Total Depth: MD 16. Plug Back T.D.: 18. Intervals 17 If Multiple Compl How Many **Rotary Tools** Cable Tools 11,800 Drilled BY 11,035 No 7ones 19. Producing Intervals(s), of this completion - Top, Bottom, Name Was Directional Survey Made 10478' - 10804' Atoka 21. Type Electric and Other Logs Run 22. Was Well Cored Azimuthal Laterol & 3 Detector Litho-Density Comp Neutron & CBL (Provided with initial completion) 23 CASING RECORD (Report all strings set in well) Casing Size Weight LB./FT. Depth Set Hole Size Cementing Record Amount Pulled 13 3/8" 48# L-80 370' 17 1/2" 400 sx CI C TOC to surf 9 5/8" 32# J-55 & HCK-55 1654 12 1/4" 525 sx CI C TOC to surf 17# L-80 & J-55 10466 8 3/4" 1080 sx CI C TOC to surf 6 1/8" 14.98# STL 11800 6 1/8" TOC @ 10,454' calc 200 sx CI C 24 Liner Record 25 **Tubing Record** Size top Bottom Sacks Cement Screen Size Depth Set Packer Set 2 3/8" 10,223 10,100'&10,225 26 Perforation record (interval, size, and number) 27. Acid, Shot, Fracture, Cement, Squeeze, ETC. **Amount and Kind Material Used** Depth Interval Acidize w/2000 gal 15% HCL + 7500 gal 15% HCL 10741-804 CIBP @ 11,070' + 35' cmt; new PBTD @ 11,035' (isolate Morrow perfs) 10,741-804; (10 SPF) 114 holes 10478-510 10,478-510'; (2 SPF) 24 holes Packers @ 10,100' & 10,225'; Composite flow thru plug @ 10,710'. 28 **PRODUCTION Date First Production** Production Method (Flowing, Gas lift, pumping - Size and type pump) Well Status (Prod. Or Shut-In) 8/3/2008 **Producing** Flowing Date of Test Choke Size Hours Tested Prod'n For Test Oil - Bbl Gas - MCF Water - Bbl Gas - Oil Ratio 8/3/2008 11/64" Period 160047.619 Flowing Tubing Press Calculated 24-Oil - Bbl Gas - MCF Casing Pressure Water - Bbl Oil Gravity - API (Corr) Hour Rate 21 3361 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By Sold 30. List Attachments 31. I hereby certify that/the information/shown on both sides of this form as true and complete to the best of my knowledge and belief Printed SIGNATURE Name Stephanie A. Ysasaga Title Sr. Staff Engineering Technician DATE 9/8/2008 E-mail Address: Stephanie/Ysasaga@dvn.com

Submit to Appropriate District Office

This Form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem test. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105

INDICATE FORMATIONS TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

rn New Mexico

T. Anhy		T. Canyon		T. Ojo Alamo	T. Penn "B"					
T. Salt		T. Strawn	10,306'	T. Kirtland-Fruitland	T. Penn "C"					
B. Salt		T. Atoka	10,577'	T Pictured Cliffs	T Penn "D"					
T. Yates		T. Miss		T Cliff House	T Leadville					
T 7 Rivers		T. Devonian		T. Menefee	T. Madison					
T Queen		T. Sılurian		T. Point Lookout	T. Elbert					
T. Grayburg		T. Montoya		T. Mancos	T. McCracken					
T. San Andres		T. Simpson		T. Gallup	T. Ignacio Otzte					
T. Glorieta		T. McKee		Base Greenhorn	T. Granite					
T. Paddock		T. Ellenburger		T Dakota	T. ====================================					
T. Blinebry		T. Gr. Wash		T. Morrison	T.					
T. Tubb		T. Delaware Sand	1,963'	T. Todilto	T.					
T. Drinkard		T. Bone Springs	5,337'	T. Entrada	T.					
T. Abo] T.	8,233'	T.Wingate	Т					
T. Wolfcamp	8,836'	Т.	10,145'	T. Chinle	T					
T. Penn		T	11,710'	T. Permian	T					
T. Cisco (Bough C)		T.		T. Penn "A"	T					
					OIL OR GAS					
					SANDS OR ZONES					
No. 1 fram	4-			No. 2 from						
No. 1, from	10			No. 3, Hom	to					
NO. 2, IIOM										
				NT WATER SANDS						
		levation to which water ro	se in hole.							
No. 1, from	to		fe	eet						
				eet						
No. 3, from	to		fe	eet						
LITHOLOGY RECORD (Attach additional sheet if necessary)										

		Thicknes In	701 NEGOND (Attaoli addition			Thickness in	
From	То	Feet	Lithology	From	To	Feet	Lithology
				·			
1							
I							
						3.	