• District (• 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator: EOG Resources, Inc. OGRID # 7377
Address: P.O. Box 2267 Midland, TX 79702
Facility or well name: MONSTER 13 FED 1H
API Number 30-015- 36719 OCD Permit Number
U/L or Qtr/Qtr A Section 13 Township 24S Range 30E County Eddy
Center of Proposed Design Latitude Longitude NAD1927 1983
Surface Owner X Federal State Private Tribal Trust or Indian Allotment
Surface Owner A redorat State Firstan India First of Indian Antonione
X Closed-loop System: Subsection H of 19 15 17 11 NMAC
Operation X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A
Above Ground Steel Tanks or X Haul-off Bins
3
Signs: Subsection C of 19 15 17 11 NMAC
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
X Signed in compliance with 19 15 3 103 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. X Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC X Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
X Previously Approved Design (attach copy of design) API Number 30-015-34482
X Previously Approved Operating and Maintenance Plan API Number 30-015-34482
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.
Disposal Facility Name Controlled Recovery Inc Disposal Facility Permit Number R9166
Disposal Facility Name Disposal Facility Permit Number
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? X Yes (If yes, please provide the information below) Revision No
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC
6 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Donny G. Glanton Mittle Sr. Lease Operations ROW Representative
Signature Date 10/9/2008
e-mail address donny glanton@eogresources.com Telephone 432 686 3642

· · · · · · · · · · · · · · · · · · ·
Approval Date: 10-10-08 OCD Permit Number: 020859.5
Approval Date:
Approval Date: 10-10-08 OCD Permit Number: 0208595
A K of 19 15 17 13 NMAC to implementing any closure activities and submitting the closure report. the completion of the closure activities. Please do not complete this closure activities have been completed. Closure Completion Date:
s That Utilize Above Ground Steel Tanks or Haul-off Bins Only: illing fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Permit Number
Disposal Facility Permit Number
r in areas that will not be used for future service and operations?
tions
report is true, accurate and complete to the best of my knowledge and ments and conditions specified in the approved closure plan
Title
Date
Telephone

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

- IO.15.17.12 OPTRATIVESAL REQUIREMENTS:
 A. Géneral specification. An opera a sink mandan and operace a pat crosso-loop system telembrude tank or smarp in accordance with the following requirements
- prevent communation of fresh water and protect public health and the environment (i) The operator shall operate and manatam a put closed-loop existent, below-grade but or strap to contain liquids and soluts and manatam the integrity of the liner, finer system or secondary communical system.

Operator shall operate and maintain a closed loop system

contanaination of fiesh water and protects public health and the suvmountent The operator duvil recycle, reuse or reclams all shilling fluids in a missiner that prevents the

shall be disposed of at division approved facilities Operator shall recycle, reuse or reclaim all drilling fluids used. Excess or unused fluid

below-grade tailk or sump The operator shall not this charge into or store any hazardons waste in a pit. closed-loop system,

Operator shall not knowingly discharge hazardous waste into the closed loop system.

discovery and repair the damage or replace the lines liquid's surface, then the operator shall notify the appropriate division district office within 48 hours of the 3 If the integrity of the pit haer is compromised, or if any penetration of the liner occurs above the

No Pit liner. Closed loop system

(5) If a lined put develops a leak, or if any penetration of the lines occurs below the liquid's surface then the operator shall remove all liquid above the damage or leak line from the jat within 48 hours and repair the diamage or replace the finer

repaired prior to putting the tank back in service No Pit liner. Closed loop system. If a leak develops in any of the closed loop tanks, all liquid shall be removed from the effected tank within 48 hours and any damage shall be

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

(i) The coelator shall install a level measuring device in a lined put containing fluids to installor the level of the fluid stallage, so that the operator may recognize ununtempated change in volume of fluids.
No pit. Closed loop system. Excess fluid shall be removed appropriately from the catch tanks.
(7) The injection or withdrawal of liquids from a lined pit shall be accomplished through a header diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes
No pit Closed loop system Excess fluid shall be removed appropriately from the catch tanks using a re-circulating pump or vacuum trucks.
(8) The operator shall operate and install a pit, below-grade tank or sump to prevent the collection of surface water nur-on.
Operator shall berm or collect surface water run- on and dispose of at a division approved facility.
(9) The operator shall install, or maintain on site, an oil absorbent boom or other device to contain and remove oil from a pit's surface

Operator shall install a skimmer system on catch tanks, circulating tanks and over-flow

tanks as needed to collect oil.


Closure Plan for Closed Loop Drilling System

1. METHODS OF HANDLING WASTE MATERIALS

- a. Drill cuttings shall be disposed of in steel cuttings bins (catch tanks) on the drilling pad (behind the steel mud tanks). The bin and cuttings shall be hauled to a division approved facility by an approved transporter. At the facility, the cuttings shall be removed from the bin and the bin shall be returned to the drilling site for reuse, moved to the next drilling site or returned to the provider.
- b. Remaining drilling fluids shall be hauled off by approved transports to a division approved disposal facility. Water produced during completion shall be put in storage tanks and disposed of at a division approved facility. Oil and condensate produced shall be put in a storage tank and sold or put in a sales pipeline.

2. RECLAMATION

- a. Within 60 days after the drilling and completion of the well, the location area shall be reduced as determined by operator to the minimum area necessary to safely and effectively operate the well. The reclaimed location area shall be substantially restored to the condition that existed prior to oil and gas operations.
- b. Operator shall comply with applicable Closure Reclamation Requirements (19.15.17.13) NMAC subsections G, H, I, J & K.



Not to scale