State of New Mexico **Energy Minerals and Natural Resources**

Form C-101 May 27, 2004

Oil Conservation Division Santa Fe, NM 87505

NOV 1 0 Submit to appropriate District Office

1220 South St. Francis Dr. OCD-ARTESIA AMENDED REPORT 1220 S. St. Francis Dr., Santa Fe, NM 87505 APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE Operator Name and Address
OPERATING LLC 299137 550 W. Texas, Suite 1300 Midland, TX 79701 API Number 30-015-25657 GJ West Coop Unit Well No. 84 9 Proposed Pool 1 10 Proposed Pool 2 Grayburg Jackson: 7RVS-ON-GB-Glorieta-Yeso, East ⁷ Surface Location North/South line UL or lot no Feet from the Feet from the East/West line County Township Lot Idn Section Range K 22 17S 29E 1830 South 1650 West Eddy ⁸ Proposed Bottom Hole Location If Different From Surface Feet from the UL or lot no Lot Idn North/South line Feet from the Section Township Range East/West line County Additional Well Information 11 Work Type Code 12 Well Type Code 13 Cable/Rotary 14 Lease Type Code 15 Ground Level Elevation D S 3537 Rotary 16 Multiple Proposed Depth 8 Formation 19 Contractor 20 Spud Date 5700 N Yeso As soon as approved Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water Liner Synthetic mils thick Clay Pit Volume bbls Drilling Method Pit Fresh Water Brine Diesel/Oil-based Gas/Air Closed-Loop System 🛛 ²¹ Proposed Casing and Cement Program Setting Depth Sacks of Cement Estimated TOC Hole Size Casing Size Casing weight/foot 12 - 1/48-5/8 24 214 150 7 - 7/85-1/217 4479 2150 4-3/4 4 11.3 5700 115 ²² Describe the proposed program If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone Describe the blowout prevention program, if any Use additional sheets if necessary. See Attachments ²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief I further certify that the drilling pit will be constructed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Printed name Kanicia Carrillo Title Title Approval Date Expiration Date Regulatory Analyst

E-mail Address kcarrillo@conchoresources.com Date: 11/07/08 Phone, 432-685-4332 Conditions of Approval Attached



District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S, St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102 Revised June 10, 2003

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name			
30-015-25657 97558		Grayburg Jackson; 7RVS-0	QN-GB-Glorieta-Yeso, East		
⁴ Property Code	5 1	⁵ Property Name			
302497	GJ W	84			
7 OGRID No.	. 8(Operator Name	⁹ Elevation		
229137	COG OP	PERATING LLC	3537		


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	22	17S	29E		1830	South	1650	West	Eddy

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1 1		_	1 1	1	ì	1	ł	1	
			l			į.	i		
12 -	Lis	111	<u></u>						
12 Dedicated Acres	13 Joint of	r Infill 📙 C	Consolidation C	Code 13 Ora	ler No.				
1 40				į į					
40		l		i					
1	l l	i							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Deepening Procedure

- 1. MIRU rig.
- 2. PU 4-3/4" bit and drill 4-3/4" from 4510' to 5700'.
- 3. POOH w/ bit and drillstring.
- 4. RIH w/ logs and log from TD to 5700'.
- 5. RIH w/ 4", 11.3# casing.
- 6. Cement casing from TD to 4273' w/ 115 sxs Class C cmt.
- 7. RDMO rig.

Completion Procedure

- 1. MIRU rig.
- 2. RIH/ w/ perforating guns and perforate Yeso from 5700 5500 w/ 2 spf, 30 holes.
- 3. Acidize w/ 2500 gals of 15% HCl. Frac zone w/ 180,000 # of sand. Set plug at 5550'.
- 4. RIH w/ perforating guns and perforate Yeso from 5400′ 5200′.
- 5. Acidize w/ 2500 gals of 15% HCl. Frac zone w/ 180,000 # of sand. Set plug at 5150'.
- 6. RIH w/ perforating guns and perforate Yeso from 5100' 5000'.
- 7. Acidize w/ 2500 gals of 15% HCl. Frac zone w/ 180,000 # of sand.
- 8. RIH and drill out plug at 5150' and 5550'.
- 9. RIH and cut 4" casing at 4209'. POOH w/ 4" casing. Leave 4" liner from 4209' to 5700' (TD).
- 10. RIH w/ tbg and locate end of tbg at 4109'.
- 11. RIH w/ rods and pump.
- 12. RDMO rig.