Form C-144 July 21, 2008

District I 1625 N. French Dr , Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Alternative Method:

State of New Mexico M Energy Minerals and Natural Resource Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District Office.
Pit, Closed-Loop System, Below-Grade Tank, or DEC 09 2008  Proposed Alternative Method Permit or Closure Plan Application OCD-ARTESIA
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,  below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: LCX Energy, LLC OGRID #:
Address: 110 N. Marienfeld, Suite 200, Midland, TX 79701
Facility or well name: Thames "31" Federal #1
API Number: <u>30-015-33139</u> OCD Permit Number:
U/L or Qtr/Qtr 760FSL 760 FEL Section 31 Township 16S Range 25E County: Eddy
Center of Proposed Design: Latitude N32.87404° Longitude W104.51806 ° NAD: ☐1927 ☐ 1983
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment
2.  ☑ Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: ☑ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A  ☐ Lined ☐ Unlined Liner type: Thickness20mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reimforced  Liner Seams: ☐ Welded ☑ Factory ☐ Other Volume: bbl Dimensions: L_150_x W_150_x D_30
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other     Lined   Unlined Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other     Liner Seams:   Welded   Factory   Other
4.    Below-grade tank: Subsection I of 19.15.17.11 NMAC   Volume:
Liner type: Thickness mil  HDPE PVC Other

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

RECUSTRATION ON File FOR THOSE PATTO VISION

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
☑ Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  ☐ Screen ☑ Netting ☐ Other	
Monthly inspections (If netting or screening is not physically feasible)	
8.	
Signs: Subsection C of 19.15.17.11 NMAC	
212"x 224", 2" Lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
9. Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau	office for
consideration of approval.	011100 101
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry	priate district pproval.
above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
(Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC  Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Ciesure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name:	Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) \( \square\) No		vice and operations?		
Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specifications based upon the appropriate  Re-vegetation Plam - based upon the appropriate requirements of Subsection  Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15.17.13 NMAO n I of 19.15.17.13 NMAC	C		
17.  Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate disti il Bureau office for consideration of approval. Justi	rict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or churc - Visual inspection (certification) of the proposed site; Aerial photo; Satelli		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written appro	· ·	☐ Yes ☐ No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visa	nal inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Minim	g and Mineral Division	☐ Yes ☐ No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map	gy & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

19,	
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accura	ate and complete to the best of my knowledge and belief.
Name (Print): Billy WAlker Signature: Bill Walk	Title: Field Supervisor
Signature: Bill Walk	Date: 11-8-08
e-mail address:	Telephone: 575-626-246V
OCD Representative Signature Signed By Miles Sense Plan	an (only) OCD Conditions (see attachment)
OCD Representative Signature Signed By Mily Brancisc	Approval Date: <u>UEC 0.9 2008</u>
Title:	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan prior to the division within 60 days of the closure plan plan prior to the division within 60 days of the closure plan plan plan plan plan plan plan plan	o implementing any closure activities and submitting the closure report. he completion of the closure activities. Please do not complete this
	Closure completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alterna If different from approved plan, please explain.	tive Closure Method   Waste Removal (Closed-loop systems only)
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems</u> <i>Instructions: Please indentify the facility or facilities for where the liquids, drill two facilities were utilized.</i>	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or  Yes (If yes, please demonstrate compliance to the items below)  No	
Required for impacted areas which will not be used for future service and operation  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ons:
Closure Report Attachment Checklist: Instructions: Each of the following ite mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude Longitude	ude NAD:
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirem.  Name (Print):	nents and conditions specified in the approved closure plan.
reame (1 mit).	THE.
Signature:	Date:

e-mail address:

Telephone:

# New Mexico Energy, Minerals and Natural Resources Department

### Bill Richardson

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



#### Conditions of approval for closure of a drilling pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.



#### WASTE EXCAVATION AND REMOVAL CLOSURE PLAN

## TEMPORARY MUD RESERVE PIT CLOSURE PLAN

Thames "31" Federal #1
Eddy County, New Mexico

Prepared for:

LCX Energy, LLC

API Well #30-015-33139

Prepared by:

South Environmental Services, Inc.

November 2008

### TABLE OF CONTENTS

1.0	INTROD	UCTION
2.0	PROTOC	COLS AND PROCEDURES
3.0	CONFIR	MATION SAMPLING PLAN
4.0	DISPOSA	AL FACILITY NAME AND PERMIT NUMBER
5.0	SOIL BA	CKFILL AND COVER DESIGN AND SPECIFICATIONS
6.0	RE-VEG	ETATION PLAN
7.0	SITE RE	CLAMATION PLAN
		FIGURES
FIGUR	E 1:	Site Aerial Photograph
<b>FIGUR</b>	E 2:	Site Topographic Map
FIGUR	E 3-8	Site Design Plans and Sampling Plans

#### 1.0 INTRODUCTION

On behalf of LCX Energy, South Environmental Services, Inc. has prepared this Closure Plan in compliance with the Oil Conservation Districts (OCD) regulations. The site is located approximately 7 Miles Northwest of the Artesia, New Mexico. Topographic and Aerial Maps have been provided as Figures 1 & 2.

#### **2.0 PROTOCOLS AND PROCEDURES**

As illustrated in the attached Figures, the Excavation and Backfill procedures shall follow all applicable protocols and rules outlined in 19.15.17.10 NMAC. All liquids will be removed prior to excavation process and the in place soil will be mixed at a 3 to 1 ratio. South will take special care to ensure all impacted soils are included in excavation and disposal. As outlined an approved state disposal facility will be utilized for waste disposal. Confirmation Sampling shall take place to ensure no impacted soil has been left in place. All backfill material will be appropriate soil, clean and compacted. Re-Vegetation and Site Reclamation procedures will be followed according to NMOCD Rules as outlined below.

#### 3.0 CONFIRMATION SAMPLING PLAN

As illustrated in the attached figures, confirmation sampling shall take place after impacted material has been disposed of on-site. The confirmation samples shall be taken for each sidewall (North, South, East and West) as well as a Bottom Hole. If confirmation sample results do not meet regulatory requirements, a supplemental plan will be established to address the results.

#### 4.0 DISPOSAL FACILITY NAME AND PERMIT NUMBER

Controlled Recovery, Inc Disposal, Permit#: NM R-9166

#### 5.0 SOIL BACKFILL AND COVER DESIGN AND SPECIFICATIONS

Please see the attached figures for design and specifications. As illustrated, the soil cover shall be an adequate backfill material, compacted and non-waste containing, from top of cap (>4' below ground surface) to >1' below ground surface and topsoil to surface grade.

#### 6.0 RE-VEGETATION PLAN


The attached Figure 7, & 8 show the proposed re-vegetation plan. As illustrated, the re-


vegetation shall take place with a minimum of 70% native perennial vegetative cover consisting of at least 3 native plant species, including at least one grass and no noxious weeds. Cover shall be maintained through 2 successive growing seasons.

#### 7.0 SITE RECLAMATION PLAN


Site reclamation will be accomplished through several steps. As illustrated in the attached figures, the original surface grade will be established with both the original reserve pits and the burial trench and re-vegetation will take place as described above. Additionally, site photo documentation will be submitted upon closure request to show that proper surface measures have been taken to ensure the site is brought back, as much as possible, to its condition before surface activity took place.

# **FIGURES**











40	20	Q	20	40
	Di	stance in Fe	et	

Thames "31" Federal #1	API Well # 30-015-33139	
Lat 32 87404° N	Sec 31, T-16-S, R-25-E	
Long 104 51806° W	Eddy County, NM	5
Drawn By: JDJ	Rev. A-2	□ ĕ
November 24, 2008	Scale 1" = 40'	Ĭ

Fig		
Previous	Pit	Design








40	20	0	20	40
	D	istance in Fe	eet	

Thames "31" Federal #1	API Well #: 30-015-33139	Т
Lat. 32 87404° N	Sec 31, T-16-S, R-25-E	7
Long. 104.51806° W	Eddy County, NM	13
Drawn By JDJ	Rev A-2	٦à
November 24, 2008	Scale: 1" = 40'	۳ [

Figure 4
Mixing and Drying Procedures

South Environmental Services, Inc.







40	20	Q	20	40	
		Distance in	Feet	·	

Thames "31" Federal #1	API Well #. 30-015-33139	Т
Lat. 32.87404° N	Sec 31, T-16-S, R-25-E	_
Long 104 51806° W	Eddy County, NM	
Drawn By JDJ	Rev: A-2	; ٦
November 24, 2008	Scale 1" = 40'	7

Figure 5
Sample Locations and Material Removal





40 20 0 20 40

Distance in Feet

Thames "31" Federal #1	API Well # 30-015-33139	
Lat. 32 87404° N	Sec. 31, T-16-S, R-25-E	
Long 104 51806° W	Eddy County, NM	- (
Drawn By JDJ	Rev A-2	∃è
November 24, 2008	Scale 1" = 40'	٦ "

Figure 6 Cross Section Backfill Procedures

South Environmental Services, Inc.

Clean Topsoil Material Backfill at Least to Surface Grade. Care Will Be Taken to Ensure Liquid Pooling Cannot Take Place

Soil Shall Be Reseeded with Minimum 70% Local Seed Mixture. Topsoil is Minimum 1' Cover.

Clean Soil Backfill Compacted Finished to Appx 2' Below Grade


Thames "31" Federal #1	API Well # 30-015-33139
Lat 32.87404° N	Sec 31, T-16-S, R-25-E
Long. 104 51806° W	Eddy County, NM
Drawn By JDJ	Rev A-2
November 24, 2008	Scale 1" = 40'

Figure 7 Cross Section
Backfill and Re-Vegetation Procedures

South Environmental Services, Inc.

40 20 0 20 40

If Necessary, the Re-Vegetation will be protected from traffic, using appropriate measures, which may included fencing.



40 20 0 20 40 Distance in Feet

Thames "31" Federal #1	API Well # 30-015-33139
Lat. 32 87404° N	Sec 31, T-16-S, R-25-E
Long 104.51806° W	Eddy County, NM
Drawn By: JDJ	Rev A-2
November 24, 2008	Scale: 1" = 40'

Figure 8 Cross Section
Site Re-Vegetation and Reclemation

