District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

APR 2 0 2009

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

1
Operator Yates Petroleum Corporation OGRID # 025575
Address 105 South 4th Street, Artesia, NM 88210
Facility or well name <u>Jester BFJ Federal #3</u>
API Number OCD Permit Number
U/L or Qtr/Qtr L Section 12 Township 24S Range 29E County Eddy
Center of Proposed Design Latitude N 32 233083 Longitude W 103 943417 NAD □1927 ⋈ 1983
Surface Owner 🛮 Federal 🗌 State 🗌 Private 🗎 Tribal Trust or Indian Allotment
2
∑ Closed-loop System: Subsection H of 19 15 17 11 NMAC
Operation Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A
Above Ground Steel Tanks or Haul-off Bins
Signs: Subsection C of 19 15 17 11 NMAC
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
⊠ Signed in compliance with 19 15 3 103 NMAC
4
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
 ✓ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC ✓ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
☐ Previously Approved Design (attach copy of design) API Number
Previously Approved Operating and Maintenance Plan API Number
5
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15 17 13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two
facilities are required.
Disposal Facility Name Gandy Marley Disposal Facility Permit Number NM-01-0019
Disposal Facility Name Lea Land Farm Disposal Facility Permit Number WM-1-035 Disposal Facility Name CRI Disposal Facility Permit Number R-9166
Disposal Facility Name Sundance Services Inc Disposal Facility Permit Number NM-01-0003
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No
Required for impacted areas which will not be used for future service and operations
Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

0209264

Yates Petroleum Corporation Closed Loop System

Equipment Design Plan

Closed Loop System will consist of:

- 1 double panel shale shaker
- 1 (minimum) Centrifuge, certain wells and flow rates may require 2 centrifuges On certain wells, the Centrifuge will be replaced by a Clackco Settling Tank System
- 1 minimum centrifugal pump to transfer fluids
- 2-500 bbl. FW Tanks
- 1 500 bbl. BW Tank
- 1 half round frac tank 250 bbl. capacity as necessary to catch cement / excess mud returns generated during a cement job.
- 1 Set of rail cars / catch bins

Certain wells will use an ASC Auger Tank

Operation Plan

All equipment will be inspected at least hourly by rig personnel and daily by contractors' personnel.

Any spills / leaks will be reported to YPC, NMOCD, and cleaned up without delay.

Closure Plan

Drilling with Closed Loop System, haul off bins will be taken to Gandy Marley, Lea Land Farm, CRI or Sundance Services Inc.