APR 2 / 2000

Submit 3 Copies To Appropriate District Office State of New Mexico Office Finergy Minerals and Natural Resources	MFN 2 4 2003	Form C-103
District 1	WELL API NO.	May 27, 2004
1625 N. French Dr., Hobbs, NM 87240 District II OH CONSEDVATION DIVISION	30-015-1049	92
1301 W Grand Ave, Artesia, NM 88210	5. Indicate Type of Leas	
District III 1220 South St. Francis Dr. 1000 Rio Brazos Rd, Aztec, NM 87410 Santa Fe, NM 87505	STATE 🗷	FEE 🗌
District IV 1220 S St Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Leas	
1220 S St Francis Dr., Santa Fe, Nivi 8/305	E-10001	C 110.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	7. Lease Name or Unit A NEW MEXICO "Y" STAT	-
1. Type of Well:	8. Well Number	
Oil Well X Gas Well Other	004	
2. Name of Operator	9. OGRID Number	
CIMAREX ENERGY CO. OF COLORADO ATIN: ZENO FARRIS		
3. Address of Operator	10. Pool name or Wildo	cat
5215 N. O'CONNOR BLVD., STE. 1500, IRVING, TEXAS 75039 4. Well Location	SHUGART (Y,SR,Q,G)	
4. Well Location		
Unit LetterM : 990feet from theSOUTH line and	990 feet from the	WEST line
Section 32 Township 18S Range 31E	NMPM Co	ounty EDDY
11. Elevation (Show whether DR, RKB, RT, GR, e	tc.)	
3,556' GL		
Pit.or Below-grade Tank Application or Closure 🔀		
Pit typeSTEEL Depth to Groundwater Distance from nearest fresh water well* Di		1
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construct	on Material * NONE WITH	N 1,000'
12. Check Appropriate Box to Indicate Nature of Notice NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON X REMEDIAL WORK	SEQUENT REPOR	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILL		UG AND BANDONMENT
PULL OR ALTER CASING MULTIPLE CASING TEST AND COMPLETION CEMENT JOB		
OTHER: OTHER:	Notify OCD 2	4 hrs. prior \square
13. Describe proposed or completed operations. (Clearly state all pertinent details, and gi of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attacl or recompletion.	ve pertinent dates, includi	kg canad date
COMPLY WITH ALL COMPANY & GOVERNMENT ENVIRONMENT & SAFETY REGULATION THE AUTHORITY TO SHUT DOWN UNSAFE OPERATIONS.	S. ANYONE ON THE JOB	TOCATION HAS
		LOCALION INC
1) TAG EXISTING CIEP + CMT. @ +/-2,515'; CIRC. WELL W/ PXA MUD. 2) CUT & PULL 4-1/2" CASING @ +/-1,800'. 3) MIX & PUMP A 55 SX. CMT. PLUG @ 1,905'-1750'(B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PLUG @ 865'-765'(T/SALT & 8-5/8"CSG.SHOE 5) MIX & PUMP A 20 SX. CMT. PLUG @ 63'-3'; DIG CUT & CUT OFF WELLHEA	IUB); WOC & TAG TOP O); WOC & TAG TOP OF O	FOMT. PLUG. MT. PLUG.
2) CUT & PUIL 4-1/2" CASING @ +/-1,800". 3) MIX & PUMP A 55 SX. CMT. PLUG @ 1,905"-1750" (B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PLUG @ 865"-765" (T/SALT & 8-5/8"CSG.SHOE	IUB); WOC & TAG TOP O); WOC & TAG TOP OF O O 3' B.G.L.; WELD ON I lge and belief. I further ce	F OMT. PIUG. MT. PIUG. DRY HOLE MARKER. tify that any pit or below-
2) CUT & PULL 4-1/2" CASING @ +/-1,800'. 3) MIX & PUMP A 55 SX. CMT. PLUG @ 1,905'-1750' (B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PLUG @ 865'-765' (T/SALT & 8-5/8"CSG.SHOE 5) MIX & PUMP A 20 SX. CMT. PLUG @ 63'-3'; DIG OUT & CUT OFF WELLHEAD I hereby certify that the information above is true and complete to the best of my knowled grade tank has been with be constructed or closed according to NMOCD guidelines X, a general permit SIGNATURE	FUB); WOC & TAG TOP OF	F OMT. PIUG. MT. PIUG. MT. PIUG. DRY HOLE MARKER. Tify that any pit or below- ve OCD-approved plan TE04/20/09
2) CUT & PULL 4-1/2" CASING @ +/-1,800'. 3) MIX & PUMP A 55 SX. CMT. PLUG @ 1,905'-1750' (B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PLUG @ 865'-765' (T/SALT & 8-5/8"CSG.SHOE 5) MIX & PUMP A 20 SX. CMT. PLUG @ 63'-3'; DIG OUT & CUT OFF WELLHEAD I hereby certify that the information above is true and complete to the best of my knowled grade tank has been with be constructed or closed according to NMOCD guidelines X, a general permit SIGNATURE	FUB); WOC & TAG TOP O); WOC & TAG TOP OF O D 3' B.G.L.; WELD ON I Ige and belief. I further cer or an (attached) alternative ENT DAT DEYLER@MILAGRO-RES.CO	F OMT. PIUG. MT. PIUG. MT. PIUG. DRY HOLE MARKER. Tify that any pit or below- ve OCD-approved plan TE04/20/09
2) CUT & PUIL 4-1/2" CASING @ +/-1,800'. 3) MIX & PUMP A 55 SX. CMT. PIUG @ 1,905'-1750' (B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PIUG @ 865'-765' (T/SALT & 8-5/8"CSG.SHOE 5) MIX & PUMP A 20 SX. CMT. PIUG @ 63'-3'; DIG CUT & CUT OFF WELLHEA I hereby certify that the information above is true and complete to the best of my knowled grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit SIGNATURE TITLE E-mail address: Type or print name DAVID A. EYLER For State Use Only	FUB); WOC & TAG TOP O); WOC & TAG TOP OF O D 3' B.G.L.; WELD ON I Ige and belief. I further cer or an (attached) alternative ENT DAT DEYLER@MILAGRO-RES.CO	F OMT. PIUG. MT. PIUG. MT. PIUG. DRY HOLE MARKER. Tify that any pit or below- ve OCD-approved plan TE
2) CUT & PUIL 4-1/2" CASING @ +/-1,800'. 3) MIX & PUMP A 55 SX. CMT. PIUG @ 1,905'-1750' (B/SALT & 4-1/2"CSG.S 4) MIX & PUMP A 40 SX. CMT. PIUG @ 865'-765' (T/SALT & 8-5/8"CSG.SHOE 5) MIX & PUMP A 20 SX. CMT. PIUG @ 63'-3'; DIG CUT & CUT OFF WELLHEA I hereby certify that the information above is true and complete to the best of my knowled grade tank has been will be constructed or closed according to NMOCD guidelines X, a general permit SIGNATURE TITLE E-mail address: Type or print name DAVID A. EYLER	FUB); WOC & TAG TOP OF	F OMT. PIUG. MT. PIUG. MT. PIUG. DRY HOLE MARKER. Tify that any pit or below- ve OCD-approved plan TE

APPROVED BY Conditions of Approval, if any:

CIMAREX ENERGY CO. OF COLORADO FIELD: Shugart (Y, 7RV, QN, QB) DATE SPUD: 02/26/66 COMP:04/10/66 LEASE: NEW MEXICO STATE Y WELL NO. ELEVATION: UNK 990' FSL & 990' FWL; SEC. 32, T-18-8, R-31-E LOCATION: Eddy County, New Medco 30-015-10492 (1) Jt. 2-3/8" tubing 8 5/8", 24# @ 872" CMT W/ 350 exe + 10 exe Top out lob TOC: Surf. in 11" Hole TOS @ 815' inhibited packer fluid BOS @ 1855' TOC @ 2,030 by T.S. CIBP @ 2550' + 10 ex Class C Cmt-(2550' - 2399') **YATES PERFS:** 90 00 2.598': 2.598' 10 ppg gelled brine Spot 37 ex (560') C plug @ 3525' **SEVEN RIVERS PERFS:** (3535' - 2965') 3,021'; 3,024' QUEEN PERF8: 3,251'; 3,261' PENROSE PERFS: 3,465'; 3,485' 10 ppg gelied brine 4 1/2",11.6 & 9.5# @ 3,576" 380 ex cement PROPOSED CONFIGURATION In 7 7/8" Hole 340 TD: 3.802' PBTD: 3 530' MRS/NMYS4

06/07/93

04/20/09