

PLEASE EXPEDITE
UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUBMIT IN TRIPLICATE
(Other instructions on reverse side)
N.M. Oil Cons. Div. Dist. 2
1301 W. Grand Avenue
Albuquerque, NM 88210FORM APPROVED
OMB NO. 1004-0136
Expires: February 28, 1995

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐

b. TYPE OF WELL

OIL WELL ☐GAS WELL ☒OTHER ☐SINGLE ZONE ☒MULTIPLE ZONE ☐

2. NAME OF OPERATOR

RICKS EXPLORATION, INC. (ERICK NELSON 915-683-7443)

3. ADDRESS AND TELEPHONE NO.

110 WEST LOUISIANA SUITE 410 MIDLAND, TEXAS 79701 (915-683-7443)

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface
1260' FNL & 1980' FEL SEC. 27 T17S-R27E EDDY CO. NM

At proposed prod. zone SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 8 miles East of Artesia New Mexico.

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

990'

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1260'

16. NO. OF ACRES IN LEASE

520

17. NO. OF ACRES ASSIGNED

TO THIS WELL 320

19. PROPOSED DEPTH

9900'

20. ROTARY OR CABLE TOOLS

ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3498' GR.

22. APPROX. DATE WORK WILL START*

WHEN APPROVED

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
25"	Conductor	NA	40'	Cement to surface with Redi-mix.
17 1/2"	H-40 13 3/8"	48	450'	450' Sx. circulate cement to sur.
12 1/4"	J-55 8 5/8"	32	1800'	700 Sx. " " " "
7 7/8"	N-80 5 1/2"	17	9900'	700 Sx. estimate top cement 6000'

1. Drill 25" hole to 40'. Set 40' of 20" conductor and cement to surface with Redi-mix.
2. Drill 17 1/2" hole to 450'. Run and set 450' of 13 3/8" 48# H-40 ST&C casing. Cement with 450 Sx. of Class "C" cement + 1/4# Flocele/Sx., + 2% CaCl, circulate cement to surface.
3. Drill 12 1/4" hole to 1800'. Run and set 1800' of 8 5/8" 32# J-55 ST&C casing. Cement with 500 Sx. of Class "C" Light cement + 1/4# Flocele/Sx. + 5# Gilsonite/Sx. tail in with 200 Sx. of Class "C" cement + 1/4# Flocele/Sx., + 2% CaCl., circulate cement to surface.
4. Drill 7 7/8" hole to 9900'. Run and set 9900' of 5 1/2" 17# N-80 LT&C casing. Cement with 300 Sx. of Class "H" Light weight cement + additives, tail in with 400 Sx. of Class "H" Premium Plus cement + additives, estimate top of cement 6000' from surface.

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS

ATTACHED

Keweenaw Controlled Water Basin

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Agent

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

01/06/03

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
CONDITIONS OF APPROVAL, IF ANY:

/S/ JOE G. LARA

APPROVED BY

TITLE

FIELD MANAGER

DATE

JAN 31 2003

*See Instructions On Reverse Side

APPROVAL FOR 1 YEAR

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
811 South First, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised March 17, 1999

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 80400	Pool Name LOGAN DRAW-MORROW
Property Code	Property Name HONDO FEDERAL GAS COM	Well Number 3
OGRID No. 168489	Operator Name RICKS EXPLORATION INC.	Elevation 3498'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	27	17 S	27 E		1260	NORTH	1980	EAST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.
------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.</p> <p><i>Joe T. Janica</i></p> <p>Signature</p> <p>Joe T. Janica</p> <p>Printed Name</p> <p>Agent</p> <p>Title</p> <p>01/06/03</p> <p>Date</p>
	<p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.</p> <p>DECEMBER 17, 2002</p> <p>Date Surveyed</p> <p>GARY L. JONES</p> <p>Signature & Seal of Professional Surveyor</p> <p>W.D. No. 28634</p> <p>Certificate No. 7977</p> <p>7977</p> <p>BASIN SURVEYS</p>
	<p>EXHIBIT "A"</p>
	<p>RECEIVED OCD - ARTESIA 2003</p>



ARRANGEMENT SRRA

1500 Series
5000# Working Pressure

EXHIBIT "E"
SKETCH OF B.O.P. TO BE USED ON

RICKS EXPLORATION, INC.
HONDO FEDERAL GAS COM. # 3
UNIT "B" SECTION 27
T17S-R27E EDDY CO. NM