Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED

Budget Bureau No 1004-0135

Expires March 31, 1993

K	1
•	

SUNDRY NOTICES AND REPORTS ON WELLS	5. Lease Designation and Serial No
o not use this form of proposals to drill of to deepen of feelity to a different re-	Servon NMNM-77046
Use "APPLICATION FOR PERMIT—" for such proposals	6 If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE	
77 .C.W. II	7. If Unit or CA, Agreement Designation
Type of Well OIL Well Other	
AASH AASH	8. Well Name and No.
Name of Operator DEVON ENERGY PRODUCTION COMPANY, LP.	
Address and Telephone No	North Pure Gold 8 #10
P. O. Box 250, Artesia, NM 88210 (575) 748-0173	
	30-015-34594 10 Field and Pool, or Exploratory Area
Location of Well (Footage, Sec, T., R., M., or Survey Description)	
1330' FNL & 1310' FEL, Sec 8, T23S, R31E, Eddy County, NM	Los Medanos, Morrow 11. County or Parish, State
	Eddy
OUECK ADDDODDIATE DOV(-) TO INDICATE MATURE OF NOT	TICE DEPONT ON OTHER DATA
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOT	
TYPE OF SUBMISSION TYPE	OF ACTION
Notice of Intent Abandonment	Change of Plans
Recompletion	New Construction
Subsequent Report Plugging Back	Non-Routine Fracturing
Casing Repair	Water Shut-Off
Final Abandonment Notice Altering Casing	Conversion to Injection
Other install 3" Poly Line	Dispose Water (Note Report results of multiple completion on Well
	Completion or Recompletion Report and Log form)
	Completion or Recompletion Report and Log form)
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimat subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*	Completion or Recompletion Report and Log form)
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimat subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*	Completion or Recompletion Report and Log form)
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see attace existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give suchment) of 3" surface poly line. This line will tie in a
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give suchment) of 3" surface poly line. This line will tie in a
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give suchment) of 3" surface poly line. This line will tie in a
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see attace existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give suchment) of 3" surface poly line. This line will tie in a
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by bwpd at 100 psi pressure.	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give suchment) of 3" surface poly line. This line will tie in a
subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by bwpd at 100 psi pressure.	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achment) of 3" surface poly line. This line will tie in t
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by bwpd at 100 psi pressure. I hereby certify that the foregoing is true and correct Joe Lara Joe Lara	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achinent) of 3" surface poly line. This line will tie in the Gold 8 #11 SWD. The line will carry approximate.
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by bypd at 100 psi pressure. I hereby certify that the foregoing is true and correct All his space for Federal or State office use) /s/ Don Peterson	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achinent) of 3" surface poly line. This line will tie in the Gold 8 #11 SWD. The line will carry approximate.
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure) bwpd at 100 psi pressure. I hereby certify that the foregoing is true and correct his space for Federal or State office use)	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achievent) of 3" surface poly line. This line will tie in a re Gold 8 #11 SWD. The line will carry approximate.
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by by at 100 psi pressure. I hereby certify that the foregoing is true and correct his space for Federal or State office use) /s/ Don Peterson Title	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achinent) of 3" surface poly line. This line will tie in the Gold 8 #11 SWD. The line will carry approximate.
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by by at 100 psi pressure. I hereby certify that the foregoing is true and correct his space for Federal or State office use) /s/ Don Peterson Title	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achinent) of 3" surface poly line. This line will tie in the Gold 8 #11 SWD. The line will carry approximate.
evon Energy Production Company, L.P. requests to lay approximately 2,058' (see atta e existing line coming from the North Pure Gold 4 #3 and going to the to the North Pure by bwpd at 100 psi pressure. I hereby certify that the foregoing is true and correct his space for Federal or State office use) /s/ Don Peterson Title	Completion or Recompletion Report and Log form) ted date of starting any proposed work. If well is directionally drilled, give achieved as the control of 3" surface poly line. This line will tie in the control of 8 #11 SWD. The line will carry approximately Title Engineer Date 02/17/2009 Date MAY 19 2009



LESSER PRAIRIE-CHICKENS

No surface use is allowed during the following time periods; unless otherwise specified, this stipulation does not apply to operation and maintenance of production facilities.

For the purpose of: Protecting Lesser Prairie-Chickens: All of Section 08; Township 23 South, Range 31 East

Oil and gas activities, including 3-D geophysical exploration and drilling, will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th, annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

BLM LEASE NUMBER: COMPANY NAME: WELL NO. & NAME:

STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:
- Activities of the holder including, but not limited to construction, operation, maintenance, and termination of the facility.

		,	,			•
b	Activities of	of other parties	including, bu	t not limited	1 to:	•
	 (1) Land clearing. (2) Earth-disturbing. (3) Blasting. 	. *	oving work.			
	(4) Vandalism and	d sabotage.	4	~	•	
c. ,	Acts of Go	d	44		•	
(\$1,000,000) for by the ordinary This section sh	limitation for such or any one event, any rules of negligence all not impose strict the negligent acts of	nd any liability se of the jurisdict t liability for d	in excess of section in which	such amoun the damag ry resulting	t shall be d se or injury	letermined occurred.
	ny phase of the con	•				,
impacting Federal water, or other fault. Upon fair Federal lands, of Officer may tall restore the area habitats, at the	il, salt water, or otheral lands, the controllutant, wherever ilure of the holder to repair all damke such measures and, including, where full expense of the my responsibility as	rol and total rer or found, shall be to control, dispo- ages resulting to a he deems new appropriate, the holder. Such a	noval, disposate the response of, or cleatherefrom, on cessary to content aquatic environments.	al, and clear ibility of the n up such d the Federal strol and clear ronment an	ning up of a holder, redischarge of lands, the can up the can dish and	such oil, salt egardless of n or affecting Authorized discharge and wildlife
6. All construct width of	etion and maintenar 25 feet.	nce activity wil	l be confined	to the autho	orized right	t-of-way
7. No blading Authorized Off	or clearing of any v ficer.	vegetation will	be allowed ur	iless approv	ed in writi	ing by the
suspension of t	shall install the pipe he pipeline across le "snaked" around l	low areas in the	e terrain. In h	ummocky c	of duney ar	eas, the
tracks," and tra	e shall be buried wi ils. Burial of the p e road, upon compl umps or dips remai	ipe will continuletion of constru	ue for 20 feet uction, shall b	on each sid	e of each c	_

10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact

the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.
- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his hehalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

(March 1989)