

|  |  |  |
|--|--|--|
| Submit To Appropriate District Office<br>State Lease - 6 copies<br>Fee Lease - 5 copies<br>District I<br>1625 N. French Dr. Hobbs, NM 88240<br>District II<br>1301 W Grand Avenue, Artesia, NM 88210<br>District III<br>1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV<br>1220 S St Francis Dr., Santa Fe, NM 87505   | State of New Mexico<br>Energy, Minerals and Natural Resources<br><br>Oil Conservation Division<br>1220 South St. Francis Dr.<br>Santa Fe, NM 87505 | JUN - 3 2009<br>Form C-105<br>Revised June 10, 2003  |
|  |  | WELL API NO.<br>30-015-34861   |
|  |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>  |
|  |  | State Oil & Gas Lease No.  |
| WELL COMPLETION OR RECOMPLETION REPORT AND LOG   |  |  |
| 1a. Type of Well:<br>OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER _____<br><br>b. Type of Completion:<br>NEW <input type="checkbox"/> WORK <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF.<br>WELL OVER BACK RESVR <input type="checkbox"/> OTHER |  | 7. Lease Name or Unit Agreement Name<br><br>BOND FEE   |
| 2. Name of Operator<br>NADEL AND GUSSMAN PERMIAN   |  | 8. Well No.<br>2   |
| 3. Address of Operator<br>601 N. MARIENFELD, STE 508<br>MIDLAND, TX 79701  |  | 9. Pool name or Wildcat<br>UNDESIGNATED ATOKA 79060  |
| 4. Well Location<br>Unit Letter C 660 Feet From The NORTH Line and 1650 Feet From The WEST Line<br>Section 20 Township 21S Range 28E NMPM EDDY County  |  |  |
| 10. Date Spudded<br>6/8/06   | 11. Date T.D. Reached<br>6/9/06  | 12. Date Compl. (Ready to Prod.)<br>4/15/09  |
| 13. Elevations (DF& RKB, RT, GR, etc.)   | 14. Elev. Casinghead   |  |
| 15. Total Depth<br>12,270'   | 16. Plug Back T.D.<br>12,182'  | 17. If Multiple Compl. How Many Zones?   |
| 18. Intervals Drilled By   | Rotary Tools   | Cable Tools  |
| 19. Producing Interval(s), of this completion - Top, Bottom, Name<br>11,050 - 11,072 ATOKA   |  | 20. Was Directional Survey Made  |
| 21. Type Electric and Other Logs Run<br>NO NEW LOGS  |  | 22. Was Well Cored   |
| 23. CASING RECORD (Report all strings set in well)   |  |  |
| CASING SIZE  | WEIGHT LB./FT.   | DEPTH SET  |
| 13-3/8"  | 54#, J-55  | 532'   |
| 9-5/8"   | 40#, N80 LTC   | 2980'  |
| 5-1/2"   | 17#, P110 LTC  |  |
|  |  |  |
|  |  |  |
| 24. LINER RECORD   |  | 25. TUBING RECORD  |
| SIZE   | TOP  | BOTTOM   |
|  |  |  |
|  |  |  |
|  |  |  |
| 26. Perforation record (interval, size, and number)<br>10,706 - 748' sqzd<br>10,802 - 812 sqzd<br>11,050 - 11,072' 96 holes, .41 diam.   |  | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.<br>DEPTH INTERVAL<br>11,050 - 11,072'<br>AMOUNT AND KIND MATERIAL USED<br>2000 gals 7.59 HCl |
| 28. PRODUCTION   |  |  |
| Date First Production<br>4/15/09   | Production Method (Flowing, gas lift, pumping - Size and type pump)<br>FLOWING   | Well Status (Prod. or Shut-in)<br>PROD.  |
| Date of Test<br>5/20/09  | Hours Tested<br>24   | Choke Size<br>WO   |
| Prod'n For Test Period   | Oil - Bbl<br>0   | Gas - MCF<br>33  |
| Water - Bbl<br>0   | Gas - Oil Ratio  |  |
| Flow Tubing Press.<br>60   | Casing Pressure<br>0   | Calculated 24-Hour Rate  |
| Oil - Bbl.   | Gas - MCF  | Water - Bbl.   |
| Oil Gravity - API - (Corr)   |  |  |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br>SOLD   |  | Test Witnessed By<br>LEE LEDBETTER   |
| 30. List Attachments   |  |  |
| 31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief   |  |  |
| Signature<br>K. E. McCready  | Printed<br>Name K.E. McCready  | Title NM Operations Manager  |
| E-mail Address<br>kemmm@naguss.com   | Date 5/29/09   |  |

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

| Southeastern New Mexico |                                      | Northwestern New Mexico |                  |
|-------------------------|--------------------------------------|-------------------------|------------------|
| T. Anhy                 | T. Canyon                            | T. Ojo Alamo            | T. Penn. "B"     |
| T. Salt                 | T. Strawn 10540'                     | T. Kirtland-Fruitland   | T. Penn. "C"     |
| B. Salt                 | T. Atoka CL 11012'                   | T. Pictured Cliffs      | T. Penn. "D"     |
| T. Yates                | T. Atoka C 11319'                    | T. Cliff House          | T. Leadville     |
| T. 7 Rivers             | T. Devonian                          | T. Menefee              | T. Madison       |
| T. Queen                | T. Silurian                          | T. Point Lookout        | T. Elbert        |
| T. Grayburg             | T. Montoya                           | T. Mancos               | T. McCracken     |
| T. San Andres           | T. Simpson                           | T. Gallup               | T. Ignacio Otzte |
| T. Glorieta             | T. McKee                             | Base Greenhorn          | T. Granite       |
| T. Paddock              | T. Ellenburger                       | T. Dakota               | T.               |
| T. Blinebry             | T. Gr. Wash                          | T. Morrison             | T.               |
| T. Tubb                 | T. Delaware Sand 2886'               | T. Todilto              | T.               |
| T. Drinkard             | T. Bone Springs 5702'                | T. Entrada              | T.               |
| T. Abo                  | T. Morrow L 11105'                   | T. Wingate              | T.               |
| T. Wolfcamp 9522'       | T. Morrow 11907'                     | T. Chinle               | T.               |
| T. Penn                 | T. 3 <sup>rd</sup> Bone Spring 9368' | T. Permian              | T.               |
| T. Cisco (Bough C)      | T. M. Clastics 11622'                | T. Penn "A"             | T.               |

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
 No. 2, from.....to.....  
 No. 3, from.....to.....  
 No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

| From  | To    | Thickness<br>In Feet | Lithology   | From | To | Thickness<br>In Feet | Lithology |
|-------|-------|----------------------|-------------|------|----|----------------------|-----------|
| 4500  | 5540  | 1040                 | SD,SH       |      |    |                      |           |
| 5540  | 6850  | 1310                 | LM,SH       |      |    |                      |           |
| 6850  | 8060  | 1210                 | SD,SH,LM    |      |    |                      |           |
| 8060  | 8800  | 740                  | LM,SH       |      |    |                      |           |
| 8800  | 9330  | 530                  | LM,SH,SD    |      |    |                      |           |
| 9330  | 10850 | 1520                 | LM,SH       |      |    |                      |           |
| 10850 | 12270 | 1420                 | LM,SH,SD,CH |      |    |                      |           |

**District I**

1625 N. French Dr., Hobbs, NM 88240

**District II**

1301 W. Grand Avenue, Artesia, NM 88210

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico

Energy, Minerals &amp; Natural Resources Department

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|   |  |   |  |                                 |                                  |
|---|--|---|--|---------------------------------|----------------------------------|
| <sup>1</sup> API Number<br>30-015-34861 |  | <sup>2</sup> Pool Code<br>79060                             |  | <sup>3</sup> Pool Name<br>Atoka |                                  |
| <sup>4</sup> Property Code<br>35699     |  | <sup>5</sup> Property Name<br>Bond Fee                      |  |                                 | <sup>6</sup> Well Number<br>2    |
| <sup>7</sup> OGRID No.<br>155615        |  | <sup>8</sup> Operator Name<br>Nadel and Gussman Permian LLC |  |                                 | <sup>9</sup> Elevation<br>3,194' |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| C             | 20      | 21 S     | 28 E  |         | 660           | North            | 1,650         | West           | Eddy   |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| Same          |         |          |       |         |               |                  |               |                |        |

|  |                                    |                                  |                         |
|--|------------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>North 320 | <sup>13</sup> Joint or Infill<br>N | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--|------------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

|               |  |  |  |  |
|---------------|--|--|--|--|
| <sup>16</sup> | <sup>17</sup> <b>OPERATOR CERTIFICATION</b><br>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.<br>Signature: <u>Kem E. McCready</u> Date: <u>1/28/09</u><br>Printed Name <u>Kem E. McCready</u><br>Refer to the Original Plat |  |  |  |
|               | <sup>18</sup> <b>SURVEYOR CERTIFICATION</b><br>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.<br>Date of Survey _____<br>Signature and Seal of Professional Surveyor _____  |  |  |  |
|               | Certificate Number _____   |  |  |  |