Submit To Appropriat State Lease - 6 copies		ct Office			State of New N	Mexico			JU	1N - 32		Form C-105
Fee Lease - 5 copies			Ene	ergy, l	Minerals and Na	atural Re	sources				Re	evised June 10, 2003
District I 1625 N French Dr , F	IM 88240				٠			WELL API		15-3647	7	
District II 1301 W Grand Avenue, Artesia, NM 88210				Oil Conservation Division 5 Indicate Type of Lease				1				
District III 1000 Rio Brazos Rd , Aztec, NM 87410			1220 South St. Francis Dr.					STATE STATE FEE				
District IV 1220 S St. Francis Dr., Santa Fe, NM 87505						State Oil &	Gas Lease	No.				
			R RECC	MPI	ETION REPO	RT AND	LOG	ega g				
la Type of Well									7 Lease Name		Charles and Control of the Control o	
OIL WEI	LL 🛛	GAS WELL	☐ DRY		OTHER							
b Type of Compl NEW 🔯 W WELL C		☐ DEEPEN	N PLUC		DIFF RESVR □ OTH	IEB			Houma State			
2 Name of Operato			DAC		ICESTIC COM			$\neg \dagger$	8 Well No			
COG Operati	ing LI	LC							008			
3 Address of Opera									9 Pool name or	Wildcat		1
550 W. Texa	as Ave	Suite 130	0 Midland	TX 7	79701				Loco Hi	ills; Glori	eta Vesc	•
4 Well Location	25 / 1 / 1	c., Suite 150	o wildiana	, 171 /	7701				Loco III	1113, 01011	cia i esc	70710
	F	2270	P4 P ~~		No. 4h		1/50		pp	L. 1897	4	Ŧ
Unit Letter	<u>F</u>	. 22/0			North L				Feet From T	ne W	est	Line
	16			7S	Range			(D)==	NMPM			Eddy County
10. Date Spudded 04/21/09	11 0	04/29/09			mpl (Ready to Prod) 05/20/09			36	RKB, RT, GR, 80 GR	etc)		Casinghead
15. Total Depth	1	16 Plug Back	TD		Multiple Compl. How ones?	Many	18. Interv		Rotary Tools		Cable To	ools
6003		594							X			
19 Producing Inter	val(s),	of this complet	ion - Top, Bot 4352 - 5		ame Yeso				20	0 Was Dire	ectional Sur N	•
21 Type Electric at	nd Othe	er Logs Run	4332 - 3	040	1 680				22 Was Well	Cored	111	0
			HNGS, Mi	cro C	FL / HNGS						No	
23.				CA	SING RECOI	RD (Rej	ort all s	strin	gs set in w	ell)		
CASING SIZE	3	WEIGHT			DEPTH SET		LE SIZE		CEMENTING		AN	MOUNT PULLED
13 3/8		41			440		17 ½		448			· · · · · · · · · · · · · · · · · · ·
8 5/8 5 ½		24			1310 6003		11 7-7/8		500 1000			
3 /2		1	/		0003		7-770		1000	3.4	 	
												
24.				LIN	IER RECORD			25.	TU	UBING RE	CORD	
SIZE	TOP		BOTTOM		SACKS CEMENT	SCREEN	1	SIZ		DEPTH S		PACKER SET
								 -	2-7/8	538	5	
26 Perforation re	ecord (nterval, size, ar	d number)		1	27 40	דרווא עו	ED '	ACTUBE CE	MENIT SO	HEEZE	FTC
4352 - 4616		PF, 29 holes	Open				ID, SHOT INTERVAL		ACTURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED			
4900 - 5100	2 SF	PF, 36 holes	Open				52 - 4616		See attachment			
5170 - 5370		PF, 36 holes	Open				00 - 5100		See attachment			
5440 - 5640	2 SI	PF, 48 holes	Open				70 - 5370		See attachment			
			ODLICT			544	40 - 5640	_		See	attachme	ent
Date First Production	<u> </u>		CODUCT		owing, gas lift, pumpii	na Come and	d tuna minim	1)	Wall Chatur	(Duod and	est mal	
		Pr	oduction Meti					ij	Well Status			
05/25		- T4: 1	Ch t C	2	2-1/2"x2"x20'RH) I CE		roducing	<u> </u>
Date of Test	Hour	s Tested	Choke Size		Prod'n For Test Period	Oil – Bb	1 32	Gas 	– MCF 254	Water – B		Gas – Oil Ratio 1924
05/25/09		24	<u> </u>		<u></u>			<u> </u>				
Flow Tubing Press												
	38.3											
29. Disposition of C	Gas (So	ld, used for fue	, vented, etc.)		•				Τ,	Test Witnes:	sed By	reenway
30 Ligt Attachment	to			Sc	o <u>ld</u>						ACIII O	г сси тау
30 List Attachment	เร			τ.	ogs C102 C102	Davieti -	n Danasir	C10	4		•	
31 I hereby certif	y that	the informati	on shown on	both s	ogs, C102, C103, tides of this form as	true and o	n Keport, complete to	010 the t	4 best of my kno	wledge and	l belief	
	7/	Janos	\sim							• •	•	_
Signature (`.A	UKUKS W	7 1		Printed Name Chasity.	Jackson	Title A	gent	for COG	Date	05/28/0	19
E-mail Address	V cis	ackson@con	choresourc			. acrouli	THE A	Sent	101 000	Date	03/20/(" VAL

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeas	tern New Mexico	Northwestern New Mexico			
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"		
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"		
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"		
T. Yates <u>1179</u>	T. Miss	T. Cliff House	T. Leadville		
T. 7 Rivers	T. Devonian_	T. Menefee	T. Madison		
T.Queen <u>2071</u>	T. Silurian_	T. Point Lookout	T. Elbert		
T. Grayburg	T. Montoya	T. Mancos	T. McCracken		
T. San Andres <u>2778</u>	T. Simpson	T. Gallup_	T. Ignacio Otzte		
T. Glorieta 4244	T. McKee	Base Greenhorn	T. Granite		
T. Paddock	T. Ellenburger	T. Dakota	T		
T. Blinebry	T. Gr. Wash_	T. Morrison	T.		
T.Tubb <u>5784</u>	T. Delaware Sand	T.Todilto	T		
T. Drinkard	T. Bone Spring	T. Entrada	T.		
T. Abo	T. Morrow	T. Wingate	T.		
T. Wolfcamp	T. <u>Yeso</u> 4327	T. Chinle	Т		
T. Penn	T	T. Permian	Т		
T. Cisco (Bough C)	T	T. Penn "A"	T		

From	То	Thickness In Feet	Lithology	Fı	rom	То	Thickness In Feet	Lithology
	,							
					i			

HOUMA STATE #8 API#: 30-015-36477 EDDY, NM


C-105 (#27) ADDITIONAL INFORMATION

27. ACID, SHOT, FF	RACTURE, CEMENT, SQUEEZE, ETC.	-
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
4352 - 4616	Acidize w/ 2,500 gals acid.	
	Frac w/116,000 gals gel,	
	144,600# 16/30 sand, 33,400# CRC	

27. ACID, SHOT, FR	RACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
4900 - 5100	Acidize w/ 2500 gals acid.	
	Frac w/ 113,00 gals gel,	
	142,800# 16/30 sand, 29,200# CRC	

27. ACID, SHOT, FF	RACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
5170 - 5370	Acidize w/ 2500 acid.	
	Frac w/ 116,000 gals gel,	
	147,100# 16/30 sand, 34,100# CRC	

27. ACID, SHOT, FF	RACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
5440 - 5640	Acidize w/ 3000 acid.	
	Frac w/ 104,000 gals gel,	
	111,200# 16/30 sand, 24,400# CRC	



PO Box 1370 Artesia, NM 88211-1370 (575) 748-1288

May 12, 2009

COG, LLC Fasken Center, Tower II 550 West Texas Ave, Suite 1300 Midland, TX 79701

RE:

Houma State #8 2270' FNL & 1650' FWL Sec. 16, T175, R30E Eddy County, New Mexico

Dear Sir,

The following is the Deviation Survey for the above captioned well.

Depth	Deviation	Depth	Deviation
290.00	0.50	3407.00	2.00
677.00	1.00	3630.00	2.00
1270.00	1.00	3855.00	1.50
1561.00	1.00	4171.00	1.25
2100.00	0.75	4460.00	1.50
2644.00	1.00	5000.00	1.50
3154.00	2.50	5543.00	0.75
3281.00	2.00		

Very truly yours,

Eddie C. LaRue

Operations Manager

State of New Mexico }
County of Eddy }

The foregoing was acknowledged before me this 12th day of May, 2009.

Notary Public

