District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

NUMBER DISTER

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade	Tank, or
Proposed Alternative Method Permit or Closure	Plan Application

Type of action:

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Modification to an existing permit

X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Forest Oil Corporation OGRID #:8041				
Address: 3504 NW County Road Hobbs, NM 88240				
Facility or well name: Skelly Unit 300				
API Number: 30-015-29452 OCD Permit Number:				
U/L or Qtr/Qtr J Section 23 Township 17S Range 31E County: Eddy				
Center of Proposed Design: Latitude Longitude NAD: \[ \] 1927 \[ \] 1983				
Surface Owner: X Federal  State  Private  Tribal Trust or Indian Allotment				
Z.  X Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary:  Drilling X Workover				
Permanent Emergency Cavitation P&A				
X Lined Unlined Liner type: Thickness 20mil LLDPE HDPE PVC Other				
X String-Reinforced				
Liner Seams: Welded Factory Other Volume: 50 bbl Dimensions: L21' x W14' x D3'				
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other				
4.    Delay, grade tanks   Subsection   of 10.15.17.11 NIMAC				
Below-grade tank: Subsection I of 19.15.17.11 NMAC				
Volume:bbl Type of fluid:				
Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other				
Liner type: Thicknessmil				
5.  Alternative Method:				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

	h.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	hospital,
7.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC	
9.  Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approach office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

. . . . . .

|

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API Number: or Permit Number:			
12.			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API Number:			
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use			
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)			
13.  Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are			
attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan			
Emergency Response Plan			
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative			
Proposed Closure Method: X Waste Excavation and Removal  Waste Removal (Closed-loop systems only)			
On-site Closure Method (Only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench Burial			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tan Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling flacilities are required.	uks or Haul-off Bins Only: (19.15.17.13.D NMAC) uids and drill cuttings. Use attachment if more than two	
-	Disposal Facility Permit Number:	
•	Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or ☐ Yes (If yes, please provide the information below) ☐ No	in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirem  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of I	5.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure p provided below. Requests regarding changes to certain siting criteria may require adminisconsidered an exception which must be submitted to the Santa Fe Environmental Bureau demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidan	strative approval from the appropriate district office or may be office for consideration of approval. Justifications and/or	;
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	☐ Yes ☐ No☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	d from nearby wells	
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	d from nearby wells Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant we lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	vatercourse or lakebed, sinkhole, or playa Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in exister - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	nce at the time of initial application.	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in a NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	existence at the time of initial application.	
Within incorporated municipal boundaries or within a defined municipal fresh water well fie adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained		,
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection	ion (certification) of the proposed site	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mining	eral Division Yes No	
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Miner Society; Topographic map</li> </ul>	ral Resources; USGS; NM Geological Yes No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subsection Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NM Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cutting Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 1	s of 19.15.17.10 NMAC on F of 19.15.17.13 NMAC requirements of 19.15.17.11 NMAC ad upon the appropriate requirements of 19.15.17.11 NMAC MAC of Subsection F of 19.15.17.13 NMAC on F of 19.15.17.13 NMAC gs or in case on-site closure standards cannot be achieved) 5.17.13 NMAC 5.17.13 NMAC	

Operator Application Certification:  I hereby certify that the information submitted with this application is true.	ue, accurate and complete to t	he best of my knowledge and belief.		
Name (Print): Rick Rickman	Title: HSE			
Signature: Kick Rickog An	Date: 19M	lay09		
	ail address:rdrickman@forestoil.comTelephone: 575 369 6176			
OCD Approval: Permit Application (including closure plan) OCD Representative Signature: Signed By Miles Examples	Closure Plan (only) OCE	Conditions (see attachment)		
OCD Representative Signature:	<u> </u>	Approval Date:		
Title:	OCD Permit Num	ber:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:				
		provide Date:		
Closure Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.	Alternative Closure Method	☐ Waste Removal (Closed-loop systems only)		
Closure Report Regarding Waste Removal Closure For Closed-loop				
Instructions: Please indentify the facility or facilities for where the liquitwo facilities were utilized.	was, aruung juuas ana arui	cumings were aisposea. Use attachment if more than		
Disposal Facility Name:	Disnosal Facility I	Permit Number:		
Disposal Facility Name:		Permit Number:		
Were the closed-loop system operations and associated activities perform	-			
Yes (If yes, please demonstrate compliance to the items below)	] No	to cuscu for future service and operations:		
Required for impacted areas which will not be used for future service and  Site Reclamation (Photo Documentation)	d operations:			
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the foli	lowing items must be attache	d to the closure report. Please indicate, by a check		
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
☐ Confirmation Sampling Analytical Results (if applicable) ☐ Waste Material Sampling Analytical Results (required for on-site	closure)			
Disposal Facility Name and Permit Number	<del>-</del>			
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude	_Longitude	NAD: 1927 1983		
25.				
Operator Closure Certification:	,			
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Title:			
Signature:	Date:			
e-mail address:	Tclephone:			

## **Bill Richardson**

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



## Conditions of approval for closure of a drilling or work over pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.

Surface restoration per OCD/BLM requirements.  $-\mu/\mu$ 



## HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work \* On-Site Remediation \* Soil Testing \* Excavation

18May09

TO: Mike Bratcher, NM OCD Dist 2

REFERENCE: Work Plan for Closure of a Temporary Pit

**OPERATOR: Forest Oil Corporation** 

**LOCATION: Skelly Unit 300** 

API: 30-015-29452

LEGALS: UL. J, Sec. 23, T17S, R31E GPS: N32 49.070 W103 50.289 DEPTH to GROUND WATER: >200'

Protocols and Procedures: The closure of this work over pit will be accomplished by using the waste excavation and removal method. All contents of the pit to include the synthetic liner will be removed and disposed of at a division-approved facility. The pit will be excavated to a depth of 2' below the liner at which point soil sampling/analysis will be conducted to determine if a release has occurred. If it is determined that a release has occurred, an initial C 141 will be submitted and work will proceed until further soil analysis indicate the levels of contaminants have reached acceptable levels as per NM OCD guidelines.

Confirmation Sampling: A composite sample of the excavated area will be obtained and analyzed to determine the levels of Benzene, BTEX, TPH, GRO/DRO, and Chlorides. All analysis will be conducted using NM OCD approved analysis methods.

Disposal Facility: Controlled Recovery Inc (CRI)

Soil backfill and Cover Design Specifications: The excavated area will be backfilled to the existing grade of the location using the stockpiled material that came from the pit construction. Should additional material be required for back fill, it will be obtained from a near-by source.

Re-vegetation Plan: due to the affected area being on an active well location, no re-vegetation will be conducted.

Submitted By: Vernon K. Black, Hungry Horse Environmental Services

Signature: MKVI (8May 09