Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

AUG 11 2009

FORM APPROVED OMB No 1004-0137 Expires March 31, 2007

AM

BUREAU OF LAND MANAGEMENT 5. Lease Serial No NMLC067849 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottce or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No SUBMIT IN TRIPLICATE - Other instructions on page 2. NMNM84598 1. Type of Well 8, Well Name and No. HONDO FEDERAL COM 1 Oil Well ✓ Gas Well Other 2 Name of Operator CHESAPEAKE OPERATING, INC. 9. API Well No 30-015-20937 ATTN: LINDA GOOD 3b. Phone No (include area code) 10. Field and Pool or Exploratory Area 3a. Address P. O. BOX 18496 OKLAHOMA CITY, OK 73154-0496 SEE #13 BELOW 405-935-4275 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. Country or Parish, State EDDY CO., NM SEC 27 T17S R27E NWSE 1650 FSL 2310 FEL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Acidize Deepen Production (Start/Resume) Water Shut-Off Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Casing Repair New Construction Recomplete Other Subsequent Report Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) ATTN: CHRIS WALLS CHESAPEAKE, RESPECTFULLY, REQUESTS PERMISSION TO AMEND THE SUNDRY NOTICE OF INTENT TO RECOMPLETE FILED 7/20/2009. WE WOULD LIKE TO ADD THE FOLLOWING: CHANGE PROCEDURE TO READ: 5. RIH TO 3,335' AND SET A CIBP WITH A 35' CEMENT CAP. (CHANGE THE CURRENT #5 TO #6 AND SO ON). WELLBORE DIAGRAM ATTACHED. (CHK PN 890458) SEE ATTACHED FOR **CONDITIONS OF APPROVAL** I hereby certify that the foregoing is true and correct Name (Printed/Typed) LINDA GOOD Title SENIOR REGULATORY COMPLIANCE SPECIALIST Date 08/05/2009 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by Date Title

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Office

(Instructions on page 2)

entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would



Hondo Fed Com 1 30-015-20937 Chesapeake Operating, Inc. August 6, 2009 Conditions of Approval REVISED

- 1. Notify BLM 575-234-5972 a minimum of 24 hrs. prior to starting work.
- 2. Surface disturbance beyond the existing pad must have prior approval.
- 3. Closed loop system required.
- 4. Due to H2S in the area operator to have H2S monitoring equipment for personnel.
- 5. A minimum of a 2M BOP is required and must be tested prior to performing work.
- 6. Tag existing CIBP at approximately 6200'. Spot 25 sxs of cmt on top of CIBP. Load hole with mud.
- 7. Spot 25 sxs cmt at 5100'. Tag no shallower 4950'.
- 8. Set CIBP at 3335' and bail 35' cmt on top of CIBP.
- 9. Subsequent sundry and completion report required.

CRW 080609

Chesapcake

Workover Proposal

HONDO FEDERAL GAS COM 1

Field: County: **LOGAN DRAW**

EDDY.

State: **NEW MEXICO** Location:

SEC 27, 17S-27E, 1650 FSL & 2310 FEL GL 3,481.00 KB 3,492.00

Elevation:

KB Height: 11.00

Spud Date: 9/5/1973 Initial Compl. Date: API #: 3001520937 CHK Property #: 890458 1st Prod Date: 12/1/1973 PBTD: Original Hole - 6165.0 TD: 9,778.0

