$\frac{District\ I}{1625\ N}\ French\ Dr\ ,\ Hobbs,\ NM\ 88240$ District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

Form C-14
July 21, 200
For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

YPC	Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application	
YPC YPC	Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit Final Closure Report  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

see he adviced that approval of this request does not relieve the aperator of liability should operations result in pollution of surface

environment. Nor does approval relieve the operator of its responsibility to comply with any other applications.							
Operator. Yates Petroleum Corp.	OGRID # 025575						
Address _105 South 4 <sup>th</sup> . Artesia N.M. 88210							
Facility or well nameAdeline ALN Fed. #4							
API Number:30-015-35523 OCD Permit Number:							
U/L or Qtr/Qtr _NE/NW Section 6 Township24S Range31E							
Center of Proposed Design: Latitude Longitude							
Surface Owner   State   Private   Tribal Trust or Indian Allotment							
Pit: Subsection F or G of 19.15.17.11 NMAC							
Temporary: ☐ Drilling ☒ Workover	_						
Permanent Emergency Cavitation P&A	·						
☐ Lined ☐ Unlined Liner type: Thickness12mil ☐ LLDPE ☐ HDPE ☐ PVC	Other						
☐ String-Reinforced							
Liner Seams:  Welded Factory Other Volume:	bbl Dimensions: Lx Wx D						
3							
Closed-loop System: Subsection H of 19.15.17.11 NMAC							
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activity intent)	tes which require prior approval of a permit or notice of						
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other							
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other							
Liner Seams: Welded Factory Other							
4.							
Below-grade tank: Subsection I of 19.15.17 11 NMAC							
Volumebbl Type of fluid:							
Tank Construction material	,						
Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and autom	atic overflow shut-off						
☐ Visible sidewalls and liner. ☐ Visible sidewalls only ☐ Other							
Liner type Thicknessmil	<u> </u>						
5.							
Alternative Method:	represented Dureau office for a seed destroy of severe						
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Envi	ronnental Bureau office for consideration of approval						

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	hospital,			
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accepta material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropr office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of app Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17 12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17 13 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number.
Treviously Approved Design (attach copy of design) Art Number.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Luner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nusance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17 13 NMAC
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method. Waste Excavation and Removal
Waste Excatation and recinoval  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  □ In-place Burial □ On-site Trench Burial  □ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17.13 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	NMAC) nore than two					
Disposal Facility Name: Disposal Facility Permit Number:	:					
Disposal Facility Name: Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No						
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC	2					
Siting Criteria (regarding on-site closure methods only): 19 15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate districtions of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate districtions of encountered which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No					
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No					
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	☐ Yes ☐ No					
Within a 100-year floodplain FEMA map	☐ Yes ☐ No					
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

The state of the s	
Operator Application Certification:  I hereby certify that the information submitted with this application i	s true, accurate and complete to the best of my knowledge and belief.
Name (Print).	Title:
Signature:	Date:
e-mail address:	Telephone.
OCD Approval: Permit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Mike Bratcher Approval Date:Nov- 21-2008
Title:	OCD Permit Number:
	plan prior to implementing any closure activities and submitting the closure report. 60 days of the completion of the closure activities. Please do not complete this
Closure Method:  Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain	Alternative Closure Method  Waste Removal (Closed-loop systems only)
Instructions: Please indentify the facility or facilities for where the two facilities were utilized.  Disposal Facility Name:  Disposal Facility Name:	Disposal Facility Permit Number
mark in the box, that the documents are attached.  □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-size Disposal Facility Name and Permit Number CRI-R91CC / □ Soil Backfilling and Cover Installation On site material □ Re-vegetation Application Rates and Seeding Technique Seed □ Site Reclamation (Photo Documentation)	Lea Land WM-1-035
	his closure report is true, accurate and complete to the best of my knowledge and ure requirements and conditions specified in the approved closure plan.
Name (Print):Scott Pitts	Title:Construction Supervisor
Signature: Signature:	Date: Aug. 5-2009
e-mail address: scottp@yatespetroleum.com	Telephone: _(575)-365-4716

Accepted for record NMOCD

AUG 2 0 2009

## **Scott Pitts**

From: Bratcher, Mike, EMNRD [mike.bratcher@state.nm.us]

**Sent:** Friday, November 21, 2008 1:21 PM

To: Scott Pitts

Cc: Mike Stubblefield; Mike Larkin; Jerry Fanning; Tim Bussell

Subject: RE: Adeline Fed. #4

Thanks Scott. The approved C-144 should be available in the well file by early next week.

Mike Bratcher NMOCD District 2 575-748-1283 Ext. 108

**From:** Scott Pitts [mailto:ScottP@yatespetroleum.com]

**Sent:** Friday, November 21, 2008 11:34 AM

To: Bratcher, Mike, EMNRD

Cc: Mike Stubblefield; Mike Larkin; Jerry Fanning; Tim Bussell

Subject: Adeline Fed. #4

Mr. Bratcher,

Thank you for your verbal approval to begin reserve pit closure, and the time extension if necessary, During our meeting this morning 11-21-08. This E-mail is so I can maintain a paper trail of our Conversation. My contractor for this job is Environmental Plus from Eunice, We will begin Clean up next week.

Adeline ALN Fed. #4

Thanks again Scott Pitts construction supervisor, Yates Petroleum Corp.

This inbound email has been scanned by the MessageLabs Email Security System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient (s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

MARTIN YATES, III

FRANK W. YATES

S.P. YATES 1914-2008



JOHN A. YATES
CHAIRMAN OF THE BOARD
PRESIDENT

DAVID LANNING CHIEF OPERATING OFFICER

## 105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210-2118 TELEPHONE (575) 748-1471

November 19, 2008

Mr. Mike Bratcher NM OCD District 2 1301 W. Grand Avenue Artesia, NM 88210

Dear Mr. Mike Bratcher

Yates Petroleum Corporation respectfully requests an extension period in order to accomplish closure of the following drilling pit:

WELL NAME	API NUMBER	SEC-TWN-RNG
Adeline ALN Federal #4	30-015-35523	6 – 24S – 26E

We are requesting for additional time to get equipment to location for closure of pit.

Your attention to this matter is appreciated. Should you have any questions, you may contact me at 505-748-4500.

Sincerely,

misels welchild

Mike Stubblefield Environmental Regulatory Agent



ANALYTICAL RESULTS FOR YATES PETROLEUM CORPORATION ATTN: SCOTT PITTS 105 SOUTH 4TH STREET ARTESIA, NM 88210 FAX TO: (575) 748-4229

Receiving Date: 12/11/08
Reporting Date: 12/12/08

Sampling Date: 12/10/08 Sample Type: SOIL

Project Number: NOT GIVEN

Sample Condition: COOL & INTACT

Project Name: ADELINE ALN FED #4

Sample Received By: ML

Project Location: SEC. 6-T24S-R31E, EDDY CO., NM

Analyzed By: AB/TR

ANALYSIS DA	ATE .	12/12/08	12/12/08	12/12/08	12/11/08
H16510-1	CLEANED OUT DRILLING	<10.0	<10.0 <100	<100	208
	PIT 7'6" DOWN G/L				
Quality Contro	)I	574	503	282	490
True Value Q0		500	500	300	500
% Recovery		115	101	94.0	98.0
Relative Perce	ent Difference	9.9	11.3	0.8	2.0

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; EPA 418.1; CI-: Std. Methods 4500-CI-B \*Analysis performed on a 1:4 w:v aqueous extract.

Lab Director

Date

## H16510 TPH2CL YATES



ANALYTICAL RESULTS FOR YATES PETROLEUM CORPORATION ATTN: SCOTT PITTS 105 SOUTH 4TH STREET ARTESIA, NM 88210 FAX TO: (575) 748-4229

Receiving Date: 12/11/08 Reporting Date: 12/12/08

Sampling Date: 12/10/08 Sample Type: SOIL Sample Condition: COOL & INTACT

Project Number: NOT GIVEN

Project Name: ADELINE ALN FED #4 Sample Received By: ML

Project Location: SEC. 6-T24S-R31E, EDDY CO., NM

Analyzed By: ZL

**ETHYL** TOTAL

LAB NUMBI SAMPLE ID

BENZENE TOLUENE BENZENE XYLENES (mg/kg) (mg/kg) (mg/kg) (mg/kg)

ANALYSIS DATE	12/12/08	12/12/08	12/12/08	12/12/08
H16510-1 CLEANED OUT DRILLING PIT 7'6" DOWN G/L	<0.050	<0.050	<0.050	<0.300
Quality Control	0.050	0.050	0.050	0.149
True Value QC	0.050	0.050	0.050	0.150
% Recovery	100	100	100	99.3
Relative Percent Difference	5.4	4.3	8.2	7.3

METHOD: EPA SW-846 8021B


TEXAS NELAP CERTIFICATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES.




(575) 393-2326 Fax (575) 393-2476


	(575) 393-2326 Fax (575) 393-2	476							Pa	ge of		
Company Name		7,	BILL TO					ANALYS	SIS REC	QUEST		
Project Manage	" Scott Pitts		P.O. #: 103-2542									
	15 S. 4+5		Company: Yates Pet	ro. Co.								
City: A	tes,'a State NM	zip: 88210	Attn: Scott Pit	15								
Phone #: 57		- 748-4229	Address: 105 S. 4	丛								
Project #:>	Project Owner	:	city: Artesia			ļ						
Project Name:	Adeline ALN Fel #	4	State: NMZip: 880	210			0					
Project Location	1: SEC.6 -T245-R3	IE Eddy Co.	Phone #: 575-365	-4716	8	~	8					
Sampler Name:			Fax #:575- 748-9	4229	~	3	$\infty$					
FOR LAE USE ONLY		MATRIX	PRESERV. SAMPLIN	IG	8021	200	S					1 1
	`	OMP			00 -	418.1	0					
12615	Samala I D	A (C)	i i i				8					1
Lab I.D.	Sample I.D.	# (G)RAB OR (C)OMP # CONTAINERS GROUNDVATER WASTEWATER SOIL OIL	ACIDIBASE ACIDIBASE OTHER ·		1-13	PH						
		(G)RA GROU GROU SOIL	ACIDIBAS ICE / COC OTHER ·	TIME	8	ニー	S	}				1
1416510-1	Cleaned Out Drilling Pit	<b>E V</b>	1 12-10.08	11;AM	1/1	11	V					
	76" V G/L											
									<u> </u>		l	
									-		l	
							ļl					_
		<del></del>	<del>-,  -  -  -  -  </del>									
			<del></del>									
		<del> - - </del>	<del>                                      </del>				<del> </del>		+			
	L  ond Damages Cardinal's liability and client's exclusive remedy for ind Damages Cardinal's liability and client's exclusive remedy for ing those for negligence and any attendant whatsgever shall be									ged on all accour im from the origin		لــــــا
Survice. In his event shall C	Sardinal De liable for incidental or consequental damages includin ing out of or related to the certormance of services hereunder by	g without limitation, business interruptions	, loss of use, or loss of profits incurred by cli	ent, its subsidiar	ies,			its of collections, i				
Sampler Relinc	uished: Date:	Received By:		Phone Re Fax Resul				Add'l Phon Add'l Fax #				
-	Time:			REMARKS		- 111	,					
Relinquished E	Date:	Received By:	10		KU	SH!:	/	_				}
	Time: 1:30		4/5 f					•				1
Delivered By		Temp. Sample Cond	ition CHECKED BY:				,	501	4.7	ml_l_	· Pron	,
į	- Bus - Other:	Cool Intact	(Initials)	ل ،	\X	5 90	off	~ (I) /	atest	ET (CIL)	r.Com	(
		No 🗍	No MOSIS	emin	resur			, , , , , , , , , , , , , , , , , , ,				


† Cardinal cannot accept verbal changes. Please fax written changes to 575-393-2476.





Adeline4 Ale,





Middle Adelline 4

