District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

For closed-loop systems that only use above

Form C-144 CLEZ

July 21, 2008

ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Chesapeake Operating, Inc.	OGRID #: 1471	79 RECEIVED APR 26 2010	
Address: P.O. Box 18496 Oklahoma City, OK 73154-049	96	2010	
Facility or well name: Skeen 21 State # 1H		APR 2 6 2010	
API Number: 30-015-37802	OCD Permit Number: 21027	0181	
U/L or Qtr/Qtr C Section 21 Town		nty: Eddy	
Center of Proposed Design: Latitude 32.034799	Longitude104.09320	NAD: 🔯 1927 🗌 1983	
Surface Owner: Federal X State Private Tribal Trust or Indian Allotment			
2. \[\begin{align*} \subsection System: Subsection H of 19.15.17.11 NMAC \] Operation: \[\begin{align*} \text{ Drilling a new well } \Boxed \text{ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) } \Boxed \text{P&A} \] \[\begin{align*} \text{Above Ground Steel Tanks or } \begin{align*} \text{ Haul-off Bins} \end{align*} \]			
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. \[\text{\te			
Previously Approved Operating and Maintenance Plan	API Number:		
S. Waste Removal Closure For Closed-loop Systems That Util Instructions: Please indentify the facility or facilities for the facilities are required. Disposal Facility Name: Controlled Recovery, Inc.		ings. Use attachment if more than two	
Disposal Facility Name: Sundance Disposal	Disposal Facility Permit Nu		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No			
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
6. Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print): Bryan Arrant	Title: Senior Regul	latory Compl. Sp.	
Signature:	Date: 04/23/20	10	
e-mail address: bryan.arrant@chk.com	Telephone: <u>(405)93</u> ;	5-3782	
Form C-144 CLFZ	Oil Conservation Division	Page 1 of 2	

OCD Approval: Permit Application (including closure plan) Closure Plan		
OCD Representative Signature: Surs Klodo	Approval Date: 05/12/2010	
Title: DIST W. Sepewisor	OCD Permit Number: 210272	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \) No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

Chesapeake Operating, Inc.'s Closed Loop System Skeen 21 State # 1H Unit C, Sec. 21, T-26-S R-28-E Eddy Co., NM API # TBD 30. 0/5, 37,802

Equipment & Design:

Chesapeake Operating, Inc. is to use a closed loop system with roll-off steel pits.

- (1) Derrick FLC-503 Dual Shale Shaker
- (1) Derrick 3-cone desander
- (1) Derrick 20-cone desilter
- (1) 500 bbl "frac tank" for fresh water
- (1) 500 bbl "frac tank" brine water

For additional information, please see attached page.

Operations & Maintenance:


During each and every tour, the rig's drilling crew will inspect and monitor closely the drilling fluids contained within the steel pits and visually monitor any spill which may occur.

Within 48 hours should a spill, release or leak occur, the NMOCD District II office in Artesia (575-748-1283) will be notified. Please note that notifications may be made earlier to the district office should a greater release occur.

Closure:

During and after drilling operations, liquids (which apply), all drill cuttings and drilling fluids will be hauled and disposed to the Controlled Recovery, Inc.'s location.

The permit number for Controlled Recovery, Inc. is: NM-01-0006 The alternative disposal facility will be Sundance Disposal. Their permit # is: NM-01-0003.







RIG #62

DRAWWORKS

Skytop Brewster N-75-M (1000HP) 1 1/4" drill line, Parmac 342 auxiliary brake

POWER

(2) Caterpillar 379 engines (550HP each)

LIGHT PLANTS

(2) Caterpillar C-15 engines w/ 320 KW generators

MAST

Ideal 137' w/ 622,000# capacity on 10 lines

SUBSTRUCTURE

Ideal 15' box on box KB 17' Rotary beam clearance 12' 3"

BLOCK HOOK

McKissick (300 Ton) combo

PUMPS

(2) National 10-P-130 (1300HP each) triplex pumps Each independently powered by (1) Caterpillar 3512 engine

MUD PITS

(2) tank system - 980 bbl capacity w/ 100 bbl slug pit

SOLIDS EQUIPMENT

Derrick FLC-503 Dual Shaker Derrick 3-cone desander Derrick 20-cone desilter Atmospheric degasser (5) mud agitators

ROD'S

13 5/8" X 5,000 psi Hydril annular 13 5/8" X 5,000 psi Shaffer double

ACCUMULATOR

Koomey 5-Station, 110 gallon accumulator

CHOKE MANIFOLD

5,000 psi choke manifold

SWIVE

Continental Emsco (400 Ton)

ROTARY TABLE

National (27 1/2")

DRILL PIPE

4 1/2" dnll pipe

DRILL COLLARS

8" and 6 1/2" drill collars *quantity subject to availability

AUXILIARY EQUIPMENT

Pason EDR (base system)
Fuel Tank - 10,000 gallon capacity
Water Tank - (2) 500 barrel capacity each
Rig Managet Quarters
NOV ST-80 Iron Roughneck
Satellite automatic driller
Mathey survey unit

Revised 10,01.09

