(June 1990) DEPARTMEN		TED STATES T OF THE INTERIOR AND MANAGEMENT	FORM APPROVED Budget Bureau No 1004-0135 Expires: March 31, 1993 5 Lease Designation and Serial No	
Do not us	e this form for proposals to dri	AND REPORTS ON WELLS If or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	NM27451 6 If Indian, Allottee or Tribe Name	
	SUBMIT	IN TRIPLICATE	7 If Unit or CA, Agreement Designation	
1 Type of Well Oil Well	Gas Well Other		8. Well Name and No Nasser Federal #1	
2 Name of Ope	Stevens & Tull, Inc.	<u> </u>	9 API Well No N/A	
3 Address and	P.O. Box 11005, Mid	·	10 Field and Pool, or Exploratory Area	
Location of Well (Footage, Sec. T. R. M., or Survey Description) 1980' FNL & 660' FEL Sec. 1, T-21-S, R-21-E			Exploratory Area 11. County or Parish, State Eddy, NM	
12	CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
	TYPE OF SUBMISSION	TYPE OF ACTION		
-1	Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection	
13 Describe Progree su 2/26/94	bsurface locations and measured and true vertice	Other Surface Casing Il pertinent details, and give pertinent dates, including estimated date of startinal depths for all markers and zones pertinent to this work.) - spud well @ 3:30 p.m.	Dispose Water (Note Report results of multiple completion on Well Completion or Recompletion Report and Log form) ag any proposed work If well is directionally drilled.	
2/27/94	TD surface hole @ 406' 54.50#, J-55 - 409' to + 2% CA CL2 + 1/2#/sx Seal, + 200 SX "C" + 2 123'. Stage 9 times a	- Lost 100% returns at 92'. RIH w/ tal casing. Cement w/100 sx "H" + 12 Cello-Seal, + 170 sx "C" + 4% gel + 2% CA CL_2 . Cement did not circulate - s follows: (1) 100 sx, (2) 50 sx (3) al to drop 2 Cu Yd . of pea gravel (7)	% Thixade + 15#/sx Gilsonite % CA CL ₂ + 1/4#/sx Cello- Run 1" + tag TOC at 50 sx (4) 50 sx, (5) 50 sx 50 sx, (8) 30 sx,	
		J. Jan 2 1994	RECEIVED ARIS 9 10 46 M 94	
Signed	Purple Williams the foregoing is true and correct with th	Engineer		
Approved	by of approval, if any:	Title	Date	

or representations as to any matter within its jurisdiction.

NM -L CONS COMMISSION . Dra Jr DD Artesia, NM 88210

Form 3160-5

Approved by Conditions of approval, if any

UNITED STATES

 FORM	1 APPR	OVI	ED	
Budget Bur	cau No	10	04-0135	
Expires	Marcn	31,	1993	
 				_

Date

June 1990)		T OF THE INTERIOR	Expires March 31, 1993
	BUREAU OF I	LAND MANAGEMENT	5 Lease Designation and Serial No NM27451
Do not us	se this form for proposals to dr	AND REPORTS ON WELLS III or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
	SUBMIT	IN TRIPLICATE	7 If Unit or CA. Agreement Designation
I Type of Well Oil Well 2 Name of Op	Gas Other		8 Well Name and No Nasser Federal #1
	Stevens & Tull, Inc.		9 API Well No N/A
3 Address and Telephone No. P.O. Box 11005 Midland, TX 79702 (915)699-1410			10 Field and Pool, or Exploratory Area Exploratory Area
4 Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980' FNL & 660' FEL Sec. 1, T-21-S, R-21-E			11 County or Parish, State Eddy, NM
12 (CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOF	
	TYPE OF SUBMISSION	TYPE OF ACTION	P. A.
	Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
	Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off
	Final Abandonment Notice	Altering Casing Altering Casing Other Intermediate casing	Conversion to Injection
		Il pertinent details, and give pertinent dates, including estimated date of starting cal depths for all markers and zones pertinent to this work.)*	7,75
3/3/94	9 5/8" casing, 36#, J- 15#/sx Gilsonite + 1/1 cement did not circuland tag TOC @ 1014'. (1) 35 sx, (2) 100 sx pea gravel, (5) 150 s	2 1795' - Lost 100% returns at 869'55, total 1798'. Cement w/625 sx Pac 2#/sx Cello-Seal + 3% CA CL ₂ , + 200 sx ate. Temperature survey shows TOC @ 11 Stage cement 7 times as follows: , (3) 35 sx, (4) 35 sx, BLM approval t x, (6) 50 sx (7) 109 sx circulate to s staging was done under BLM supervision	esetter Lite + "C" + 1% CACL2 - 00' - RIH w/1" o drop 1/2 Cu Yd. of ourface 8 sx - BLM
		MAR 2 º 1994	REDE BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA BARLA B
	,		16. W 9h
14. I hereby o	erify that the foregoing is true and correct Miles J Wilsonic	11tle Engineer	
(This space	e for Federal or State office use)		1

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title .

Form 3160-5 (June 1990)

AN.	OIL	CONS	COMMISSION
	wer		

1	151
	t

Artesia, NM 84210 VED UNITED STATES Budget Bureau No. 1004-0135 DEPARTMENT OF THE INTERIOR Expires March 31, 1993 BUREAU OF LAND MANAGEMENT 5 Lease Designation and Serial No NM27451 SUNDRY NOTICES AND REPORTS ON WELLS 6 If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE Type of Well Oil Well X Gas Well 8 Well Name and No. Other 2 Name of Operator Nasser Federal #1 Stevens & Tull, Inc. 9 API Well No 3 Address and Telephone No. N/A 10. Field and Pool, or Exploratory Area P.O. Box 11005, Midland, Texas 79702 915-699-1410 4 Location of Well (Footage, Sec., T., R., M., or Survey Description) Exploratory Area 1980' FNL & 660' FEL 11 County or Parish, State Section 1, T-21-S, R-21-E Eddy County, NM CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Change of Plans Abandonment Recompletion New Construction X Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Other Production Casing Dispose Water (Note Report results of multiple completion on Well Completion or Recompletion Report and Log form I 13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)* 3/17/94 TD well at 8250' 5 1/2" 3/18/94 Run in hole with 202 joints - 8223', \holdsymbol{\chi}17# - N80 casing with 17 centralizers spaced every 3rd joint from bottom, cement with 925 sx Class "H" + 8#/sx CSE + 0.35% Thrifty Lite + 0.5% CF-14 - Cement did not circulate. 3/21/94 Run CBL, TOC @ 4800', PBTD @ 7988' Engineer PMM Title 3/7/94 Approved by Conditions of approval, if any Title

Title 18 U S C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.