

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-20573
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K6290
7. Lease Name or Unit Agreement Name: Grace Carlsbad
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Carlsbad Canyon, South (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM NO. 101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>south</u> line and <u>660</u> feet from the <u>east</u> line Section <u>36</u> Township <u>22S</u> Range <u>26E</u> NMPM <u>Eddy</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3208' GR	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 6/19/10

Type or print name David Stewart

E-mail address: david_stewart@oxy.com
Telephone No. 432-685-5717

For State Use Only

APPROVED BY David Stewart TITLE Approval Granted providing work DATE 6/23/2010
Conditions of Approval, if any: is complete by 9/23/2010


TD-11875' PBTB-10015' Perfs-9946-9962'

13-3/8" 48# csg @ 382' w/ 400sx, 17-1/2" hole, TOC-Surf-Circ
9-5/8" 36-40# csg @ 5200', w/ 1200sx, 12-1/4" hole, TOC-1451'-TS
7" 23-26# csg @ 10727' w/ 335sx, 8-3/4" hole, TOC-8606'-TS
4-1/2" liner @ 10634-11875' w/ 200sx, 6-1/4" hole, TOC-10634'-Circ

1. RIH & set CIBP @ 9896', M&P 25sx cmt
2. Cut & pull 7" csg @ +/- 8500'
3. M&P 70sx cmt @ 8595-8405' WOC-Tag
4. M&P 80sx cmt @ 7055-6885'
5. M&P 70sx cmt @ 5250-5100' WOC-Tag
6. M&P 65sx cmt @ 3630-3494'
7. M&P 60sx cmt @ 2025-1905' WOC-Tag
8. Perf 9-5/8" csg @ 432', sqz 350sx cmt to surface
10# MLF between plugs

*If CSB Not Pulled. cmt Plugs
will be Perf. & Squar -TAS.*

OXY USA Inc.
Grace Carlsbad #1
API No. 30-015-20573



17" hole @ 382'
13-3/8" csg @ 382'
w/ 400sx-TOC-Surf-Circ

12-1/4" hole @ 5200'
9-5/8" csg @ 5200'
w/ 1200sx-TOC-1451'-TS

PB-10015'

6/07-CR @ 10052' sqz w/ 310sx w/ 35' on CR

Fish left in hole consisting of
Mod K Dual Pkr @ 10169'
SS-2-3/8" tbg @ 10054-10169'
LS-2-3/8" tbg @ 10150-11380'
Mod A Pkr @ 11380'

PB-11764'

TD-11875'

Perfs @ 9946-9962'

8-3/4" hole @ 10727'
7" csg @ 10727'
w/ 335sx-TOC-8606-TS

Perfs @ 10270-10492'

6-1/4" hole @ 11875'
4-1/2" liner @ 10634-11875'
w/ 200sx-TOC-10634'-Circ

Perfs @ 11486-11514'

OXY USA Inc. - Proposed
Grace Carlsbad #1
API No. 30-015-20573

350sx @ 432'-Surface

60sx @ 2025-1905'

65sx @ 3630-3494'

70sx @ 5250-5100' WOC-Tag

80sx @ 7055-6885'

70sx @ 8595-8405' WOC-Tag


CIBP @ 9896' w/ 25sx

PB-10015'

6/07-CR @ 10052' sqz w/ 310sx w/ 35' on CR

Fish left in hole consisting of
Mod K Dual Pkr @ 10169'
SS-2-3/8" tbg @ 10054-10169'
LS-2-3/8" tbg @ 10150-11380'
Mod A Pkr @ 11380'


PB-11764'



Perf @ 432'

17" hole @ 382'
13-3/8" csg @ 382'
w/ 400sx-TOC-Surf-Circ

12-1/4" hole @ 5200'
9-5/8" csg @ 5200'
w/ 1200sx-TOC-1451'-TS



Cut & Pull 7" @ +/- 8500'

Perfs @ 9946-9962'

8-3/4" hole @ 10727'
7" csg @ 10727'
w/ 335sx-TOC-8606-TS

Perfs @ 10270-10492'

6-1/4" hole @ 11875'
4-1/2" liner @ 10634-11875'
w/ 200sx-TOC-10634'-Circ

Perfs @ 11486-11514'

TD-11875'