FAX NO. :8173340442

Jun. 07 2010 02:04PM P1

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aziec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fc. NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fc. NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or			
Proposed Alternative Method Permit or Closure Plan Application			
Type of action:  Permit of a pit(closed-loop system,) below-grade tank, or proposed alter Closure of a pit, closed-loop system, below-grade tank, or proposed alto Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade in the closed-loop system.	mative method emative method pit, closed-loop system,		
Please be advised that approval of this request does not relieve the operator of bubility should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
Operator: Hudson Oil Company of Texas OGRID 4: 025111			
Address: _616 Texas Street Fort Worth, TX 76102	JUN - 8 2010		
Facility or well name:Puckett North # 8	NINOOD ADTECTA		
API Number: 30-0/5-37947 OCD Permit Number: 210507	NMOCD ARTESIA		
U/L or Qtr/Qtr G Section 12 Township 178 Range 31E County Edd	<u> </u>		
Center of Proposed Design. Latitude Longitude	NAD: 🔲 1927 🔲 1983		
Surface Owner: Tiederal State Private Tribal Trust or Indian Allotment			
Pit: Subsection F or G of 19.15.17.11 NMAC   Temporary.   Drilling   Workover			
Permanent Emergency Cavitation P&A			
Lined Unlined Liner type: Thickness mil LLDPE UNDPE PVC Other			
String-Reinforced			
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L	x Wx D		
3. Closed-long System: Subsection 11 of 19.15.17.11 NMAC			
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)			
Drying Pad Above Ground Steel Tanks 🔀 Haul-off Bins 🗖 Other			
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other	,		
Liner Seams:  Welded  Factory Other			
Below-grade tank: Subsection I of 19.15.17.11 NMAC			
Volume:bbl Type of fluid:			
Pank Construction material:			

Liner type: Thickness

Alternative Method:

☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.


Secondary containment with leak detection [ Visible sidewalls, liner, 6-inch lift and amomatic overflow shut-off

mil | HDPE | PVC | Other

D.			
Fencing: Subsection D of 19.15,17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, haspital, insulation or church)			
institution or church)  [] Four floot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify			
7,			
Netting: Subsection E of 19, 15,17.11 NMAC (Applies to permanent pits and permanent open top tunks)  Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
Shans: Subsection C of 19.15.17.11 NMAC	į		
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvate and Exceptions:			
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a hox if one or more of the following is requested, if not leave blank:			
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Pe Environmental Bureau office for			
consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
10,	-,		
Shing Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The application must demanstrate compliance for each sking criteria below in the application. Recommendations of accep	table source		
moterial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro-	ortate district		
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  Applicant must attack justification for request. Flease refer to 19.15.17.10 NMAC for guidance. Siting oriteria does not apply to drying pads or			
above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or takehed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No		
- Topographic map: Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No		
- Visual inspection (certification) of the proposed site; Aurial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)	☐ Yes ☐ No ☐		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<b></b>		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yex ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yex ☐ No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland.	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	L] Yes [] No		

.:

11.
Tempurary Pits, Emergency Pits, and Below-grade Tanks Pormit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
Hydrogeologic Report (Below-grade Tanks) - hased upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Pleuse complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number.
Closed-luop Systems Permit Application Attachment Checklist: Subscotion B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please Indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: 36-015-37161
Previously Approved Operating and Maintenance Plan API Number: 30-015-37/6/(Applies unly to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the hax, that the documents are attached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>3</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the uppropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable haxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Pennanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Cleaure Plan Checkitat: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection P of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC



DRIlling Contractor will operate and maintain closed-Loop System - drilling fluide and cuttings will be hould to CRI For disposal

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Rins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of limited by the facility of facilities for the disposal of limited by the facility of facilities for the disposal of limited by the facility of facilities for the disposal of limited by the facility of facilities for the disposal of limited by the facility of facilities for the disposal of limited by the facilities for the disposal of limited by the facilities of the facilities for the disposal of limited by the facilities of the facilitie	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
the deposit of the deposit of papers and arithment of the deposit	more than two
Disposal Facility Name: Lont Rolled Recovery Inc. Disposal Facility Permit Number: R 1966	
Disposal Facility (Name):	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future services (If yes, please provide the information below) (If No	vice and operations?
Required for Impacted areas which will not be used for future service and operations:  Soil Buckfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	c
17. Sking Criteria (regarding on-site clusure methods only): 19.15.17.10 NMAC Instructions: Each string criteria requires a demonstration of compilance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate distanced on exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivolency are required. Please refer to 19.15.17.10 NMAC for guidance.	elet office or mon he
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS detabase search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes   No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or plays lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site: Aerial photo; Satellite image	∐ Yes □ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes 🗋 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mino.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yea ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Goology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	∏ Yes □ No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure pithy a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC.  Proof of Surface Owner Notice - based upon the appropriate requirements of \$19.15.17.13 NMAC.  Construction/Design Plan of Burial Trench (if applicable) hased upon the appropriate requirements of 19.15.17.11 NMAC.  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC.  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC.  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC.  Sic Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC.  Sic Reclamation Plan - based upon the appropriate requirements of Subsection Of 19.15.17.13 NMAC.	.15.17.11 NMAC

Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): J-B. Smith		
Signature: 18-2010		
e-mail address Tolephone: 575-365-8064		
0CD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)		
7215 21) 1) 20/2		
OCD Representative Signature: DUV R. 1600 Approval Date: 07/07/20/0		
Title: DIST & Supervisor OCD Permit Number: 2/0507		
17. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
Closure Completion Date:		
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain		
215, Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Rins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name: Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the stems below) \( \subseteq \text{No} \)		
Required for impacted areas which will not be used for future service and operations:		
Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
1,		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.		
Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (required for on-site closure)		
Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable)		
Wuste Material Sampling Analytical Results (required for on-site closure)		
Disposal Facility Name and Permit Number		
Soil Buckfilling and Cover Installation  Re-vegetation Application Rates and Secting Technique		
[ Site Reclamation (Photo Documentation)		
On-site Closure Location: Lutitude Longitude NAD: 1927 1983		
THE STATE OF THE S		
Operator Closure Certification:  Thereby certify that the information and attachments submitted with this closure report in true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):		
Signature: Date:		
c-mail address:		