District I 1625 N French Dr., Hobbs, NM 88240

Strict II 1301 W Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

environment. Nor does approval relieve the operator of its responsibility to comply wi	th any other applicable governmental author		
Operator:Devon Energy Production Co., LP	OGRID #:6137	RECEIVED	
Address 20 North Broadway OKC, OK 73102-8260		JUL 1 2010	
Facility or well name:Burton Flat Deep Unit 2		1	
API Number:30-015-20762OCD Permit N	umber: 210495	NMOCD ARTESIA	
U/L or Qtr/Qtr SENW Section 2 Township 21S Range 27E County. Eddy County, NM			
Center of Proposed Design: Latitude Longitude NAD: \[\sqrt{1927} \sqrt{1983}			
Surface Owner: ☐ Federal ☑ State ☐ Private ☐ Tribal Trust or Indian Allotment			
2. ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC ☐ Operation: ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A ☐ Above Ground Steel Tanks or ☐ Haul-off Bins 3. Signs: Subsection C of 19.15.17.11 NMAC			
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17.13 NMAC □ Previously Approved Design (attach copy of design) API Number: □ Previously Approved Operating and Maintenance Plan API Number:			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.			
Disposal Facility Name CRI	Disposal Facility Permit Number.	R9166	
Disposal Facility Name:	Disposal Facility Permit Number		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No			
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Operator Application Certification:		,	
I hereby certify that his information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print):			
Signature:	Date:06/29/2010		
e-mail address Stephanie. Ysakaga@dvn.com	(405)-552-7802_		
Lorm C-144 CLEZ Oil Conservato	17	Lanci C	

7. <u>PCD Approval:</u> Permit Application (including closur	re plan) [Closure Plan (only)
OCD Representative Signature:	
Title: D15T IL SYDE	OCD Permit Number: 210495
The closure report is required to be submitted to the divisi	pletion): Subsection K of 19.15 17.13 NMAC ed closure plan prior to implementing any closure activities and submitting the closure report. ion within 60 days of the completion of the closure activities. Please do not complete this en obtained and the closure activities have been completed. Closure Completion Date:
9.	
	Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number.
Disposal Facility Name	
	ivities performed on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Sceding Technical	·
	itted with this closure report is true, accurate and complete to the best of my knowledge and icable closure requirements and conditions specified in the approved closure plan
Name (Print):	Title:
Signature:	
c-mail address:	Telephone:



Commitment Runs Deep



Design Plan
Operation & Maintenance Plan
Closure Plan
Workover Operations

SENM July 2008

I. Design Plan

Above ground steel tanks will be used for the management of all workover fluids.

II. Operations and Maintenance Plan

Devon will operate and maintain all of the above ground steel tanks involved in workover operations in a prudent manner to prevent any spills. If a leak develops, the appropriate division district office will be notified within 48 hours of the discovery and the leak will be addressed. During an upset condition the source of the spill is isolated and addressed as soon as it is discovered. Free liquids will be removed and loose topsoil will be used to stabilize the spill. The contaminated soil will be either bio-remediated or excavated and taken to an agency approved disposal facility.

III. Closure Plan

All workover fluids will go to above ground steel tanks and will be hauled by various trucking companies to an agency approved disposal facility.

Impacted areas which will not be used for future service or operations will be reclaimed and reseeded as stated in the APD.