District I . 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ☐ Permit ☐ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability she environment. Nor does approval relieve the operator of its responsibility to comply with		
i. Operator: CHEVRON U.S A INC. OGRID #: 4323		
Address: 15 SMITH ROAD, MIDLAND, TEXAS 79705		
Facility or well name SKELLY UNIT #949		
API Number: 30-015-32968 OCD Permit Number:	210493	
U/L or Qtr/Qtr N Section 15 Township 17-S Range 31-E County: EDDY 330' FSL, & 1650' FWL		
Center of Proposed Design Latitude Longitude NAD 19	27 🔲 1983	
Surface Owner. A Federal State Private Tribal Trust or Indian Allotmer	nt	
2		
Operation: Drilling a new well Workover or Drilling (Applies to activities	which require prior approval of a permit or notice of intent) P&A	
☐ Above Ground Steel Tanks or ☒ Haul-off Bins		
3.		
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency	y talanhana numbaya	
Signed in compliance with 19.15 3.103 NMAC	y telephone numbers	
4		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B Instructions: Each of the following items must be attached to the application. F		
 attached. ☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMA ☑ Operating and Maintenance Plan - based upon the appropriate requirements ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements 	of 19 15 17 12 NMAC	
Previously Approved Design (attach copy of design) API Number:		
Previously Approved Operating and Maintenance Plan API Number.		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17.13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
Disposal Facility Name CONTROLLED RECOVERY INC.	Disposal Facility Permit Number: R9166-NM-01-0000	
	Disposal Facility Permit Number.	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19 15.17.13 NMAC n Lof 19 15 17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection.	e requirements of Subsection H of 19 15.17.13 NMAC n Lof 19 15 17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19 15.17.13 NMAC n I of 19 15 17.13 NMAC tion G of 19 15 17 13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsect 6. Operator Application Certification:	the requirements of Subsection H of 19 15.17.13 NMAC in Lof 19 15 17.13 NMAC it toon G of 19 15 17 13 NMAC it toon G of 19 15 17 13 NMAC in the analysis of the best of my knowledge and belief	
Site Reclamation Plan - based upon the appropriate requirements of Subsection. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate	the requirements of Subsection H of 19 15.17.13 NMAC in Lof 19 15 17.13 NMAC it toon G of 19 15 17 13 NMAC it toon G of 19 15 17 13 NMAC in the analysis of the best of my knowledge and belief	

•		
•		
OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date: 06/30/10	
Geologist		
Title:	OCD Permit Number: Z/0 493	
8 Cl P // 1 P // 2 P //		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.		
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this		
section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
9,		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than		
two facilities were utilized.	ing futus and articeutings were asposed. Ose andenment if more than	
Disposal Facility Name: CONTROLLED RECOVERY INC.	Disposal Facility Permit Number: R9166-NM-01-0000	
Disposal Facility Name.	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operations.		
Site Reclamation (Photo Documentation)		
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique		
10		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and		
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print).	Title·	
Signature.	Date:	
e-mail address:	Telephone:	

Closed Loop Operation & Maintenance Procedure

All drilling fluids are circulated over shakers and through steel work-over tanks.

Fines from shaker are dropped into stand by metal tank.

Additional tanks are used to capture unused drilling fluid or cement returns from casing jobs, as necessary.

At end of job, drilling fluid is disposed in a proper off location 3rd party injection well while fines are disposed of at a proper 3rd party waste disposal site.

This equipment will be maintained by rig crews that are on location.

COG Operating LLC Closed Loop Equipment Diagram -Yeso Deepenings Stand -by /Cuttings Steel Pit Shaker Mud Pump Steel Pit Water Tank Flow line Workover Rig Footprint Well Pipe Racks Skelly Unit 949 Chevron USA Inc. 30-015-32968 June 7, 2010 Conditions of Approval

- 1. Work to be complete within 1 year.
- 2. Surface disturbance beyond the existing pad requires prior approval.
- 3. Closed loop system to be used.
- 4. H2S monitoring equipment should be onsite for personnel protection from surrounding oil operations. Operator should not encounter H2S while deepening.
- 5. BOP to be tested to 1000 psi based on BHP expected.
- 6. Variance for stand-off of less than 0.422" is approved due to NMOCD classifying the formations in this area as the Yeso group.
- 7. Variance approved for a minimum tie back of 50'. When plugged, cement plug will be required across this tie back and across squeezed perforations.
- 8. Variance for not testing seal also approved based on NMOCD classification of formations in this area as the Yeso group.
- 9. If cement does not circulate to DV tool, the appropriate BLM office is to be notified.
- 10. Test casing as per Onshore Order 2.III.B.1.h.
- 11. Subsequent sundry detailing work and current well test data are to be submitted when work is complete.

CRW 060710