


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007



GENERAL DUNDY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1 Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2 Name of Operator
BOPCO, L.P.

3a Address
P O Box 2760 Midland Tx 79702

3b Phone No (include area code)
(432)683-2277

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)
NWSW, UL L, 1830' FSL, 760' FWL of Sec 17, T24S, R30E
Lat - N 32.215417 deg, Long - W 103.909750 deg

5 Lease Serial No
NMNM 02860

6 If Indian, Allottee or Tribe Name

7 If Unit or CA/Agreement, Name and/or No
NMNM 71016X

8. Well Name and No
Poker Lake Unit #260

9 API Well No
30-015-34463

10 Field and Pool, or Exploratory Area
Nash Draw (Delaware/B.S./Avalon SD)

11 County or Parish, State
Eddy
New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other PB Within the
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Nash Draw (Del,
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	B.S., Avalon)

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BOPCO, L.P. respectfully wishes to request permission to set a bridge plug at 7,470' with 35' cement over the Avalon perms which are @ 7,480' - 7,500'. PBTD is 7,435' and O A. perms in the wellbore will be 7,188' - 7,354'.

**SEE ATTACHED FOR
CONDITIONS OF APPROVAL**

14 I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Sandra J. Belt ext. 149

Title Sr. Regulatory Clerk

Signature

Sandra J. Belt

Date 06/21/2010

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Date AUG 27 2010

/s/ Chris Walls

BUREAU OF LAND MANAGEMENT

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

dm

712

AVALON CONTRIBUTION

30-015-33915

30-015-33860

30-015-34463

[illegible]

**Poker Lake Unit 260
30-015-34463
BOPCO
August 4, 2010
Conditions of Approval**

- 1. Bridge plug must be set 50-100' above perforations.**
- 2. Surface disturbance beyond the originally approved pad must have prior approval.**
- 3. Closed loop system required.**
- 4. A minimum of a 2M BOP is required and must be tested prior to performing operations.**
- 5. Subsequent sundry required.**
- 6. Work to be completed in 90 days.**

CRW 080410