Form 3160-5 (February 2005)

1. Type of Well

OCD-ARTESIA UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

	FORM APPROVED
	OMB No. 1004-0137
	Expires March 31, 200
ago Carial No	

7. If Unit of CA/Agreement, Name and/or No.

NM 71016A

5. Lease Serial No. NMLC - 064894A

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

SUBMIT IN TRIPLICATE - Other instructions on page 2.

abandoned well. Use Form 3160-3 (APD) for such proposals.

Oil Well Gas W	ell		8. Well Name and No R and B Federal #0).)01Y	
Name of Operator Giant Operating LLC			9. API Well No. 30-015-04573 /	9. API Well No. 30-015-04573 / 4753	
3a. Address 2100 Ross Ave , Suite 950, Dallas, TX 75201	3b. Phoi 214-692	ne No. <i>(include area code)</i> 2-6200	10. Field and Pool or	10. Field and Pool or Exploratory Area Corral Canyon, Delaware	
4. Location of Well (Footage, Sec., T., I	R.,M., or Survey Description)		1	11. Country or Parish, State	
611 FNL & 614 FWL 17-25S-30E, NMPM			Eddy, New Mexico		
12. CHEC	K THE APPROPRIATE BOX(ES) TO	O INDICATE NATURE C	OF NOTICE, REPORT OR OTH	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	Other	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		
following completion of the involve	ork will be performed or provide the ed operations. If the operation results Abandonment Notices must be filed or final inspection.)	in a multiple completion on a multiple completion on the street all requirements, street all requirements all requirements all requirements.	or recompletion in a new interva	al, a Form 3160-4 must be filed once on completed and the operator has	
	N PROCEDURE CHED			RECEIVED OCT 06 2010 NMOCD ARTESIA	
14 I hereby certify that the foregoing is tr	ue and correct.				
Name (Printed/Typed) Karen Cook		Title Receiver for	or Giant Operating LLC		
Signature	Je.	Date 09/14/2010			
	THIS SPACE FOR F	EDERAL OR STA	TE OF MET PROVE		
Conditions of approval, if any, are attached that the applicant holds legal or equitable tientitle the applicant to conduct operations to Title 18 U S C. Section 1001 and Title 43 fictitious or fraudulent statements or repre	Approval of this notice does not warrattle to those rights in the subject lease whereon.	Title ant or certify nich would Office	OCT 4 2010	Date	
			TO THE UTILITY OF THE PROPERTY	TOL .	

Operator: Calvin & Alma Tennison Surface Lease: LC064894A Producing Lse No. LC064894A Unit or CA No. N. A.

Subsurface Concerns for Casing Designs:

Well Status: POW Spud date: 6/1/1960 Well: R & B Federal A 1Y API: 3001504753

@ Srfce: T25S-R30E, Sec 17, 611FNL & 614FWL

@ M TD: N.A.

KB: 3209 GL: 3199 Corr: 10

Perforate at 60', set Class C plug inside and outside to surface.

777 TOC

775, 11"hole, 8.625"csg, 24#, 300sx circ cmt to surface

Perforate at 825', attempt to establish circulation.
If circulation est, pump 25 sack Class C plug and tag at 720' or shallower.

No circulation, set plug from 875-720' and tag.

Perforate at 2905' and attempt to establish circulation. If ciculation est, pump 35 sack plug and tag at 2800'. No circ, set plug from 2955-2800'. Tag at 2800'

(2855 T Salt)

(3409 B Səlt)

(Lamar 3612) (3640 Delaware)

<3662-69 06/12/1960>

708, 7.875 hole, S.5"csg, 14#, 260sx, circ 0sx

Plug required from TD to 50' above salt. Operator to set 50 sack Class C plug and tag at 3350' or shallower.

Operator: Calvin & Alma Tennison
Surface Lease: LC064894A
Producing Lse No: LC064894A
Unit or CA No: N. A.
Subsurface Concerns for Casing Designs: , , K, ,
Well Status: POW well: R & B Federal A 1Y API: 3001504753 @ Srfce: T25S-R30E, Sec 17, 611FNL & 614FWL @ M TD: N.A. KB: 3209 <u>GL: 3199</u> Corr: 10 Spud date: 6/1/1960 11"hole, 8.625"csg, 24#, 300sx circ cmt to surface

(2855 T Salt)

(3409 B Salt)

(Lamar 3612) (3640 Delaware)

3662-69 06/12/1960>

3708, 7.875"hole, 5.5"csg, 14#, 260sx, circ 0sx

Diagram last updated: 09/14/2010

Received Time Sep. 14. 2010 5:44 PM No. 1662

Giant Operating, LLC NMLC-064894-A: R and B Federal #1Y API: 30-015-04753 Eddy County, New Mexico

RE: Plugging and Abandonment Requirements, Conditions of Approval

- 1. OK (Perfs Delaware BOS)
- 2. Plug to be a minimum of 130' in length Otherwise OK (TOS)
- 3. OK (Casing shoe)
- 4. OK (Surface)
- 5. Verify that all annuluses have cement to surface and fill in as required Otherwise OK.
- 6. Submit a subsequent report to the BLM.

H2S equipment should be on location.

See attached standard COAs.

DHW 092810

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. Cement Requirement: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. In lieu of a cement plug in a cased hole, a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Any plug that requires a tag will have a minimum WOC time of 4 hours.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

- 6. Dry Hole Marker: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified when the wellhead is cut off to verify that cement is to surface in the casing and all annuluses. The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement. The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).
- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and five copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation procedure.

DHW 112309



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.

- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.
- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Environmental Protection Specialist 575-234-5909, 575-361-2648 (Cell)

Terry Gregston Environmental Protection Specialist 575-234-5958

Bobby Ballard Environmental Protection Specialist 575-234-2230

Randy Rust Natural Resource Specialist 575-234-5943

Linda Denniston Environmental Protection Specialist 575-234-5974

Jennifer Van Curen Environmental Protection Specialist 575-234-5905

Justin Frye Environmental Protection Specialist 575-234-5922 Cody Layton Natural Resource Specialist 575-234-5959

Trishia Bad Bear Natural Resource Specialist 575-393-3612

Todd Suter Surface Protection Specialist 575-234-5987

Doug Hoag Civil Engineering Technician 575-234-5979

Tanner Nygren Natural Resource Specialist 575-234-5975

John Fast Natural Resource Specialist 575-2345996