

Submit 1 Copy To Appropriate District
Office
District I
1425 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-23948
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation		6. State Oil & Gas Lease No.
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210		7. Lease Name or Unit Agreement Name Platt PA
4. Well Location Unit Letter <u>E</u> : <u>2310</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>West</u> line Section <u>26</u> Township <u>18S</u> Range <u>26E</u> NMPM Eddy County		8. Well Number 6
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3314'GR		9. OGRID Number 025575
		10. Pool name or Wildcat Atoka Yeso

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPS. ☐ **Notify OGD 24 hrs. prior to any work done.**
CASING/CEMENT JOB ☒


OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. MIRU WSU. NU BOP. RU all safety equipment as needed. POOH with production equipment.
2. RIH with GR/JB to +/-2710'.
3. Set a 4-1/2" CIBP at 2684' with 35 sx Class "C" cement on top. This will place a plug from 2184'-2684' across Glorieta top and over perforations.
4. Spot a 65 sx cement plug across surface casing shoe from 0-928'. WOC and tag plug, reset if necessary.
5. Cut off wellhead, install marker and clean up location as per regulated.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE October 25, 2010

Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE Approval Granted providing work is complete by 10/23/2011 DATE 10/28/2010
Conditions of Approval (if any):

WELL NAME: Platt PA #6 FIELD: _____

LOCATION: 2,310' FNL & 990' FWL of Section 26-18S-26E Eddy Co., NM

GL: 3,314 ZERO: _____ KB: _____

SPUD DATE: 10/2/81 COMPLETION DATE: 12/8/81

COMMENTS: API No.: 30-015-23948

CASING PROGRAM

7" 20#	920'
4-1/2 9.5#	3,564'

9-7/8" Hole

Before

7" @ 920' w/550 sx
1"ed to surface w/250

TOPS

SA 1,063'
Glorieta 2,596'

6-1/4" Hole

Yeso Perfs: 2,734-3,304'

4-1/2" @ 3,564' w/375 sx
(Circ)

TD: 3,600'

Not to Scale
9/22/10
DC/Hilt

WELL NAME: Platt PA #6 FIELD: _____

LOCATION: 2,310' FNL & 990' FWL of Section 26-18S-26E Eddy Co., NM

GL: 3,314 ZERO: _____ KB: _____


SPUD DATE: 10/2/81 COMPLETION DATE: 12/8/81

COMMENTS: API No.: 30-015-23948

CASING PROGRAM

7" 20#	920'
4-1/2 9.5#	3,564'

9-7/8" Hole



65 SX Plug from 0' - 928'

7" @ 920' w/550 sx
1"ed to surface w/250

After

TOPS

SA 1,063'
Glorieta 2,596'

6-1/4" Hole

35 SX Plug from 2184' - 2,684'
CIBP at 2,684'

Yeso Perfs: 2,734-3,304'

4-1/2" @ 3,564' w/375 sx
(Circ)

TD: 3,600'

Not to Scale
10/05/10
DC/Hill