

DISTRICT I
1025 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised July 16, 2010
Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-015-38431	Pool Code 96210	Pool Name Empire; Glorieta-Yeso
Property Code 38427	Property Name MARACAS "22" STATE	Well Number 11
OGRID No. 162683	Operator Name CIMAREX ENERGY CO. OF COLORADO	Elevation 3595'

Surface Location



UL or lot No. H	Section 22	Township 17 S	Range 28 E	Lot Idn	Feet from the 1450	North/South line NORTH	Feet from the 990	East/West line EAST	County EDDY
--------------------	---------------	------------------	---------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------

Bottom Hole Location If Different From Surface

UL or lot No. A	Section 22	Township 17 S	Range 28 E	Lot Idn	Feet from the 990	North/South line NORTH	Feet from the 990	East/West line EAST	County EDDY
--------------------	---------------	------------------	---------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

Dedicated Acres 80	Joint or Infill	Consolidation Code	Order No. NSL Pending
-----------------------	-----------------	--------------------	--------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <u>Natalie Krueger</u> Date: <u>1/25/2011</u> Printed Name: <u>Natalie Krueger</u> Email Address: <u>nkrueger@cimarex.com</u>
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.  Date Surveyed: <u>OCTOBER 14, 2010</u> Signature & Seal of Professional Surveyor: <u>[Signature]</u> Certificate No. Gary L. Jones 7977 BASIN SURVEYS 23454

Mud, Casing, Cementing, and BOP Attachment
Maracas 22 State No. 11
 Cimarex Energy Co. of Colorado
 Unit H, Section 22
 T17S-R28E, Eddy County, NM

In response to questions asked under Section II B of Bulletin NTL-6, the following information is provided for your consideration:

Location: SHL 1450 FNL & 990 FEL
 BHL 990 FNL & 990 FEL

Elevation above sea level: 3595' GR

Proposed drilling depth: 5025'

Proposed Drilling Plan: After setting surface casing, drill to KOP 600 with 7 $\frac{7}{8}$ " bit and kick off to drill directional to TD of 5025 MD, 5000 TVD. Set and cement 5 $\frac{1}{2}$ " production casing.

Proposed Mud Circulating System:

Depth	Mud Wt	Visc	Fluid Loss	Type Mud
0' to 400'	8.4 - 8.6	28	NC	FW
0' to 5025'	10.0	30-32	NC	Brine water

Sufficient mud materials will be kept on location at all times in order to combat lost circulation or unexpected kicks. In order to run DSTs, open hole logs, and casing, the viscosity and water loss may have to be adjusted in order to meet these needs.

Casing & Cementing Plan:

String	Hole Size	Depth	Casing OD	Weight	Collar	Grade
Surface	12 $\frac{1}{4}$ "	0' to 400'	New 8 $\frac{5}{8}$ "	24#	STC	J-55
Production	7 $\frac{7}{8}$ "	0' to 5025'	New 5 $\frac{1}{2}$ "	17#	LTC	J-55

Cementing Plan:

Surface Lead: 600 sx Class H
 Tail: 500 sx Class H
TOC Surface

Production Lead: 700 sx Class H
 Tail: 600 sx Class H
TOC 0'

Fresh water zones will be protected by setting 8 $\frac{5}{8}$ " casing at 400 and cementing to surface. Hydrocarbon zones will be protected by setting 5 $\frac{1}{2}$ " casing at 5025 and cementing to surface.

Collapse Factor
 1.125

Burst Factor
 1.125


Tension Factor
 1.6

Location:	Eddy County, NM	Slot:	No. 11 SHL
Field:	Paddock Binary Filed	Web:	No. 11
Fanning:	Mesa's 22 State No. 11	Wellbore:	No. 11 P/B

**BAKER
HUGHES**
INTEQ

Well Profile Data							
Design Component	N/2 (in)	N+1/2	A+1/2	T/2 (in)	Location	Loss (ft)	V/L (ft)
Ta-O	0.0	0.000	384.528	0.0	0.0	0.00	0.00
Eu-O	650.00	0.000	384.823	650.00	3.62	0.00	0.00
Eu-O	800.37	5.787	384.818	800.37	-0.34	2.00	0.00
Eu-L	800.37	5.787	384.818	800.37	-0.34	2.00	410.27

1. <u>Politična organizacija</u> (1)	2. <u>Ime in priimek</u> (1)	3. <u>Ime in priimek</u> (1)	4. <u>Ime in priimek</u> (1)	5. <u>Ime in priimek</u> (1)	6. <u>Ime in priimek</u> (1)	7. <u>Ime in priimek</u> (1)	8. <u>Ime in priimek</u> (1)	9. <u>Ime in priimek</u> (1)	10. <u>Ime in priimek</u> (1)	11. <u>Ime in priimek</u> (1)	12. <u>Ime in priimek</u> (1)	13. <u>Ime in priimek</u> (1)	14. <u>Ime in priimek</u> (1)	15. <u>Ime in priimek</u> (1)	16. <u>Ime in priimek</u> (1)	17. <u>Ime in priimek</u> (1)	18. <u>Ime in priimek</u> (1)	19. <u>Ime in priimek</u> (1)	20. <u>Ime in priimek</u> (1)	21. <u>Ime in priimek</u> (1)	22. <u>Ime in priimek</u> (1)	23. <u>Ime in priimek</u> (1)	24. <u>Ime in priimek</u> (1)	25. <u>Ime in priimek</u> (1)	26. <u>Ime in priimek</u> (1)	27. <u>Ime in priimek</u> (1)	28. <u>Ime in priimek</u> (1)	29. <u>Ime in priimek</u> (1)	30. <u>Ime in priimek</u> (1)	31. <u>Ime in priimek</u> (1)	32. <u>Ime in priimek</u> (1)	33. <u>Ime in priimek</u> (1)	34. <u>Ime in priimek</u> (1)	35. <u>Ime in priimek</u> (1)	36. <u>Ime in priimek</u> (1)	37. <u>Ime in priimek</u> (1)	38. <u>Ime in priimek</u> (1)	39. <u>Ime in priimek</u> (1)	40. <u>Ime in priimek</u> (1)	41. <u>Ime in priimek</u> (1)	42. <u>Ime in priimek</u> (1)	43. <u>Ime in priimek</u> (1)	44. <u>Ime in priimek</u> (1)	45. <u>Ime in priimek</u> (1)	46. <u>Ime in priimek</u> (1)	47. <u>Ime in priimek</u> (1)	48. <u>Ime in priimek</u> (1)	49. <u>Ime in priimek</u> (1)	50. <u>Ime in priimek</u> (1)	51. <u>Ime in priimek</u> (1)	52. <u>Ime in priimek</u> (1)	53. <u>Ime in priimek</u> (1)	54. <u>Ime in priimek</u> (1)	55. <u>Ime in priimek</u> (1)	56. <u>Ime in priimek</u> (1)	57. <u>Ime in priimek</u> (1)	58. <u>Ime in priimek</u> (1)	59. <u>Ime in priimek</u> (1)	60. <u>Ime in priimek</u> (1)	61. <u>Ime in priimek</u> (1)	62. <u>Ime in priimek</u> (1)	63. <u>Ime in priimek</u> (1)	64. <u>Ime in priimek</u> (1)	65. <u>Ime in priimek</u> (1)	66. <u>Ime in priimek</u> (1)	67. <u>Ime in priimek</u> (1)	68. <u>Ime in priimek</u> (1)	69. <u>Ime in priimek</u> (1)	70. <u>Ime in priimek</u> (1)	71. <u>Ime in priimek</u> (1)	72. <u>Ime in priimek</u> (1)	73. <u>Ime in priimek</u> (1)	74. <u>Ime in priimek</u> (1)	75. <u>Ime in priimek</u> (1)	76. <u>Ime in priimek</u> (1)	77. <u>Ime in priimek</u> (1)	78. <u>Ime in priimek</u> (1)	79. <u>Ime in priimek</u> (1)	80. <u>Ime in priimek</u> (1)	81. <u>Ime in priimek</u> (1)	82. <u>Ime in priimek</u> (1)	83. <u>Ime in priimek</u> (1)	84. <u>Ime in priimek</u> (1)	85. <u>Ime in priimek</u> (1)	86. <u>Ime in priimek</u> (1)	87. <u>Ime in priimek</u> (1)	88. <u>Ime in priimek</u> (1)	89. <u>Ime in priimek</u> (1)	90. <u>Ime in priimek</u> (1)	91. <u>Ime in priimek</u> (1)	92. <u>Ime in priimek</u> (1)	93. <u>Ime in priimek</u> (1)	94. <u>Ime in priimek</u> (1)	95. <u>Ime in priimek</u> (1)	96. <u>Ime in priimek</u> (1)	97. <u>Ime in priimek</u> (1)	98. <u>Ime in priimek</u> (1)	99. <u>Ime in priimek</u> (1)	100. <u>Ime in priimek</u> (1)
--------------------------------------	------------------------------	------------------------------	------------------------------	------------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	--------------------------------





Planned Wellpath Report

Prelim_1

Page 1 of 3



INTEQ

REFERENCE WELLPATH IDENTIFICATION			
Operator	Cimarex Energy Co.	Slot	No.11 SHL
Area	Eddy County, NM	Well	No.11
Field	Paddock Blinbry Filed	Wellbore	No.11 PWB
Facility	Maracas 22 State No.11		

REPORT SETUP INFORMATION			
Projection System	NAD83 / TM New Mexico State Planes, Eastern Zone (3001), US feet	Software System	WellArchitect® 2.0
North Reference	Grid	User	Gomeoscr
Scale	0.999912	Report Generated	1/24/2011 at 2:39:22 PM
Convergence at slot	0.09° East	Database/Source file	WA Midland/No.11_PWB.xml

WELLPATH LOCATION						
	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W
Facility Reference Pt			595102.20	663258.50	32°49'23.530"N	104°09'29.918"W
Field Reference Pt			594612.60	661200.10	32°49'03.170"N	104°09'35.695"W

WELLPATH DATUM			
Calculation method	Minimum curvature	Rig on No.11 SHL (RT) to Facility Vertical Datum	0.00ft
Horizontal Reference Pt	Slot	Rig on No.11 SHL (RT) to Mean Sea Level	3595.00ft
Vertical Reference Pt	Rig on No.11 SHL (RT)	Facility Vertical Datum to Mud Line (Facility)	0.00ft
MD Reference Pt	Rig on No.11 SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	358.83°



Planned Wellpath Report

Prelim_1
Page 2 of 3



REFERENCE WELLPATH IDENTIFICATION			
Operator	Cimarex Energy Co.	Slot	No.11 SHL
Area	Eddy County, NM	Well	No.11
Field	Paddock Blinbry Filed	Wellbore	No.11 PWB
Facility	Maracas 22 State No.11		

WELLPATH DATA (53 stations) † = interpolated/extrapolated station												
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]	Comments
0.00	0.000	358.828	0.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	Tie On
100.00†	0.000	358.828	100.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	
200.00†	0.000	358.828	200.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	
300.00†	0.000	358.828	300.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	
400.00†	0.000	358.828	400.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	
500.00†	0.000	358.828	500.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	
600.00	0.000	358.828	600.00	0.00	0.00	0.00	595102.20	663258.50	32°49'23.530"N	104°09'29.918"W	0.00	Est KOP
700.00†	2.000	358.828	699.98	1.75	1.74	-0.04	595102.16	663260.24	32°49'23.548"N	104°09'29.918"W	2.00	
800.00†	4.000	358.828	799.84	6.98	6.98	-0.14	595102.06	663265.48	32°49'23.599"N	104°09'29.919"W	2.00	
900.00†	6.000	358.828	899.45	15.69	15.69	-0.32	595101.88	663274.19	32°49'23.686"N	104°09'29.921"W	2.00	
909.37	6.187	358.828	908.77	16.69	16.68	-0.34	595101.86	663275.18	32°49'23.695"N	104°09'29.921"W	2.00	EOB
1000.00†	6.187	358.828	998.87	26.46	26.45	-0.54	595101.66	663284.95	32°49'23.792"N	104°09'29.924"W	0.00	
1100.00†	6.187	358.828	1098.29	37.23	37.23	-0.76	595101.44	663295.72	32°49'23.899"N	104°09'29.926"W	0.00	
1200.00†	6.187	358.828	1197.71	48.01	48.00	-0.98	595101.22	663306.50	32°49'24.005"N	104°09'29.928"W	0.00	
1300.00†	6.187	358.828	1297.12	58.79	58.78	-1.20	595101.00	663317.27	32°49'24.112"N	104°09'29.931"W	0.00	
1400.00†	6.187	358.828	1396.54	69.57	69.55	-1.42	595100.78	663328.05	32°49'24.218"N	104°09'29.933"W	0.00	
1500.00†	6.187	358.828	1495.96	80.35	80.33	-1.64	595100.56	663338.82	32°49'24.325"N	104°09'29.935"W	0.00	
1600.00†	6.187	358.828	1595.38	91.12	91.11	-1.86	595100.34	663349.60	32°49'24.432"N	104°09'29.938"W	0.00	
1700.00†	6.187	358.828	1694.79	101.90	101.88	-2.08	595100.12	663360.37	32°49'24.538"N	104°09'29.940"W	0.00	
1800.00†	6.187	358.828	1794.21	112.68	112.66	-2.30	595099.90	663371.15	32°49'24.645"N	104°09'29.943"W	0.00	
1900.00†	6.187	358.828	1893.63	123.46	123.43	-2.52	595099.68	663381.92	32°49'24.752"N	104°09'29.945"W	0.00	
2000.00†	6.187	358.828	1993.05	134.24	134.21	-2.74	595099.46	663392.70	32°49'24.858"N	104°09'29.947"W	0.00	
2100.00†	6.187	358.828	2092.46	145.02	144.98	-2.97	595099.23	663403.47	32°49'24.965"N	104°09'29.950"W	0.00	
2200.00†	6.187	358.828	2191.88	155.79	155.76	-3.19	595099.01	663414.25	32°49'25.071"N	104°09'29.952"W	0.00	
2300.00†	6.187	358.828	2291.30	166.57	166.54	-3.41	595098.79	663425.02	32°49'25.178"N	104°09'29.954"W	0.00	
2400.00†	6.187	358.828	2390.72	177.35	177.31	-3.63	595098.57	663435.80	32°49'25.285"N	104°09'29.957"W	0.00	
2500.00†	6.187	358.828	2490.13	188.13	188.09	-3.85	595098.35	663446.57	32°49'25.391"N	104°09'29.959"W	0.00	
2600.00†	6.187	358.828	2589.55	198.91	198.86	-4.07	595098.13	663457.35	32°49'25.498"N	104°09'29.962"W	0.00	
2700.00†	6.187	358.828	2688.97	209.68	209.64	-4.29	595097.91	663468.12	32°49'25.605"N	104°09'29.964"W	0.00	
2800.00†	6.187	358.828	2788.39	220.46	220.42	-4.51	595097.69	663478.90	32°49'25.711"N	104°09'29.966"W	0.00	
2900.00†	6.187	358.828	2887.80	231.24	231.19	-4.73	595097.47	663489.67	32°49'25.818"N	104°09'29.969"W	0.00	
3000.00†	6.187	358.828	2987.22	242.02	241.97	-4.95	595097.25	663500.45	32°49'25.924"N	104°09'29.971"W	0.00	
3100.00†	6.187	358.828	3086.64	252.80	252.74	-5.17	595097.03	663511.22	32°49'26.031"N	104°09'29.973"W	0.00	
3200.00†	6.187	358.828	3186.06	263.57	263.52	-5.39	595096.81	663522.00	32°49'26.138"N	104°09'29.976"W	0.00	
3300.00†	6.187	358.828	3285.47	274.35	274.29	-5.61	595096.59	663532.77	32°49'26.244"N	104°09'29.978"W	0.00	
3400.00†	6.187	358.828	3384.89	285.13	285.07	-5.83	595096.37	663543.54	32°49'26.351"N	104°09'29.980"W	0.00	
3500.00†	6.187	358.828	3484.31	295.91	295.85	-6.05	595096.15	663554.32	32°49'26.458"N	104°09'29.983"W	0.00	
3600.00†	6.187	358.828	3583.73	306.69	306.62	-6.27	595095.93	663565.09	32°49'26.564"N	104°09'29.985"W	0.00	
3700.00†	6.187	358.828	3683.14	317.46	317.40	-6.49	595095.71	663575.87	32°49'26.671"N	104°09'29.988"W	0.00	
3800.00†	6.187	358.828	3782.56	328.24	328.17	-6.71	595095.49	663586.64	32°49'26.777"N	104°09'29.990"W	0.00	
3900.00†	6.187	358.828	3881.98	339.02	338.95	-6.93	595095.27	663597.42	32°49'26.884"N	104°09'29.992"W	0.00	
4000.00†	6.187	358.828	3981.40	349.80	349.73	-7.15	595095.05	663608.19	32°49'26.991"N	104°09'29.995"W	0.00	
4100.00†	6.187	358.828	4080.81	360.58	360.50	-7.37	595094.83	663618.97	32°49'27.097"N	104°09'29.997"W	0.00	
4200.00†	6.187	358.828	4180.23	371.35	371.28	-7.59	595094.61	663629.74	32°49'27.204"N	104°09'29.999"W	0.00	
4300.00†	6.187	358.828	4279.65	382.13	382.05	-7.81	595094.39	663640.52	32°49'27.311"N	104°09'30.002"W	0.00	



Planned Wellpath Report

Prelim_1
Page 3 of 3



INTEQ

REFERENCE WELLPATH IDENTIFICATION			
Operator	Cimarex Energy Co.	Slot	No.11 SHL
Area	Eddy County, NM	Well	No.11
Field	Paddock Blinbry Filed	Wellbore	No.11 PWB
Facility	Maracas 22 State No.11		

WELLPATH DATA (53 stations) † = interpolated/extrapolated station												
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]	Comments
4400.00†	6.187	358.828	4379.07	392.91	392.83	-8.03	595094.17	663651.29	32°49'27.417"N	104°09'30.004"W	0.00	
4500.00†	6.187	358.828	4478.48	403.69	403.60	-8.25	595093.95	663662.07	32°49'27.524"N	104°09'30.007"W	0.00	
4600.00†	6.187	358.828	4577.90	414.47	414.38	-8.48	595093.73	663672.84	32°49'27.630"N	104°09'30.009"W	0.00	
4700.00†	6.187	358.828	4677.32	425.24	425.16	-8.70	595093.51	663683.62	32°49'27.737"N	104°09'30.011"W	0.00	
4800.00†	6.187	358.828	4776.73	436.02	435.93	-8.92	595093.28	663694.39	32°49'27.844"N	104°09'30.014"W	0.00	
4900.00†	6.187	358.828	4876.15	446.80	446.71	-9.14	595093.06	663705.17	32°49'27.950"N	104°09'30.016"W	0.00	
5000.00†	6.187	358.828	4975.57	457.58	457.48	-9.36	595092.84	663715.94	32°49'28.057"N	104°09'30.018"W	0.00	
5024.57	6.187	358.828	5000.00 ¹	460.23	460.13	-9.41	595092.79	663718.59	32°49'28.083"N	104°09'30.019"W	0.00	No.11 PBHL

HOLE & CASING SECTIONS Ref Wellbore: No.11 PWB Ref Wellpath: Prelim_1									
String/Diameter	Start MD [ft]	End MD [ft]	Interval [ft]	Start TVD [ft]	End TVD [ft]	Start N/S [ft]	Start E/W [ft]	End N/S [ft]	End E/W [ft]
8.625in Casing	0.00	400.00	400.00	0.00	400.00	0.00	0.00	0.00	0.00
7.875in Open Hole	400.00	5024.57	4624.57	400.00	5000.00	0.00	0.00	460.13	-9.41

TARGETS									
Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
1) Maracas 22 State No.11 PBHL	5024.57	5000.00	460.13	-9.41	595092.79	663718.59	32°49'28.083"N	104°09'30.019"W	point

SURVEY PROGRAM Ref Wellbore: No.11 PWB Ref Wellpath: Prelim_1				
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
0.00	5024.57	NaviTrak (Standard)		No.11 PWB