

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NM-05551
2. Name of Operator OXY USA WTP LP (Attn: Jereme Robinson)		6. If Indian, Allottee or Tribe Name
3a. Address P.O. Box 27757, Houston, TX 77227-7757	3b. Phone No. (include area code) 713.366-5360	7. If Unit or CA/Agreement, Name and/or No. North Indian Basin Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 0 Sec. 11, T21S, R23E 990' FSL 1986' FEL Lat. 32.48841 Long. 104.57055		8. Well Name and No. North Indian #19 Basin Unit
		9. API Well No. 30-015-28385
		10. Field and Pool, or Exploratory Area South Dagger Draw/ Upper Pen Associate
		11. County or Parish, State Eddy NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

OXY USA WTP LP request an extension of the T/A for a period of 1 year. The subject well is located in the OXY YES0 recompleation pilot.

OXY request the T/A extension be granted by the BLM upon successful MIT.

TD: 8100' PBDT: 7444' CIBP: 7454'

See attached Wellbore Diagram.

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

RECEIVED
MAR 09 2011
NMOCD ARTESIA

APPROVED


FEB 26 2011
/s/ JD Whitlock Jr

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Jereme Robinson/ jereme_robinson@oxy.com	Title Regulatory Analyst
Date 01/18/2011	

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	



16" Conductor Casing Set @ 40'
Cemented to Surface w/ Redi-Mix

9 5/8", 36#, J-55 set at 1196' Cemented
to Surface with 800 sks, Circuatted 350
sks

CIBP Set @ 7454' with 10'
of cement dump bailed on
top

Perforations: 7504-7612'

CIBP Set @ 7674' With 10'
Cement

Perforations: 7,724-42', 7,750-7,812', 7830-7840', 7850-80'

7", 23 & 26#, K-55 Set at 8,100'. Cemented to Surface
with 1275 Sacks, Circulated 186 sx.

Well Name & Number:	#REF!	Lease	#REF!
County or Parish:	#REF!	State/Prov.	#REF!
Perforations: (MD)		(TVD)	
Angle/Perfs	Angle @KOP and Depth	0	KOP TVD
BHP:	0	BHT	0
FWHP:	FBHP:	FWHT:	FBHT:
Date Completed			RKB:
Prepared By:	0	Last Revision Date:	01/00/00

BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Temporary Abandonment of Wells on Federal Lands
Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
2. A description of the temporary abandonment procedure.
 - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
 - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. Any leak-off will be evaluated.
 - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
 - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
 - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
3. **Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.**

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status provided that the operator:

1. **Submits a subsequent Sundry Notice** (Form 3160-5) requesting TA approval **with well bore diagram** with all perforations and CIBP's and tops of cement on CIBP's.
2. Describes the temporary abandonment procedure.
3. Attaches a clear copy or the original of the pressure test chart.
4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

1. A procedure to repair the casing so that a TA approval can be granted.
2. A procedure to plug and abandon the well.

North Indian Basin Unit #19. Well may be approved to be TA/SI for a period of 1 year or until 12/30/2011 after successful MIT and subsequent report with well bore diagram is submitted. Approval subject to annual Plan of Development review and approval for the Yeso development area.