



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Lori Wrotenbery

Director

Oil Conservation Division

Field Inspection Program

"Preserving the Integrity of Our Environment"

23-Feb-04

RAM ENERGY INC

MERIDIAN TOWER 5100 E. SKELLY DRIVE, ST 650

TULSA OK 74135

NOTICE OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

SOUTH CULEBRA BLUFF 23 No.001		K-23-23S-28E		30-015-25841-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/23/2004	Routine/Periodic	Mike Bratcher	Yes	No	3/23/2004	iMLB0405443786
Comments on Inspection:		Oil standing in cellar from leaks at wellhead. Violation Rule 13 and Rule 116. Area requires remediation per OCD guidelines.				

SOUTH CULEBRA BLUFF 23 No.007		J-23-23S-28E		30-015-26348-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/23/2004	Routine/Periodic	Mike Bratcher	Yes	No	3/23/2004	iMLB0405445862
Comments on Inspection:		Oil standing in cellar from leaks at wellhead. Remediation required per OCD guidelines. Violation Rule 13 and Rule 116.				

SOUTH CULEBRA BLUFF 23 No.009		O-23-23S-28E		30-015-26369-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/23/2004	Routine/Periodic	Mike Bratcher	Yes	No	3/23/2004	iMLB0405446209
Comments on Inspection:		Oil standing in cellar from leaks at wellhead. Requires remediation per OCD guidelines. Violation Rule 13 and Rule 116.				

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.