

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OKMW 1110153254

OPERATOR		<input checked="" type="checkbox"/> Initial Report	<input checked="" type="checkbox"/> Final Report
Name of Company Yates Petroleum Corporation	OGRID Number 25575	Contact Robert Asher	
Address 104 S. 4 TH Street		Telephone No. 575-748-1471	
Facility Name Glow Worm ALX Federal Battery	API Number 30-015-35313	Facility Type Battery	
Surface Owner Federal	Mineral Owner Federal	Lease No. NM-81953	

LOCATION OF RELEASE

Unit Letter B	Section 4	Township 23S	Range 31E	Feet from the	North/South Line	Feet from the	East/West Line	County Eddy
------------------	--------------	-----------------	--------------	---------------	------------------	---------------	----------------	----------------

Latitude 32.04040 Longitude 104.20855

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 70 B/PW	Volume Recovered 50 B/PW
Source of Release Knockout	Date and Hour of Occurrence 7/2/2010; AM	Date and Hour of Discovery 7/2/2010; AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher/NMOCD	
By Whom? Robert Asher/Yates Petroleum Corporation	Date and Hour 7/2/2010; PM (Voicemail & e-mail)	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		

Describe Cause of Problem and Remedial Action Taken.*

The sight glass on the knockout broke. Shut in line, turned off pumping unit to knockout, sight glass replaced. A vacuum truck was called to the location.

Describe Area Affected and Cleanup Action Taken.*

An approximate total areas of 43' X 24'. Battery area is bermed and lined, because of gravel and no low areas to collect produced water, 20 B/PW were not recovered and remains within the bermed area on top of the liner. Depth to Ground Water: >100' (354', Section 5, T23S-R31E, per the NMOSE/ISC), Wellhead Protection Area: No, Distance to Surface Water Body: >1000', SITE RANKING IS 0. Based on recovered amounts of produced water, release within bermed/lined containment area, Yates Petroleum Corporation requests closure and the remaining produced water to evaporate naturally.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: <i>Robert Asher</i>	Approved by District Supervisor: <i>Mike Bratcher</i>	
Printed Name: Robert Asher	Approval Date:	Expiration Date: <i>N/A</i>
Title: Environmental Regulatory Agent	Conditions of Approval: <i>MA</i> Attached <input type="checkbox"/>	
E-mail Address: boba@yatespetroleum.com	2RP- <i>731</i>	
Date: Monday, July 19, 2010 Phone: 575-748-4217		

* Attach Additional Sheets If Necessary



New Mexico Office of the State Engineer Wells with Well Log Information

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Sub basin	Use	County	Source	q	q	q	q	Sec	Tws	Rng	X	Y	Start Date	Finish Date	Log File Date	Depth Well	Depth Water
C 02694	MON	ED	Shallow	3	3	2	05	23S	31E			613049	3578138*	01/20/2004	02/11/2004	02/20/2004	4291	354
C 02885	EXP	ED	Shallow	4	4	4	06	23S	31E			612056	3577320*	08/27/2001	09/04/2001	10/30/2001	174	
C 02954 EXPL	EXP	ED	Shallow	3	1	4	20	23S	31E			613114	3572906*	06/25/2003	07/29/2003	08/07/2003	905	
C 03140	MON	ED	Shallow	4	2	4	04	23S	31E			615266	3577758*	05/02/2005	05/25/2005	06/03/2005	684	

Record Count: 4

PLSS Search:

Township: 23S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/6/10 9:40 AM

Page 1 of 1

WELLS WITH WELL LOG INFORMATION



FACSIMILE TRANSMITTAL SHEET

TO:	FROM:
Mike Bratcher	Robert Asher
FAX NUMBER:	DATE:
9-748-9720	Monday, July 19, 2010
COMPANY:	TOTAL NO. OF PAGES INCLUDING COVER:
NMOCD	3
PHONE NUMBER:	RE:
	C-141: Glow Worm Federal Battery

☐ URGENT ☒ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

INITIAL & FINAL REPORT.

Report for 7/2/2010 release.

If you have any questions, contact me at 575-748-4217.

Thank you.

Robert Asher

Environmental Regulatory Department